For KCC Use:	5.4.05
Effective Date:	
District #	
,	T37

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 December 2002
Form must be Typed
Form must be Signed

OUA: LES LIV	TENT TO DRILL Form must be signed All blanks must be Filled (5) days prior to commencing well
Expected Spud Date JUNE 15, 2005	Spot
month day year	E/2 NE SE Sec. 27 Twp. 21S S. R. 34 West
30535	1320 feet from N / V S Line of Section
OPERATOR: License# 30535 V Name; HARTMAN OIL CO., INC.	feet from
12950 E. 13TH ST.	Is SECTION <u>√</u> RegularIrregular?
City/State/Zip: WICHITA, KS 67230	(Note: Locate well on the Section Plat on reverse side)
Contact Person: STAN MITCHELL APR 2 8 2005	County: FINNEY
	Lease Name: GOBLEMAN Well #: C#1
Z ZOCIAICHITA	Field Name: NUNN POOL
	Is this a Prorated / Spaced Field?
Name: STERLING DRILLING CO.	Target Formation(s): MISSISSIPPI
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: 2898 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Penth to bottom of fresh water: 240 Yes V No
Seismic; # of Holes Other	Depart to bottom of fresh water.
Other	Depth to bottom of usable water: 1200'
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: NONE Projected Total Depth: 4900'
Well Name:	Formation at Total Depth: MISSISSIPPI
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
I hereby certify that the statements made herein are true and to the best of	of my knowledge and belief
Date: 4/26/2005 Signature of Operator or Agent	ist Janhum Title: PRESIDENT
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 055 - 218730000 Conductor pipe required NONE feet Minimum surface pipe required 260 feet per Alt. 4 (2)	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Approved by: RTP 4-29-05	- Obtain written approval before disposing or injecting salt water.
This authorization expires 10.29.05 (This authorization void if drilling not started within 6 months of effective date.)	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Spud date: Agent:	Well Not Drilled - Permit Expired Signature of Operator or Agent:
The second secon	Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: FINNEY		
Operator: HARTMAN OIL CO., INC.	1320feet from N / V S Line of Section		
Lease: GOBLEMAN	1320 feet from N / V S Line of Section 330 feet from V E / W Line of Section		
Well Number: C #1	Sec. 27 Twp. 21S S. R. 34 East V West		
Field: NUNN POOL			
Number of Acres attributable to well: 40	Is Section: Regular or Irregular		
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	:	
27		
 		330'

RECEIVED

APR 2 8 2005

KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.