For KCC Use: Effective Date: District #_ SGA? Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date May 27 2005	Spot Ea	
month day year	SE - NE - SW Sec. 10 Twp. 28 S. R. 13 X We	est
OPERATOR: License# 3959 (11.30.05)	1980 feet from N / X S Line of Section	
Name: Siroky Oil Management		
Address: P.O. Box 464	ls SECTION XRegularIrregular?	
City/State/Zip: Pratt, KS 67124	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Brian Siroky	County: Pratt	
Phone: (620)672-5713	Lease Name: Young Well #: 1	
CONTRACTOR: License#_ 33610	Field Name: Rollingson SW	
Name: Fossil Drilling, Inc.	is the division of the last of	No
Name: 1 Obbit Diliting, Inc.	Target Information(s): Mississippi	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'	—
XOil Enh Rec Infield Y Mud Rotary	Ground Surface Elevation: 1900' est feet M	
XGas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Penth to bottom of fresh water: 240	No
Seismic;# of Holes Other	Depth to Bottom of mean water.	
Other	Depth to bottom of usable water: 260	—
	Surface Pipe by Alternate: X 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300 Length of Conductor Pipe required: NONE	_
Operator:	Projected Total Depth: 4400	_
Well Name:	Formation at Total Depth: Miss.	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Unknown	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:		No
	If Yes, proposed zone:	
	DAVIT ugging of this well will comply with K.S.A. 55 et. seg.	בח
The undersigned hereby affirms that the drilling, completion and eventual plants and the table (all uniform plants) are the state of th	2333	_
It is agreed that the following minimum requirements will be met:	MAY 2.7 200	
		K
Notify the appropriate district office prior to spudding of well;		_
		_
	ch drilling rig; If by circulating cement to the top; in all cases surface processing the control of the contro	_
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the discount of the second surface of the second shall be second so that the second shall be second shall be second so that the second shall be second so that the second shall be second shall b	ch drilling rig; It by circulating cement to the top; in all cases surface processing the underlying formation. In this instrict office on plug length and placement is necessary prior to plugging	IT/
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 	ch drilling rig; It by circulating cement to the top; in all cases surface procuration. It is included the surface procuration is included the surface procuration. It is included the surface procuration is included the surface procuration is included the surface procuration. It is included the surface procuration is included the surface procuration in the surface procuration is included the surface procuration.	IT/
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	ch drilling rig; It by circulating cement to the top; in all cases surface procuration. It is included the surface of the surf	ITA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order 	th drilling rig; It by circulating cement to the top; in all cases surface procuration. It is included the surface on plug length and placement is necessary prior to plugging iged or production casing is cemented in; It is included the surface of the surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement	ITA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to 	th drilling rig; It by circulating cement to the top; in all cases surface procured to the underlying formation. Institute office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; It is defined by the surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.	ITA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order 	th drilling rig; It by circulating cement to the top; in all cases surface procuration. In the underlying formation. In the instrict office on plug length and placement is necessary prior to plugging igged or production casing is cemented in; It is defined below any usable water to surface within 120 days of spud date. If it is all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	ITA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the left of the statements made herein are true and to the best of the spud state. 	th drilling rig; It by circulating cement to the top; in all cases surface procured to the underlying formation. Institute office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; It is defined by the surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.	ITA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to 	th drilling rig; It by circulating cement to the top; in all cases surface procuration. In the underlying formation. In the instrict office on plug length and placement is necessary prior to plugging igged or production casing is cemented in; It ded from below any usable water to surface within 120 days of spud date. If it is a rea, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	ITA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of Date: MAY 37, 2001 Signature of Operator or Agent: 	th drilling rig; It by circulating cement to the top; in all cases surface procure to the underlying formation. Institute office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; It defense below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cement to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Press.	ITA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decomposition of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the place. The place of the spud date of the spud batter. 	ch drilling rig; It by circulating cement to the top; in all cases surface procuration. In the underlying formation. In the instrict office on plug length and placement is necessary prior to plugging igged or production casing is cemented in; It ded from below any usable water to surface within 120 days of spud date. If it is a rea, alternate is cemented in the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	ITA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the plant of the post of the spud date of the spud to the best of the plant of the plant of the plant of the plant of the period of the spud date. 	th drilling rig; It by circulating cement to the top; in all cases surface procure to the underlying formation. Institute office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; It defense below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cement to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Press.	ITA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 151 - 22221 - OO - OO Conductor pipe required NONE feet 	ch drilling rig; It by circulating cement to the top; in all cases surface procuration. In the underlying formation. In the instrict office on plug length and placement is necessary prior to plugging igged or production casing is cemented in; It ged from below any usable water to surface within 120 days of spud date. If it get it is a sea, alternate is cemented in the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	TA
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the plant of the post of the spud date of the spud to the best of the plant of the plant of the plant of the plant of the period of the spud date. 	ch drilling rig; It by circulating cement to the top; in all cases surface process. It by circulating cement to the top; in all cases surface process. It by circulating cement to the top; in all cases surface process. It by circulating cement to the top; in all cases surface prior to plugging greater to production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. If it is all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	TA
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decomposition of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 151 - 222 1 - 00 - 00 Conductor pipe required None feet minimum surface pipe required feet per Alt. (1) 2	ch drilling rig; It by circulating cement to the top; in all cases surface process. It by circulating cement to the top; in all cases surface process. It by circulating cement to the top; in all cases surface process. It by circulating cement to the top; in all cases surface prior to plugging greater production casing is cemented in; and case from below any usable water to surface within 120 days of spud date. If it is prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	TA
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the drop of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be completed within 30 days of the spud date or the well shall to be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 151 - 222 1 - 00 - 00 Conductor pipe required None feet per Alt. (1) approved by 12 - 00 - 00 feet per Alt. (1) approved by 12 - 00 feet per Alt. (1) approved by 12 - 00 feet per Alt. (1) approved by 12 - 00 feet per Alt. (1) approved by 12 - 00 fe	ch drilling rig; It by circulating cement to the top; in all cases surface process. It by circulating cement to the top; in all cases surface process. It by circulating cement to the top; in all cases surface process. It by circulating cement to the top; in all cases surface prior to plugging is ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. If it is a rea, alternate II cement on the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	iting
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decoration of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 151 - 2221 - OO - OO Conductor pipe required NONE feet Minimum surface pipe required feet per Alt. 10 - Approved by Co-1-05	ch drilling rig; It by circulating cement to the top; in all cases surface pipe wall CH in the underlying formation. In the underlying formation is the underlying formation. It is the underlying formation as in great or production casing is cemented in; great or production casing is cemented in; great from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Pres. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	TA
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decoration of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be completed within 30 days of the spud date or the well shall to be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 151 - 2221 - 00 - 00 Conductor pipe required NONE feet per Alt. 10 - Approved by 12 - 105 - 105 This authorization expires: 12-1 - 05	ch drilling rig; It by circulating cement to the top; in all cases surface procuration. In the underlying formation. In the underlying is cemented in; In the underlying is underlying in the underlying is completed; In the underlying is underlying is underlying is completed; In this permit has expired (See: authorized expiration date) please	iting
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decoration of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be completed within 30 days of the spud date or the well shall to be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 151 - 2221 - 00 - 00 Conductor pipe required NONE feet per Alt. 10 - Approved by 12 - 105 - 105 This authorization expires: 12-1 - 05	ch drilling rig; It by circulating cement to the top; in all cases surface procuration. In the underlying formation. It is necessary prior to plugging igged or production casing is cemented in; It is necessary prior to plugging igged or production casing is cemented in; It is necessary prior to plugging is completed; It is notify appropriate district office and the underlying is completed; It is permit has expired (See: authorized expiration date) please check the box below and return to the address below.	iting

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Well Number:	Sec Twp S. R East West
Field:	
Number of Acres attributable to well:	ls Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

May 31, 2005

Mr. Brian Siroky Siroky Oil Management PO Box 464 Pratt, KS 67124

RE: Drilling Pit Application Young Lease Well No. 1 SW/4 Sec. 10-28S-13W Pratt County, Kansas

Dear Mr. Siroky:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and <u>lined with bentonite or native clay</u>. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Also please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: S Durrant