| For KCC L | lse: | 1- | | _ |
|-------------|---------|------|------|-----|
| Effective I | Date: _ | ع | 2.12 | -05 |
| District #_ | | | | |
| SGA? | Yes | X No | | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002
Form must be Typed
Form must be Signed
blanks must be Filled

| Expected Spud Date June 15, 2005 month day year | Spot SENW NW SW Sec. 28 Twp. 14 S. R. 22 West |
|--|---|
| PERATOR: License# 4567 (8.30-05) | 2200 feet from N / S Line of Section 4840 feet from V E / W Line of Section |
| lame: D.E. Exploration, Inc. // ddress: P.O. Box 128 | Is SECTION Regular Irregular? |
| ity/State/Zip: Wellsville, KS 66092 | |
| ontact Person: Douglas G. Evans | (Note: Locate well on the Section Plat on reverse side) County: Johnson |
| hone: (785) 883-4057 | Lease Name: Gardner Holding Well #: I-5 |
| | Field Name: Gardner Holding |
| CONTRACTOR: License# 8509 (6.30-05) | Is this a Prorated / Spaced Field? |
| ame: Evans Energy Development, Inc. | Target Formation(s): Bartlesville |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 440' |
| | Ground Surface Elevation: n/a feet MSL |
| Oil | Water well within one-quarter mile: |
| Gas Storage Pool Ext. Air Rotary OWO Disposal Wildcat Cable | Public water supply well within one mile: Yes ✓ No |
| OWWO Disposal Wildcat Cable Seismic: # of Holes Other | Depth to bottom of fresh water: 150+ |
| Other | Depth to bottom of usable water: 300+ |
| Other | Surface Pipe by Alternate: 1 2 |
| OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 20' |
| Operator: | Length of Conductor Pipe required: none |
| Well Name: | Projected Total Depth: 950' Formation at Total Depth: Bartlesville |
| Original Completion Date:Original Total Depth: | 7 Torrida Total Bopan |
| Directional, Deviated or Honzontal wellbore? Yes ✓ No | Water Source for Drilling Operations: |
| Yes, true vertical depth: | Well ✓ Farm Pond Other |
| Hottom Hole Location: | DWR Permit #: |
| ottom riole cocation. | |
| CCC DKT #: | (Note: Apply for Permit with DWR) |
| CCC DKT #: | Will Cores be taken? Yes ✓ No |
| CCC DKT #: | |
| | Will Cores be taken? Yes ✓ No |
| AFF | Will Cores be taken? Yes ✓ No If Yes, proposed zone: |
| AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: | Will Cores be taken? Yes ✓ No If Yes, proposed zone: |
| AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the the suppropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order | Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the second of the seco | Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the formula of the plus of the specific propriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the specific propriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the specific propriate district office will be notified before well is either plus of the specific propriate district office will be notified before well is either plus of the specific propriate district office will be notified before well is either plus of the specific propriate district office will be notified before well is either plus of the specific propriate district office will be notified before well is either plus of the specific propriate district office will be notified before well is either plus of the specific propriate district office will be notified before well is either plus of the specific propriate district plus of the specific propriate district propriate district plus of the specific propriate district p | Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of t | Will Cores be taken? If Yes, proposed zone: FIDAVIT Drugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date. The #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. The formation is the following the following the plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strength of the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus first and the strength of the spuddate or the well shall be compared to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be the spuddate or the well shall be certify that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements are true and to the complete that the statements are true and the complete that the statements are true and to the complete that the statement are true and the complete that the statemen | Will Cores be taken? If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason and the posted on eason and the posted of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as a proper the operator and the posted in the surface pipe is the post of the sport of the sport of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order. Signature of Operator or Agent: For KCC Use ONLY | Will Cores be taken? If Yes, proposed zone: PIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; giged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date, at #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the well is drived in the statement between the operator and the statement between the operator and the statement of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is | Will Cores be taken? If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; giged or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; |
| The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plue for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the part of the prior of the prior of the prior of the post of the spud date or the well shall the post of the spud date or the post of the s | Will Cores be taken? If Yes, proposed zone: PIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; giged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date, at #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eason through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the statement of the proportion of the policy of the spudding of the sp | Will Cores be taken? If Yes, proposed zone: PIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Anch drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; after from below any usable water to surface within 120 days of spud date. The Hamber to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east of the approved notice of intent to drill shall be posted on east of the minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plant of the post of the spud date or the well shall the post of the spud date or the post of the spud date or the post of the spud date or the post of the | If Yes, proposed zone: State Proposed zone Proposed zone Proposed zone |
| AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ease. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the surface propriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the post of the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the po | Will Cores be taken? If Yes, proposed zone: PIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |

JUN 1 0 2005

CONSERVATION DIVISION WICHITA, KS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 | Location of Well: County: Johnson |
|--|--|
| Operator: D.E. Exploration, Inc. | 2200 feet from N / S Line of Section |
| Lease: Gardner Holding | 4840 feet from 🗸 E / W Line of Section |
| Well Number: 1-5 | Sec. 28 Twp. 14 S. R. 22 ✓ East West |
| Field: Gardner Holding | |
| Number of Acres attributable to well: | Is Section: 🗸 Regular or 🔲 Irregular |
| QTR / QTR / QTR of acreage: SENW - NW - SW | If Section is irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| | | | | | |
|---|---------------|-----------------------------------|-------|---------------------------------------|---|
| | : | · : | : | | : |
| | · | | | | |
| | | · : | : | | : |
| | | : : : | | · · · · · · · · · · · · · · · · · · · | |
| | : | : : | : | • | • |
| | | | | | • |
| l | | | | • | |
| | | | | | |
| | | . : | | · · · · · · · · · · · · · · · · · · · | |
| | · · | | | | |
| | · · · · · · · | · : | | | |
| | · · · · · · · | · · · · · · · · · · · · · · · · · | | | |



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.