For KCC Use:

Effective Date: 6-15-05

District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

xpected Spud Date June 15, 2005	Spot VEast
month day year	N2 - S2 N2, SW Sec. 28 Twp. 14 S. R. 22 West
PERATOR: License# 4567	1760 feet from N / V S Line of Section
ame: D.E. Exploration, Inc.	leet from V E / W Line of Section
ddress. P.O. Box 128	Is SECTION RegularIrregular?
ity/State/Zip: Wellsville, KS 66092	(Note: Locate well on the Section Plat on reverse side)
contact Person: Douglas G. Evans	County: Johnson
hone: (785) 883-4057	Lease Name: Gardner Holding
11 00 0	Field Name: Gardner Holding
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes ✓ No
ame: Evans Energy Development, Inc.	Target Formation(s): Bartlesville
	Nearest Lease or unit boundary: 440'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MSI
Oil ✓ Enh Rec ✓ Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. ✓ Air Rotary	
OWWO Disposal Wildcat Cable	
Seismic: # of Holes Other	Depth to bottom of fresh water: 150+
Other	Depth to bottom of usable water: 300+
	Surface Pipe by Alternate: 1 2 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 950'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
	Water Source for Drilling Operations:
orectional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
lottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? Yes ✓ No
CCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
SEE ATT UIC LETTER	If Yes, proposed zone:
SEE ATT UIC LETTER AF	If Yes, proposed zone:
SEE ATT UIC LETTER. AF The undersigned hereby affirms that the drilling, completion and eventua	If Yes, proposed zone:
SEE ATT UIC LETTER AF	If Yes, proposed zone:
SEE ATT UIC LETTER. AF The undersigned hereby affirms that the drilling, completion and eventua	If Yes, proposed zone:
SEE ATT UIC LETTER. The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on	If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i>	If Yes, proposed zone: FFIDAVIT Il plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	If Yes, proposed zone: FFIDAVIT Il plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone: FFIDAVIT Il plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p	If Yes, proposed zone: FFIDAVIT Il plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the through all unconsolidated materials plus a minimum of 20 feet intents. If the well is dry hole, an agreement between the operator and the through all the transpropriate district office will be notified before well is either placed. If an ALTERNATE II COMPLETION, production pipe shall be cementary to the transpropriate district office will be notified before well is either placed.	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugglng; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the structure of the structure of the specified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemor or pursuant to Appendix "B" - Eastern Kansas surface casing order.	If Yes, proposed zone: FFIDAVIT Il plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the strength of the strength of the surface control of the surface of the surface casing order to the sur	each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to pluggling; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the strength of the strength of the surface control of the surface of the surface casing order to the sur	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the strength of the well is dry hole, an agreement between the operator and the strength of the well is either performant to the performant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best	each drilling rig; each drilling rig; eset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to pluggling; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the through all unconsolidated materials plus a minimum of 20 feet intention. 5. The appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the besides.	each drilling rig; each drilling rig; each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation. e district office on plug length and placement is necessary prior to pluggling; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the through all unconsolidated materials plus a minimum of 20 feet intents. 4. If the well is dry hole, an agreement between the operator and the through all unconsolidated materials plus a minimum of 20 feet intents. 5. The appropriate district office will be notified before well is either plus of the surface of the specific properties of the specific properties. 6. If an ALTERNATE II COMPLETION, production pipe shall be cernally be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certainly that the statements made herein are true and to the best place. Signature of Operator or Agent: June 10, 2005 Signature of Operator or Agent:	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; bugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent of the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cern. Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best place. Signature of Operator or Agent: June 10, 2005 Signature of Operator or Agent:	each drilling rig; each drilling
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the through all unconsolidated materials plus a minimum of 20 feet intents. 4. If the well is dry hole, an agreement between the operator and the through all unconsolidated materials plus a minimum of 20 feet intents. 5. The appropriate district office will be notified before well is either plus of the surface of the specific properties of the specific properties. 6. If an ALTERNATE II COMPLETION, production pipe shall be cernally be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certainly that the statements made herein are true and to the best place. Signature of Operator or Agent: June 10, 2005 Signature of Operator or Agent:	each drilling rig; each drilling rig; each drilling rig; each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation. e district office on plug length and placement is necessary prior to pluggling; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intention to the well is dry hole, an agreement between the operator and the strength of the well is dry hole, an agreement between the operator and the surface of the well is either properties. The appropriate district office will be notified before well is either properties of the surface of the surface of the surface of the surface of the well shall be completed within 30 days of the spud date or the well shall be certified before the well shall be certified before the well shall be completed within 30 days of the spud date or the well shall be certified before the well sh	each drilling rig; each drilling
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended in the second of the secon	each drilling rig; each drilling
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent of the well is dry hole, an agreement between the operator and the first office will be notified before well is either point of the properties of the spuddate or the well is either point of the properties of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be certified before well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be certified before well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30	each drilling rig; each drilling
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent. 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cern. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certified before. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O 9 1 - 2 3 0 5 0 00 00 00 00 00 00 00 00 00 00 00	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to pluggling; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent of the well is dry hole, an agreement between the operator and the first office will be notified before well is either point of the specified before well is either point of the specifie	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to pluggling; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. the #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent. 4. If the well is dry hole, an agreement between the operator and the surface of the surface	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to pluggling; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to 1. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface of the surfa	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to pluggling; shugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to 1. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface of the surfa	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

JUN 1 0 2005

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15	Location of Well: County: Johnson
Operator: D.E. Exploration, Inc.	•
Lease: Gardner Holding	1760 feet from N / ✓ S Line of Section 3960 feet from ✓ E / W Line of Section
Well Number: I-8	Sec. 28 Twp. 14 S. R. 22 ✓ East West
Field: Gardner Holding	·
Number of Acres attributable to well: QTR / QTR / QTR of acreage: N2 S2 SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

ì	_						
i			•				
	-		•				
				_			_
			•	•			
ŀ	•		•				
1							
İ							
	•						
			_				
1			-				
1							
1				-	•		
	•		•				
			•	•			
1						•	
	•		•		:		
	•		•				
			· 				
			· 				
	· · · · •		· 				
	· :	 ! :	·				
	· · ·		· 	· · · ·			· · · ·
	· : [:	·	· · · ·			
				· · · ·			
				· · · ·			
			•	· · · ·			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.