### For KCC Use: Effective Date: District # SGA? X Yes No

# Kansas Corporation Commission Oil & Gas Conservation Division

# NOTICE OF INTENT TO DRILL

Form C-1 December 2003 Form must be Typed Form must be Signed All blanks must be Filled

E 21 2005			
Expected Spud Date 5-31-2005	Spot 10 30	East	
month day year	Se Se Ne Sec. 10 Twp. 20 S. R.	11 ✓ West	
OPERATOR: License# 32778	2310' feet from V N / S I		
Name: CAT Energy, LLC	330' feet from 🗸 E / W Line of Section		
Address: 1138 N Grimes St	Is SECTION Regular . Irregular?		
City/State/Zip: McPherson, KS 67460-2829	(Note: Locate well on the Section Plat on reverse	side)	
Contact Person: Duane Purser	County: Barton		
Phone: 316/734-8911	Lease Name: Panning - 10 Acre We	ell #: 1-HK	
33436	Field Name: Chase-Silica		
Forrest Frerry Limited, LLC	Is this a Prorated / Spaced Field?	Yes ✓ No 🖊	
Name: , Fortest Energy Elimited, Elo	Target Formation(s): Arbuckle		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'		
✓ Oil / Enh Rec ✓ Infield X Mud Rotary	Ground Surface Elevation: 1765	teet MSL	
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes V No	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ No	
Seismic; # of Holes Other	Depth to bottom of fresh water: 180'		
Other	Depth to bottom of usable water: 220°		
Tanat	Surface Pipe by Alternate: $\sqrt{1}$   2		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300° Length of Conductor Pipe required: N/A		
Operator:	Projected Total Depth: 3450'		
Well Name:	Formation at Total Depth: Arbuckle		
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellboRECEIVED Yes V No	Well Farm Pond Other X		
If Yes, true vertical depth: ANSAS CORPORATION COMMISSION	DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR		
KCC DKT #: 1 JUN 0 2 2005	Will Cores be taken?	Yes ✓ No	
	If Yes, proposed zone: N/A		
ONSERVATION DIVISION WICHTA KS AFFII			
The undersigned hereby affirms that the drilling, completion and eventual plu			
	gging of this well will comply with R.S.A. 55 etc seq.		
It is agreed that the following minimum requirements will be met:			
<ol> <li>Notify the appropriate district office prior to spudding of well.</li> </ol>	n drilling rig:		
		shall be set	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well.</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> </ol>	by circulating cement to the top; in all cases surface pipe aunderlying formation.		
<ol> <li>Notify the appropriate district office prior to spudding of well.</li> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dien</li> </ol>	by circulating cement to the top; in all cases surface pipe a underlying formation. strict office on plug length and placement is necessary <b>pri</b>		
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well.</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.</li> </ol>	by circulating cement to the top; in all cases surface pipe e underlying formation. Strict office on plug length and placement is necessary <b>pri</b> led or production casing is cemented in;	ior to plugging;	
<ol> <li>Notify the appropriate district office prior to spudding of well.</li> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dien</li> </ol>	by circulating cement to the top; in all cases surface pipe a underlying formation. Strict office on plug length and placement is necessary <b>pri</b> led or production casing is cemented in; d from below any usable water to surface within 120 days	ior to plugging;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well.</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	by circulating cement to the top; in all cases surface pipe a underlying formation. Strict office on plug length and placement is necessary <b>pri</b> led or production casing is cemented in; d from below any usable water to surface within <b>120 days</b> 133,891-C, which applies to the KCC District 3 area, alter	ior to plugging; s of spud date. rnate II cementing	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well.</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in the property of the proper</li></ol>	by circulating cement to the top; in all cases surface pipe a underlying formation. Strict office on plug length and placement is necessary <b>pri</b> led or production casing is cemented in; d from below any usable water to surface within <b>120 days</b> 133.891-C, which applies to the KCC District 3 area, alter the plugged. <b>In all cases, NOTIFY district office</b> prior to a	ior to plugging; s of spud date. rnate II cementing	
<ol> <li>Notify the appropriate district office prior to spudding of well.</li> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of</li> </ol>	by circulating cement to the top; in all cases surface pipe e underlying formation. Strict office on plug length and placement is necessary priced or production casing is cemented in; d from below any usable water to surface within 120 days 133.891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.	ior to plugging; s of spud date, rnate II cementing iny cementing.	
<ol> <li>Notify the appropriate district office prior to spudding of well.</li> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the die</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe a underlying formation. Strict office on plug length and placement is necessary <b>pri</b> led or production casing is cemented in; d from below any usable water to surface within <b>120 days</b> 133.891-C, which applies to the KCC District 3 area, alter the plugged. <b>In all cases, NOTIFY district office</b> prior to a	ior to plugging; s of spud date, rnate II cementing iny cementing.	
<ol> <li>Notify the appropriate district office prior to spudding of well.</li> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of</li> </ol>	by circulating cement to the top; in all cases surface pipe e underlying formation. Strict office on plug length and placement is necessary priced or production casing is cemented in; d from below any usable water to surface within 120 days 133.891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.	ior to plugging; s of spud date, rnate II cementing iny cementing.	
<ol> <li>Notify the appropriate district office prior to spudding of well.</li> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of</li> </ol>	by circulating cement to the top, in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary primed or production casing is cemented in; deform below any usable water to surface within 120 days 133.891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title: Geologic Constitution of the case	ior to plugging; s of spud date, rnate II cementing iny cementing.	
1. Notify the appropriate district office <i>prior</i> to spudding of well. 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the displacement of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: 5-22-05  Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary priced or production casing is cemented in; deform below any usable water to surface within 120 days 133.891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title: Geologic Constitute:  File Drill Pit Application (form CDP-1) with intent to Drill;  File Completion Form ACO-1 within 120 days of spud days.	for to plugging; s of spud date. rnate II cementing any cementing. sultant	
1. Notify the appropriate district office <i>prior</i> to spudding of well. 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: 5-22-05  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO9 - 24847 - OOO	by circulating cement to the top, in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary priced or production casing is cemented in; deform below any usable water to surface within 120 days 133.891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title: Geologic Constitute:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud days.	for to plugging; s of spud date, rnate II cementing any cementing. sultant	
1. Notify the appropriate district office <i>prior</i> to spudding of well. 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order if must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: 5-22-05  Signature of Operator or Agent.  For KCG Use ONLY  API # 15 - OD9 - 24847 - OOO  Conductor pipe required	by circulating cement to the top, in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary primed or production casing is cemented in; deform below any usable water to surface within 120 days 133,891-C, which applies to the KCC District 3 area, after the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title: Geologic Constitute:  File Drill Pit Application (form CDP-1) with intent to Drill;  File Completion Form ACO-1 within 120 days of spud days in the properties of the propertie	for to plugging; s of spud date. rnate II cementing they cementing. sultant ate; orders; er or re-entry.	
1. Notify the appropriate district office <i>prior</i> to spudding of well.  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the did 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: 5-22-05  Signature of Operator or Agent:  For KCG Use ONLY  API # 15 - OO9 - Z4847 - OOO  Conductor pipe required teet  Minimum surface pipe required teet	by circulating cement to the top, in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary priced or production casing is cemented in; deform below any usable water to surface within 120 days 133.891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title: Geologic Constitute:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud days.	for to plugging; s of spud date. rnate II cementing the cementing. sultant ate; orders; er or re-entry: ed;	
1. Notify the appropriate district office <i>prior</i> to spudding of well.  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the did 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: 5-22-05  Signature of Operator or Agent:  For KCG Use ONLY  API # 15 - OD9 - 24847 - OOO  Conductor pipe required	by circulating cement to the top, in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary priced or production casing is cemented in; dependent of the complete of the comp	ior to plugging; s of spud date, rnate II cementing iny cementing.  sultant  ate; orders; er or re-entry; ed; t water.	
1. Notify the appropriate district office <i>prior</i> to spudding of well.  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the did 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: 5-22-05  Signature of Operator or Agent:  For KCG Use ONLY  API # 15 - OD9 - 24847 - OOO  Conductor pipe required	by circulating cement to the top; in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary priced or production casing is cemented in; deform below any usable water to surface within 120 days 133.891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title: Geologic Constitute Completion Form ACO-1 within 120 days of spud days in all cases attribution plat according to field proration.  Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete.	for to plugging; s of spud date. rnate II cementing iny cementing. sultant ate; orders; er or re-entry: ed; t water.	
1. Notify the appropriate district office <i>prior</i> to spudding of well.  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the did 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: 5-22-05  Signature of Operator or Agent:  For KCG Use ONLY  API # 15 - OD9 - 24847 - OOO  Conductor pipe required	by circulating cement to the top, in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary priced or production casing is cemented in; deform below any usable water to surface within 120 days 133,891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title: Geologic Constitution File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days File acreage attribution plat according to filed proration.  Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting saft to this permit has expired (See: authorized expiration date check the box below and return to the address below.	ior to plugging; s of spud date, rnate II cementing iny cementing.  sultant  ate; orders; er or re-entry; ed; t water.	
1. Notify the appropriate district office <i>prior</i> to spudding of well.  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the did 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: 5-22-05  Signature of Operator or Agent:  For KCG Use ONLY  API # 15 - OD9 - 24847 - OOO  Conductor pipe required	by circulating cement to the top, in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary priced or production casing is cemented in; deform below any usable water to surface within 120 days 133,891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title: Geologic Constitute: Geologic Constitute: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days File acreage attribution plat according to filed proration.  Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting saft. It this permit has expired (See: authonized expiration date.)	ior to plugging; s of spud date, rnate II cementing iny cementing.  sultant  ate; orders; er or re-entry; ed; t water.	
1. Notify the appropriate district office prior to spudding of well.  2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the did 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: 5-22-05  Signature of Operator or Agent.  For KCG Use ONLY  API # 15 - OO9 - Z44847 - OOO  Conductor pipe required	by circulating cement to the top, in all cases surface pipe a underlying formation.  Strict office on plug length and placement is necessary priced or production casing is cemented in; deform below any usable water to surface within 120 days 133,891-C, which applies to the KCC District 3 area, altered plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title: Geologic Constitution Form ACO-1 within 120 days of spud days in a careage attribution plat according to tield proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting saft to this permit has expired (See: authorized expiration date check the box below and return to the address below.  Well Not Drilled - Permit Expired	ior to plugging; s of spud date, rnate II cementing iny cementing.  sultant  ate; orders; er or re-entry; ed; t water.	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009- 248470000	Location of Well: County: Barton	
Operator: CAT Energy, LLC		feet from VN / S Line of Section
Lease: Panning - 10 Acre	330'	teet from VE / W Line of Section
Well Number: 1-HK	Sec. 10 Twp. 20 S. R. 11 East ✓ V	
Field: Chase-Silica	,	4. 4 · · · · · · · · · · · · · · · · · ·
Number of Acres attributable to well:	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	
QTR / QTR / QTR of acreage: Se Se Ne		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections.
   4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

June 3, 2005

Mr. Duane Purser CAT Energy, LLC 1138 N. Grimes St. McPherson, KS 67460-2829

RE: Drilling Pit Application Panning Lease Well No. 1-HK NE/4 Sec. 10-20S-11W Barton County, Kansas

Dear Mr. Purser:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. Please keep all pits away from any draws.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Also please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

**Environmental Protection and Remediation Department** 

cc: H Deines