

FOR KCC USE:

FORM CB-1 12/93

FORM MUST BE TYPED

FORM MUST BE SIGNED

ALL BLANKS MUST BE FILLED IN

EFFECTIVE DATE: 5.31.05

State of Kansas

DISTRICT # 1

CATHODIC PROTECTION BOREHOLE INTENT

SGA? Yes No

Must be approved by the K.C.C. sixty (60) days prior to commencing well.

Expected Spud (Starting) Date 5 month 15 day 05 year

Spot (Location) Q/Q/Q East

SE Sec 3 Twp 28 S, Rg 34 West

30 feet from South / North line of Section

2330 feet from East / West line of Section

(Circle directions from nearest outside corner boundaries)

IS SECTION REGULAR IRREGULAR?

(Spot well on the Section Plat on Reverse Side)

County: Haskell

Name: Regency Gas Services

Address: Box U

City/State/Zip: Lakin, KS 67860

Contact Person: David M. Miller

Lease Name: Sublette Well #: 4312

Phone: 620-355-7905 or 4408

Facility Name: Rectifier 4312

Ground Surface Elevation: 3065 MSL

Cathodic Borehole Total Depth: 300 ft.

Depth to Bedrock: lets ft.

WATER INFORMATION:

Aquifer Penetration: None Single Multiple

Depth to bottom of fresh water: 620 ft.

Depth to bottom of usable water: 300 ft.

Water well within one-quarter mile: yes no

Public water supply well within one mile: yes no

Water Source for Drilling Operations:

well farm pond stream other

Water Well Location:

DWR Permit #:

Standard Dimension Ratio (SDR) is =

(cathodic surface OD csg. in inches / MWT in inches = SDR)

Annular space between borehole and casing will be grouted

with: Concrete Bentonite Cement

Neat cement Bentonite clay

Anode vent pipe will be set at: ft. above surface

Anode conductor (backfill) material TYPE: SWS Loresco

Depth to BASE of Backfill installation material: 200 ft.

Depth to TOP of Backfill installation material: 120 ft.

GW Top 300 ± PER RG

CONSTRUCTION FEATURES

Length of Cathodic Surface (Non-Metallic) Casing

Planned to be set: 20 ft.

Length of Conductor pipe (if any?): none ft.

Size of the borehole (I.D.): 14 inches

Cathodic surface casing size: 8 inches

Cathodic surface casing centralizers set at depths of:

Cathodic surface casing will terminate at:

Above surface Surface Vault Below Surface Vault

Pitless casing adaptor will be used: Yes/No at Depth ft.

Anode installation depths are:

ADVISE ON ACU-1 ANODES (RJP)

DO NOT PENETRATE TOP OF WATER TABLE AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. It is agreed that the following minimum requirements will be met:

1. Notify the appropriate district office prior to spudding of and again before plugging well;
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
3. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top.
4. An agreement between the operator and the district office on plugs and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugged or casing is grouted in;
6. IN ALL CASES, NOTIFY DISTRICT OFFICE PRIOR TO ANY CEMENTING.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Date: 4-18-05 Signature of Operator or Agent: B.M.V. Higgins Title: Operations Manager

NON-AQUIFER
COMPLETION
MAX TD = 280

FOR KCC USE:
 API # 15- 081-21597-0000 ALT-3
 Conductor pipe required NONE feet
 Minimum cathodic surface casing required 20 feet
 Approved by: RJP 5-26-05
 This authorization expires: 11-26-05
 (This authorization void if drilling not started within 6 months of effective date.)
 Spud date: _____ Agent: _____

REMEMBER TO:

- File Drill Pit Application (form CDP-1) with Intent to Install;
- File Completion Form CB-2 within 30 days of spud date;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CB-4) within 30 days after plugging is completed.

Mail to: KCC - Conservation Division, 130 S. Market - Room 207B, Wichita, Kansas 67202-1286.

RECEIVED
MAY - 2 2005
KCC WICHITA

RECEIVED
MAY 18 2005
KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Show the relationship to other wells or facilities proposed to be serviced by the intended cathodic borehole. Please show all the wells, existing cathodic boreholes, pipelines or facilities within 1/2 mile of the proposed borehole.



API NO. 15- _____
 OPERATOR Regency Gas LLC LOCATION OF WELL: COUNTY Haskell
 LEASE Sublette 50 feet from south/north line of section
 WELL NUMBER 4312 2330 feet from east/west line of section
 FACILITY NAME Rectifier #4312 SECTION 3 TWP 28 RG 34W

SPOT: QTR/QTR/QTR/QTR OF ACREAGE IS SECTION X REGULAR or _____ IRREGULAR
SE - SE - SE - SW **IF SECTION IS IRREGULAR, LOCATE WELL FROM NEAREST CORNER BOUNDARY.**
 Section corner used: _____ NE _____ NW _____ SE _____ SW

PLAT

(Show location of intended cathodic borehole.)

(Show footage from nearest lease, unit or outside section boundary line.)



SEWARD CO.

RECEIVED
 MAY 18 2005
 KCC WICHITA

In plotting the proposed location of the well, you must show:

- 1) The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2) the distance of the proposed drilling location from the section's south/north and east/west; and
- 3) the distance to the nearest lease, unit or outside section boundary line.

RECEIVED
 MAY - 2 2005
 KCC WICHITA