STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Well Location NE-SE-NW Sec. 1	5 Twp. 7 . Rge. 22 (E) N((W)
· · · · · · · · · · · · · · · · · · ·	County Graham
	Well No.
	ion? If not, explain circumstances
and give available data (Use an a	additional sheet if necessary)
Will file log with plugging Recor	
	mation not in a grantellan high responsition and private in extensional content of the content o
Date and hour plugging is desired	to begin August 20, 1950
The state of the s	in accordance with the Rules and Res
ulations of the State Corporation	Commission, or with the approval of
the following exceptions: Explai	n fully any exceptions desired (Use a
additional sheet if necessary)	· ·
tte cella sella sella sella sella california compressione sella california califo	
Name of the person on the lease i	n charge of well for owner www. Hall
	cis Oil & Gas Co. Inc; Ellinwood, Kans
	t Francis Oil & Gas Co. Inc.
Address 902 Palace Bldg: Tulsa, O	
	lugging this well should be sent to:
is Oil & Gas Co; Inc. Address 902 Pal	man and the first section of the sec
and payment will be guaranteed by	annlicent Co.
Althoropelliery Com.	apprisant. 37.4 1950 9/2/50
PLUGGING	Open toller
, , , , , , , , , , , , , , , , , , ,	

Veeder Supply & Dev'l. Co.



Cherryvale, Kansas

Drilled for Francis Dil & Cas. Contractor Vescer Supply & De	velopment Company	Pipe set	2301 of 8	-5/8 0 Cag. Cam	entall with 135 as
Location NE SE N				_ Sec 15 _ Twp.	75 Range 221
Commenced 8.0-50 Comp	Make the transfer of the trans	makur Akai tirktur	是《产于WAR 2016年 1867年 1967年	성원이 하시아, 말라니다바 하시겠게 이 생님	Kansas
Surface Soil		30			
Sand Shale	3 0 3 6	50			
Shile 1	86	585	的居民的特别的 是为		
Shale Shells	665 795	130			
Sand Shale	795 879	OL			
Shale Shells	879 1150	271			
Sandy Shale Shells	1150 1230	80			
Sand Shale	1230 1350	T50	the state of the s		
Apple of the Sand of the Sand of the Sand	1350 1575	225			
Red Bed Sand	1575 1850	275			
Anhydrite	1850 1890	10			
Shale Shells	1.090 2L35	51,5			
Lime Shells Shale	2L35 2555	120			
Line Shale	2555 2575	20			
	2575 2625	50			
Lime Shale	2625 33LO	715			
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	33k0 3k30	90			
Line Shale	3l:30 3505	75			
	3505 3690	185			
Shale Lime	3690 3800	110 3			
Conglomerate	3800 3803				
Arbuckle Lime	3803 3830	27			
Total Depth	36301				

APPLIMATE

STATE OF KANSAS MONTGOMERY COUNTY SS:

EMETT C. VELLER, of lawful age, being duly and sclemmly sworn on oath says; I am a resident of Cherryvale, Montgomery County, Kansas, and I hereby know and on oath state, that the above drilling log covering the <u>Nichol #1 Well</u> in Section 15-78-22W, Graham County, Kansas, is true and correct.
Further affiant saith not.


THE VECTOR SUPPLY & DEVELOPMENT COMPANY

By Expland V Lede

Subscribed and sworn to before me this 23 day of August, 1950.

Les Lo Deeder. Notary Public

My Commission Expires: Nov. 1, 1952



SEP 2 X 1950 STALE



STATE OF KANSAS STATE CORPORATION COMMISSION

CONSERVATION DIVISION 800 BITTING BUILDING WICHITA 2. KANSAS

August 22, 1950

Well No. Lease Description County File No.

1 Michol MB SB MW 15-7-22 Graham 22-42

Francis Cil & Cas, Inc. 902 Felsce Eldg. Tulsa, Oklahoma

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr.

STATE CORPORATION COMMISSION CONSERVATION DIVISION

J. P. ROBERTS

ce: DISTRICT PLUGGING SUPERVISOR