

15-065-00125-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Lease Owner Veeder Supply & Development Company Address P.O. Box 201, Cherryvale, Kansas
(Applicant) Company Etal.

Lease (Farm Name) Berland Well No. 1

Well Location NW NE NE Sec. 13 Twp. 7 Rge. (E)-(W) 21

County Graham Field Name (if any)

Total Depth 3625' Oil Gas Dry Hole X

Was well log filed with application? No. If not, explain:

Log will be filed with application

Date and hour plugging is desired to begin p.m. 12-21-50

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.

(Use an additional sheet if necessary)

Name of the person on the lease in charge of well for owner

Roger K. Koltter Address P.O. Box 229 McPherson, Kansas

Name of Plugging Contractor Veeder Supply & Development Company

Address Cherryvale, Kansas

Invoice covering assessment for plugging this well should be sent to

Veeder Supply & Development Company Address Cherryvale, Kansas

and payment will be guaranteed by applicant.

PLUGGED
FILE STATE CORPORATION COMMISSION
BOOK PAGE 570 LINE 20
CONSERVATION DIVISION
Wichita, Kansas

Floyd W. Wild
Applicant or Acting Agent

Date Dec 21-1950

12/29/50



15-065-00125-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

December 26, 1950

Well No. 1
Lease Barland
Description NW NE NE 13-7-21W
County Graham
File No. 51-20

Vander Supply & Development Co.,
Box 201,
Cherryvale, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION


BY: J. P. Roberts
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR

15-065-00125-00-00

Company **Research, Brown, Perry, Deruy, & V.S.&D. Co.** Sec. **13 T. 7 R. 21**
 Farm **Berland** No. **#1** Loc. **NW NE NE**
 County **Graham - Kansas**

Total Depth **3625'**
 Comm. **12-12-50** Comp. **12-21-50**



Shot or Treated
 Contractor **Veeder Supply Company** Drilled with Rig - **D.**
 Issued No. of Days - **10**
 No. of Bitts -

Casing
 20 in. 10 in.
 15 1/2 8 1/4
 12 1/2 6 5/8
 13 3/8 5 3/16

Set **225'** of **8 5/8"** Casing Cemented with **135** sacks cement.
 Elevation
 Production

Figures Indicate Bottom of Formation

Surface Soil	0	30	30
Shale	30	880	850
Shale Shells	880	965	85
Sand Shale Shells	965	1100	135
Sand Shale	1100	1210	110
Sand	1210	1400	190
Sand Red Bed	1400	1490	90
Red Bed Shale	1490	1675	185
Anhydrite Iron	1675	1715	40
Shale Shells	1715	2325	610
Lime Shale	2325	2650	325
Lime	2650	2675	25
Lime Shale	2675	3330	655
Lime	3330	3535	205
Shale	3535	3555	20
Conglomerate	3555	3591	36
Arbuckle Lime	3591	3625	34
Total Depth	3625'		

Tops:

Topeka	- 3045
Heebner Shale	- 3292
Lansing KC	- 3318
Base KC	- 3532
Conglomerate	- 3579
Arbuckle	- 3591

Elevation - 2090 feet

RECEIVED
 STATE CORPORATION COMMISSION
 DEC 29 1950
 CONSERVATION DIVISION
 Wichita, Kansas

PLUGGING
 FILE SEC 13 T 7 R 21 W
 BOOK PAGE 51 LINE 20

12/29/50