

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-065-21969-00-01
Spot: N2NWSE Sec/Twnshp/Rge: 15-7S-22W
2140 feet from S Section Line, 1970 feet from E Section Line
Lease/Unit Name: NICHOL Well Number: 5A
County: GRAHAM Total Vertical Depth: 3834 feet

Operator License No.: 5386
Op Name: PRODUCTION DRILLING, INC.
Address: PO BOX 680
HAYS, KS 67601

Conductor Pipe: Size feet:
Surface Casing: Size 8.625 feet: 265 w/165 sxs cmt
Production: Size 5.5 feet: 3837 w/150 sxs cmt
Liner: Size feet:

124.61

Well Type: EOR UIC Docket No: E26527.1 Date/Time to Plug: 10/04/2001 10:30 AM

Plug Co. License No.: 5386 Plug Co. Name: PRODUCTION DRILLING, INC.

Proposal Rcvd. from: AVEN WEAVERLING Company: PRODUCTION DRILLING, INC. Phone: (785) 625-1118

Proposed Ordered out 315 sxs 60/40 pozmix - 10% gel.
Plugging DV Tool at 1880' w/450 sxs cwc.
Method: Packer stuck at 3480'. Shot off at 3000'.

Plugging Proposal Received By: HERB DEINES

Witness Type: Plugging Operations 100% Witnessed (Complete)

Date/Time Plugging Completed: 10/04/2001 11:30 AM

KCC Agent: RICHARD WILLIAMS

Actual Plugging Report:

Swift Services pumped 5 sxs Swift Multi-Density cement, followed with 170 sxs with 500# hulls.
Max. P.S.I. 500#. S.I.P. 500#.
Hooked up to backside and pumped 5 sxs cement.
Max. P.S.I. 500#. S.I.P. 500#.
Total 180 xs Swift Multi-Density cement.
Note: Left 480' of 2 3/8" fiberglass and packer in the hole.

Remarks: SWIFT SERVICES, INC.

Plugged through: CSG

District: 04

Signed

Richard Williams

(TECHNICIAN)

RECEIVED

INVOICED

OCT 16 2001

DATE 10-16-01

KCC WICHITA

INV. NO. 2002060811

10/16/01

Form CP-2/3

OCT 15 2001

2277 GL
 15-065-21,969

REPLACEMENT CARD

RON'S OIL OPERATIONS, INC. 15-7-22W
 RT. #1, BOX 76 #5 'A' NICHOL 2140' FSL &
 HILL CITY, KS. 67642 1970' FEL, SE/4
 CONTR HEIBERG OIL COMPANY CTY GRAHAM
 GEOL JEFF BURK FIELD WORCESTER

+	+	+
+	+	+
+	+	+

ELV 2282 KB SPD 4/21/84 CARD ISSUED 9/27/84 IP P 70 BO & 100 BWPD
2277 GL SHAW(TOR) 3501-3505
API 15-065-21,969

LOG	Tops	Depth/Datum
ANH	1885 + 397	
B/ANH	1918 + 364	
TOP	3280 - 998	
KH	3372 - 1090	
QH	3428 - 1146	
HEEB	3478 - 1196	
TOR	3501 - 1219	
LANS	3517 - 1235	
LANS B	3550 - 1268	
LANS F	3592 - 1310	
BKC	3714 - 1432	
MARM	3737 - 1455	
BASAL PENN SD	3780 - 1498	
ARB	NOT REACHED	

8 5/8 " 265 / 165 SX, 5 1/2 " 3837
 DST (1) 3468-3515 (TOR) / 30-45-60-60, 180' GIP, REC 80' OCM, 240' HOCM, 60' W, SIP 138-234#, FP 42-74 / 106-117#
 DST (2) 3575-3602 (LKC) / 30-51-60-66, REC 500' MW, SIP 794-805#, FP 31-63 / 106-181#
 DST (3) 3669-3708 (LKC) / 30-45-60-60, REC 320' MW, SIP 1129-1129#, FP 42-53 / 106-138#
 MICT - CO, PF (TOR) 3501-3505, W / 4 SPF, AC 1250 GAL (15%)
 SWB LD, GSO, SET 2 7/8 " TBG AT 3832, POP, P 100 BO & 67 BWPD 5/19/84, DECL & STAB AT 70 BO & 100 BWPD 6/15/84
 RTD 3834-1552
 LTD 3838-1556

CORRECTION & INFO RELEASED: 1/29/87 - ELEV WAS 2292 KB, WAS DST (1) 3648-3515, CORRECTED LOG TOPS - BY JEFF BURK, GEOL
 NOTE: CORRECTION: 9/27/84 - ORIGINALLY FIRST REPORTED AS #5 NICHOL