RECEIVED

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

JUL 2 7 2005

Form C-1 December 2002

KCC WICHIT Form must be Typed

For KGC Use: 8.2-05 Effective Date: _

NOTICE OF INTENT TO DRILL

month day / year	Spot <u>SW</u> <u>SE</u> <u>NW</u> <u>Sec. 12</u> <u>Twp. 11</u> S. Fl. 18	est Vest
OPERATOR: License# 30537	2310 feet from VN / S Line of Section	
Name: Venture Resources, Inc.	1650feet fromE / ✓ W Line of Section	+
Address, P.O. Box 101234	Is SECTIONRegularfrregular?	
City/State/Zip: Denver, Colorado 80250	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Ron Mackey	County: Ellis	
Phone: 303-722-2899/ 785-623-0328	Lease Name: Kempe So. Well #: 9	
22402	Field Name: Bernis-Shutts	
CONTRACTOR: License# 33493 Name: American Eagle Drilling, LLC.	is this a Prorated / Spaced Field?	No
	Target Formation(s): Arbuckle	
Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'	481
Oll Enh Rec / Infield / Mud Rotary	Ground Surface Elevation: 1850.32' feet	=
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes Yes	No
OWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 200 180	NO
Selamic; # of Holes Other	Depth to bottom of resh water: 790'	
Other	Surface Pipe by Alternate: 1 2	
M. CHARLES and the Market of t	Length of Surface Pipe Planned to be set: 200'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: The NONE	
Operator:	Projected Total Depth: 3450'	
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Original Completion Date:Original lotal Depth;	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other Truck	
If Yes, true vertical depth:	DWR Permit #;	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone;	
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met:	DAVIT ugging of this well will comply with K.S.A. 55 et. seq.	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	ugging of this well will comply with K.S.A. 55 et. seq. on drilling rig; of by circulating cement to the top; in all cases surface pipe shell be set the underlying formation. iistrict office on plug length and placement is necessary prior to pluggin iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cemer to plugged. In all cases, NOTIFY district office prior to any cementing.	nting
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drilling of the specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of	ugging of this well will comply with K.S.A. 55 et, seq. on drilling rig; of by circulating cement to the top; in all cases surface pipe shall bs set ne underlying formation. ilstrict office on plug length and placement is necessary prior to pluggin iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cemer be plugged. In sit cases, NOTIFY district office prior to any cementing.	nting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	ugging of this well will comply with K.S.A. 55 et, seq. on drilling rig; of by circulating cement to the top; in all cases surface pipe shall bs set ne underlying formation. ilstrict office on plug length and placement is necessary prior to pluggin iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cemer be plugged. In sit cases, NOTIFY district office prior to any cementing.	nting
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the figure is either plug to the appropriate district office will be notified before well is either plug to first an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the plate: 7/26/05 Signature of Operator or Agent:	ugging of this well will comply with K.S.A. 55 et, seq. on drilling rig; of by circulating cement to the top; in all cases surface pipe shell be set ne underlying formation. listrict office on plug length and placement is necessary prior to pluggin iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cemer be plugged. In sit cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: V.P./CEO Remember to:	nting
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill ahall be posted on each of the second of the	ugging of this well will comply with K.S.A. 55 et. seq. on drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. ilstrict office on plug length and placement is necessary prior to pluggin igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cemer to plugged. In sit cases, NOTIFY district office prior to any cementing, if my knowledge and belief. Title: V.P./CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	nting
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the destination of the district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date: 7/26/05 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 25442 - OOO Conductor pipe required NONE feet per Alt. + (2)	ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shell be set in a underlying formation. listrict office on plug length and placement is necessary prior to pluggin iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cemer be plugged. In sit cases, NOTIFY district office prior to any cementing, if my knowledge and belief. Title: V.P./CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	nting
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill ahall be posted on each and a surface pipe as specified below ahall be see through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of	ugging of this well will comply with K.S.A. 55 et, seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shell be set the underlying formation. listrict office on plug length and placement is necessary prior to pluggin ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cements be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Titie: V.P./CEO Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to fleid proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sait water.	nting
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill ahall be posted on each and a surface pipe as specified below ahall be see through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the well is dry hole, an agreement between the operator and the difference of the well is either plug difference of the well is either plug difference of the well is either plug difference of the well and the difference of the well shall the difference of the difference of the well shall the difference of the difference of the well shall the difference of the difference of the well shall the difference of the well shall the difference of the difference of the well shall the difference of the difference of the well shall the difference of the difference of the well shall be determined of the difference of the well shall be determined of the difference of the well shall be determined of the difference of the well shall be determined of the difference of the well shall be determined of the difference of the differen	ugging of this well will comply with K.S.A. 55 et, seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shell be set in underlying formation. listrict office on plug length and placement is necessary prior to pluggin iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cemer be plugged. In sil cases, NOTIFY district office prior to any cementing, if my knowledge and belief. Title; V.P./CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	nting
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill ahall be posted on each and a specified below ahall be seen through all unconsolidated materials plus a minimum of 20 feet into the destroy of the well is dry hole, an agreement between the operator and the destroy of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date: 7/28/05 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS I - 25 442 - OOO Conductor pipe required NONE feet Minimum surface pipe required 200 feet per Alt. 4 (2) Approved by: RSP 7-2705	ugging of this well will comply with K.S.A. 55 et, seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shell be set the underlying formation. listrict office on plug length and placement is necessary prior to pluggin ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cements be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Titie: V.P./CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to fleid proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sait water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	nting
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill ahall be posted on each and a surface pipe as specified below ahall be see through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the well is dry hole, an agreement between the operator and the difference of the well is either plug difference of the well is either plug difference of the well is either plug difference of the well and the difference of the well shall the difference of the difference of the well shall the difference of the difference of the well shall the difference of the difference of the well shall the difference of the well shall the difference of the difference of the well shall the difference of the difference of the well shall the difference of the difference of the well shall be determined of the difference of the well shall be determined of the difference of the well shall be determined of the difference of the well shall be determined of the difference of the well shall be determined of the difference of the differen	ugging of this well will comply with K.S.A. 55 et, seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shell be set in underlying formation. listrict office on plug length and placement is necessary prior to pluggin iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cemer be plugged. In sil cases, NOTIFY district office prior to any cementing, if my knowledge and belief. Title; V.P./CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	nting

RECEIVED JUL 2 7 2005 KCC WICHITA


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or epaced field, please fully complete this aids of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	Location of Well: County: Ellis
Operator: Venture Resources, Inc.	
Lease: Kempe So.	2310 feet from ✓ N / S Line of Section 1650 feet from E / ✓ W Line of Section
Well Number: 9	Sec. 12 Twp. 11 S. R. 18 East ✓ West
Field: Bemis-Shutts	
Number of Acres attributable to well: 10	is Section: Regular or Irregular
QTR / QTR / QTR of acreage:SWSENW	if Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed loostion of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

July 27, 2005

Mr. Ron Mackey Venture Resources, Inc. PO Box 101234 Denver, CO 80250

RE: Drilling Pit Application Kempe So Lease Well No. 9 NW/4 Sec. 12-11S-18W Ellis County, Kansas

Dear Mr. Mackey:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. Please keep all pits away from any draws.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: H Deines