F x KCC Use:	7.4.05
Effective Date: _	1. 7. 0)
District #	
SGA2 X Yes	□ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed

xpected Spud DateJuly 4, 2005	Cont.
month day year	Spot
22240	
PERATOR: License# 33342	1980' feet from \(\subseteq \ \mathbb{E} \ / \mathbb{W} \text{ Line of Section} \)
Me: Blue Jay Operating, LLC	Is SECTION _✓Regular irregular?
dress: 4916 Camp Bowie Blvd., Suite 204	
y/State/Zip: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Bob McNew	County: Wilson Lease Name: Pekrul Well #: A-4
	Field Name: Cherokee Basin Coal Gas
ONTRACTOR: License# 33539	
ame: Cherokee Wells, LLC	Is this a Prorated / Spaced Field? Target Formation(s): Mississippian
	Nearest Lease or unit boundary: 660'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 888' feet MSL
Oil Enh Rec 🗸 Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO JDisposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic;# of Holes Other	Depth to bottom of usable water: 200+
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1350'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? Yes ✓ No
- All 11th 1 TTT BY	If Yes, proposed zone:
	If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFF he undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual parties is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFF the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be surface</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the surface properties of the well is dry hole, an agreement between the operator and the continuous of the spropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the analysis of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the set of the spud date or the well shall the statements made herein are true and to the set of the spud date or the well shall the statements made herein are true and to the set of the spud date or the well shall the statements made herein are true and to the set of the spud date or the well shall the statements made herein are true and to the set of the spud date or the well shall the statements made herein are true and to the set of the spud date or the well shall the statements are true and the set of the spud date or the well shall the set of the spud date or the well shall the set of the spud date or the well shall the set of the spud date or the well shall the set of the spud date or	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the control of the district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall be the district office within 30 days of the spud date or the well shall be the surface certify that the statements made herein are true and to the best of the spud date.	IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prlor to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus for the appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to:
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the s	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the three well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plus to the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the form that the well is dry hole, an agreement between the operator and the form of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the well shall the statements of the spud date or t	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus of figure and to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the construction of the property of the surface of the	IDAVIT Illugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the property of the set of the set of the underlying formation. It is the underlying formation. It is the underlying formation of the underlying formation. It is the underlying formation of the set of the underlying formation. It is the underlying formation of the underlying formation. It is the underlying formation of the underlying formation of the set of the underlying formation of the underlying formation of the set of the underlying form below any usable water to surface within 120 days of spud date. If it is the underlying form all cases, NOTIFY district office prior to any cementing of my knowledge and belief. In the underlying formation of the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the underlying formation of the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the underlying formation of the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the underlying formation of the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the underlying formation of the underlying formation of the set of the underlying formation of the KCC District 3 area, alternate II cementing formation of the underlying formation of
he undersigned hereby affirms that the drilling, completion and eventual processing is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the formulation of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the process of the spud date or the well shall the process of the spud date or the pr	IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the price of the underlying formation. In the underlying formation casing is cemented in; It the underlying form to pluggling; It to days of spud date. In the underlying formation in the underlying formation to any cementing. In the underlying formation in the underlying formation to any cementing. In the underlying formation in the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders;
he undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the strong and unconsolidated materials plus a minimum of 20 feet into to the strong and the surface propriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order of the surface plus of the surface	IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the price of the underlying formation. In the underlying formation. In the underlying formation. In the production casing is cemented in; It the drom below any usable water to surface within 120 days of spud date. If the price of the pri
he undersigned hereby affirms that the drilling, completion and eventual processing is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the formulation of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the process of the spud date or the well shall the process of the spud date or the pr	IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the price of the underlying formation. In the underlying formation. In the underlying formation. In the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; In the great or production casing is cemented in; It is the from below any usable water to surface within 120 days of spud date. If it is 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the prior is the prior is any cementing. In the prior is the prior is any cementing in the plugging and belief. In the prior is any cementing in the prior is any cementing. In the prior is any cementing in the plugging is completed; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
he undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into to the transportance of the transportance of the transportance of the spud to the operator and the constitution of the plus of the spud date or the well shall the provided within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud date of the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the well shall the provided within 30 days of the spud date or the provided within 30 days of the spud date or the provided within 30 days	IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

JUN 29 2005

KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 -	Location of Well: County: Wilson
Operator: Blue Jay Operating, LLC	1980' feet from N / S Line of Section
Lease: Pekrul	1980' feet from 🗸 E / W Line of Section
Well Number: A-4	Sec. 4 Twp. 29S S. R. 14 Vest
Field: Cherokee Basin Coal Gas	
Number of Acres attributable to well: 80 QTR / QTR / QTR of acreage: C NW4 SE4	Is Section: ✓ Regular or Irregular
QIR / QIR / QIR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

JUN 2 9 2005

KCC WICHITA



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.