## For KCC Use: Effective Date:\_ District #\_

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date 6/15/2005		ast
month day year	NW _ SW _ SE _ Sec. 4 _ Twp. 31 _ S. R. 8 _ W	est
OPERATOR: License# 32825	990feet from N / 🗾 S Line of Section	
Name: PIONEER EXPLORATION, LTD.	2310 feet from F E / W Line of Section	
Address: 15603 KUYKENDAHL SUITE 200	Is SECTION Regular Irregular?	
City/State/Zip: HOUSTON, TEXAS 77090	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: DANA BURNSIDES RECEIVED	County: Harper	
	SIQ ease Name: Wyant & Sanders-West Well #: 1-4	
	Field Name: SPIVEY-GRABS-BASIL	
CONTRACTOR: License# 32825 JUN 3 0 2005	()	No
Name: Pioneer Exploration, Ltd.	Target Formation(s): MISSISSIPPIAN CHAT	
ONSERVATION DIVISION	Nearest Lease or unit boundary: 990'	
Well Drilled For: Well Class: Type EVWCHTA;KS	Ground Surface Elevation: 1671 feet M	ISL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 110 ISO	
Seismic;# of Holes Other	Depth to bottom of usable water: 200 180	
Other	Surface Pipe by Alternate: 🗸 1 📄 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200	
Operator:	Length of Conductor Pipe required NONS	
Well Name:	Projected Total Depth: 4500'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: MISSISSIPPIAN CHAT	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other	
If Yes, true vertical depth: RECEIVED  Bottom Hole Location: **ANSAS CORPORATION COMMISSION**	DWR Permit #:	
	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken?	No
3A2IAPPM/ASURAL D	If Yes, proposed zone:	
3A2IAPPM/ASURAL D	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be see</i>	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  istrict office on plug length and placement is necessary prior to plugging	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cemen the plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the diffing, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill appropriate district office will be notified before well is either plug to the set of the set	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cemen the plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drilling is the propriate district office will be notified before well is either plug in the set of th	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	
The undersigned hereby affirms that the diffine, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drill standard in the drill appropriate district office will be notified before well is either plug on the set of	ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Reservoir Engineer  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
The undersigned hereby affirms that the diffine, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an interval of the approved notice of intent to drill <i>shall be</i> posted on each an interval of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the state of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the state of the state o	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Reservoir Engineer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	ting
The undersigned hereby affirms that the diffing, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall be second shall unconsolidated materials plus a minimum of 20 feet into the second shall be second shall unconsolidated materials plus a minimum of 20 feet into the second shall be second shall	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; In the defended of the following set of the	ting
The undersigned hereby affirms that the diffine, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second that the well is dry hole, an agreement between the operator and the description of the second to the second	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; In it is i	ting
The undersigned hereby affirms that the diffine, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second that the well is dry hole, an agreement between the operator and the description of the second to the second	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the initial properties of the content of the top; in all cases surface pipe shall be set the underlying formation. In the initial properties of the content of the co	ting
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; In it is i	ting 4
The undersigned hereby affirms that the diffine, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; If the drill right of the cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ting

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Harper	
Operator: PIONEER EXPLORATION, LTD.	990 feet from N / V S Line of Section	
Lease: Wyant & Sanders-West	2310 feet from E / W Line of Section	
Well Number: 1-4 Field: SPIVEY-GRABS-BASIL	Sec. 4 Twp. 31 S. R. 8 East  West	
Field: SFIVET-GRABS-BASIL	- Is Section: ✓ Regular or ☐ Irregular	
Number of Acres attributable to well:	Is Section: 🗾 Regular or 🔝 Irregular	
QTR / QTR / QTR of acreage: NW - SW - SE	If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	
	RECEIVED	
	(ANSAS CORPORATION COMMISSION	
	PLAT cributable acreage for prorated or spaced wells.)  JUN 3 0 2005	
(Show footage to the nea	rest lease or unit boundary line.)	
Harper Co. T31S	WICHITA, KS	
	RECEIVED	
	ANSAS CORPORATION COMMISSION	
	iun 0 3 2005	
	ONSERVATION DIVISION	
	WICHITA KS	
	•	
	· ·	
	EXAMPLE	
4	R9 EXAMPLE	
	1980	
	. 10 10	
	210'	
	. SEWARD CO	

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

July 1, 2005

Mr. Dana Burnsides
Pioneer Exploration, Ltd.
15603 Kuykendahl, Ste 200
Houston, TX 77090

Re:

**Drilling Pit Application** 

Wyant & Sanders-West Lease Well No. 1-4

SE/4 Sec. 04-31S-08W Harper County, Kansas

Dear Mr. Burnsides:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **all pits must be lined with bentonite**. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Also, please file the enclosed CDP-5, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: Doug Louis