Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

Kansas Corporation Commission Oil & Gas Conservation Division

WELL PLUGGING RECORD

Form CP-4

December 2003

Type or Print on this Form

Form must be Signed

All blanks must be Filled

K.A.R. 82-3-117

Lease Operator: Chesapeake Operating, Inc.					API Number:			
Address: P. O. Box 18496, Okla. City, OK 73154-0496					Lease Name: Willet Estate			
Phone: (405) 848 -8000 Operator License #: 32334					Well Number: 1-20			
Type of Well: Oil Docket #:					Spot Location (QQQQ): C NW - SE			
The plugging proposal was	s approved on: 11/09/	/04		(Date)	1980 Feet from Feast / West Section Line			
by: David Williams	7	(k	CCC District Age	ent's Name)		0 S. R. 33 East		
Is ACO-1 filed? Yes	No If not, is			No	County: Haskell			
Producing Formation(s): Lis	st All <i>(If needed attach ar</i> Depth to Top: 5		5371 _{T.D.}		Date Well Completed	1 2/20/93 4/26/ 03/11/05	1995	
	Depth to Top:	Bottom:	T.D. :		Flugging Commence	∩3/11/∩5		
	Depth to Top:	Bottom:	T.D.		Plugging Completed	: 00/11/00		
Show depth and thickness	of all water, oil and ga	s formations.						
Oil, Gas or W					rface Conductor & Proc	duction)		
Formation	Content	From	To S	Size	Put In	Pulled Out		
			3	8-5/8	1817			
			4	4-1/2	5426			
hole. If cement or other pla	ugs were used, state th	e character of sar	me depth placed	d from (bottom	i), to (top) for each p		it into the	
hole. If cement or other plump 2 MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on	ugs were used, state th 00# cs hulls, mix 3 m, SD, tie on su vacuum, RDMO. V	e character of sai 09 sx 60/40 pc urf. csg., pur Veld ID cap &	me depth placed oz w/100# hu mp 10 sx c	d from (bottom ulls, pump 6 cmt, tie ba	n), to (top) for each p 55 bbl s spacer m	lug set. nud, pump 200 sx 60/40	it into the	
hole. If cement or other plum MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx	e character of sai 09 sx 60/40 pc urf. csg., pur Veld ID cap & H cmt.	me depth placed oz w/100# hu mp 10 sx corestore locat	d from (bottom ulls, pump 6 cmt, tie ba tion	n), to (top) for each p 65 bbl s spacer m ck on prod. cs	eg., pump 60 sx		
hole. If cement or other plum MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on su vacuum, RDMO. V 2 casing w/125 sx or: Allied Cementin	e character of sai 09 sx 60/40 pc urf. csg., pur Veld ID cap & H cmt. g Co., Inc.	me depth placed oz w/100# hu mp 10 sx corestore locat	d from (bottom ulls, pump 6 cmt, tie ba tion	n), to (top) for each p 65 bbl s spacer m ck on prod. cs	aud, pump 200 sx 60/40 sg., pump 60 sx		
hole. If cement or other plum MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on su vacuum, RDMO. V 2 casing w/125 sx or: Allied Cementin 1, Russell, KS 6	e character of sai 09 sx 60/40 pc urf. csg., pur Veld ID cap & H cmt. g Co., Inc.	me depth placed oz w/100# hu mp 10 sx c restore locat	d from (bottom ulls, pump 6 cmt, tie ba tion	n), to (top) for each p 65 bbl s spacer m ck on prod. cs	RECEIV	ED NCOMMS 2005	
hole. If cement or other plum MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: CI	e character of sai 09 sx 60/40 pc urf. csg., pur Veld ID cap & H cmt. g Co., Inc. 67665 hesapeake 0	me depth placed oz w/100# hu mp 10 sx c restore locat	d from (bottom ulls, pump 6 cmt, tie ba tion	n), to (top) for each p 65 bbl s spacer m ck on prod. cs	eg., pump 60 sx	ED NCOMMS 2005	
hole. If cement or other plum MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible State of OK	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: CI	e character of sai 09 sx 60/40 pc urf. csg., pur Veld ID cap & H cmt. g Co., Inc.	me depth placed oz w/100# hu mp 10 sx c restore locat	d from (bottom ulls, pump 6 cmt, tie ba tion	n), to (top) for each p 65 bbl s spacer m ck on prod. cs	RECEIV	ED NCOMMS 2005	
hole. If cement or other plum MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible State of OK Barbara J. Bale	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: Cl	e character of sai 09 sx 60/40 pc urf. csg., pur Veld ID cap & H cmt. g Co., Inc. 67665 hesapeake 0	me depth placed by w/100# hu mp 10 sx c restore locat Operating,	d from (bottom ulls, pump 6 cmt, tie ba tion Inc. ss.	n), to (top) for each p 65 bbl s spacer m ck on prod. cs License #:	RECEIV ANSAS CORPORATION ON SERVATION ON above-described well, being	ED NCOMMIS 2005 DIVISION (S	
hole. If cement or other plum MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible State of OK Barbara J. Bale sworn on oath, says: That I	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: Cl	e character of sai 09 sx 60/40 pc urf. csg., pur Veld ID cap & H cmt. g Co., Inc. 67665 hesapeake 0	me depth placed by w/100# hu mp 10 sx c restore locat Operating,	d from (bottom ulls, pump 6 cmt, tie ba tion Inc. ss.	n), to (top) for each p 65 bbl s spacer m ck on prod. cs License #:	RECEIV	ED NCOMMIS 2005 DIVISION (S	
hole. If cement or other plum MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible State of OK Barbara J. Bale sworn on oath, says: That I	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: Cl	e character of sai 09 sx 60/40 pc urf. csg., pur Veld ID cap & H cmt. g Co., Inc. 67665 hesapeake 0 OK	me depth placed by w/100# hump 10 sx corestore located and matters here.	d from (bottom ulls, pump 6 cmt, tie ba tion Inc. ss. Employee of Operein contained	perator) or (Operator) d, and the log of the	RECEIV ANSAS CORPORATION ON SERVATION ON above-described well, being	ED NCOMMIS 2005 DIMISION (S	
hole. If cement or other plum MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible State of OK Barbara J. Bale sworn on oath, says: That I	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: Cl	e character of said on the said of the sai	oz w/100# hump 10 sx corestore locate Operating, and matters here and matters here and matters here	d from (bottom ulls, pump 6 cmt, tie ba tion Inc. ss. Employee of Operein contained ABALE	n), to (top) for each p S5 bbl s spacer m Ck on prod. cs License #:	RECEIVANSASCORPORATION CONSERVATION On above-described well, being above-described well is as filed,	ED NCOMMIS 2005 DIMISION (S	
hole. If cement or other plane MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible State of OK Barbara J. Bale sworn on oath, says: That I same are true and correct, same are true and correct are true are true and correct are true are tru	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: Cl County, Law have knowledge of the so help me God.	e character of said on the said of the sai	Operating, and matters he bawara (Box 18496,	d from (bottom ulls, pump 6 cmt, tie ba tion Inc. ss. Employee of Operein contained ABALL , Oklahoma	perator) or (Operator) d, and the log of the City, OK 73154-	RECEIVANSASCORPORATION CONSERVATION On above-described well, being above-described well is as filed,	ED NCOMMIS 2005 DIMISION (S	
hole. If cement or other plane MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible State of OK Barbara J. Bale sworn on oath, says: That I same are true and correct, same are true and correct are true are true and correct are true are tru	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: Cl County, Law have knowledge of the so help me God.	e character of said on the said of the sai	Operating, and matters he bawara (Box 18496,	d from (bottom ulls, pump 6 cmt, tie ba tion Inc. ss. Employee of Operein contained ABALL , Oklahoma	perator) or (Operator) d, and the log of the City, OK 73154-	RECEIVANSASCORPORATION CONSERVATION On above-described well, being above-described well is as filed,	COMMIS 2005 DIVISION first duly , and the	
hole. If cement or other plane MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible State of OK Barbara J. Bale sworn on oath, says: That I same are true and correct, same are true and correct are true are true and correct are true are tru	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on suvacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: Cl County, Law have knowledge of the so help me God.	e character of said on the said of the sai	Operating, and matters he bawara (Box 18496,	Inc. Employee of Operating Contained Oklahoma May day of J	perator) or (Operator) d, and the log of the City, OK 73154-	RECEIV ANSAS CORPORATION On above-described well, being above-described well is as filed,	COMMIS 2005 DIVISION first duly , and the	
hole. If cement or other plane MIRU Allied. Pump 2 poz, tbg on vacuu 60/40 poz, casing on 03/17/05 - top off 5-1/ Name of Plugging Contract Address: P. O. Box 3 Name of Party Responsible State of OK Barbara J. Bale sworn on oath, says: That I same are true and correct, same are true and correct are true are true and correct are true are tru	ugs were used, state the 100# cs hulls, mix 3 m, SD, tie on su vacuum, RDMO. V 2 casing w/125 sx or: Allied Cementing 1, Russell, KS 6 for Plugging Fees: Cl County,	e character of said on the said of the sai	Operating, and matters he bawara (Box 18496,	Inc. Employee of Operating Contained Oklahoma May day of J	ck on prod. cs License #:	RECEIV ANSAS CORPORATION On above-described well, being above-described well is as filed,	ED NCOMMIS 2005 DIVISION (S) first duly (and the	

ALLIED CEMENTING CO., INC. Federal Tax I.D.#

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

PRINTED NAME

RUSSELL, KANSAS 67665					OAKLEY			
3-11-05	SEC 20	TWP.	RANGE	CALLED OUT	ON LOCATION 9:45 19 m	JOB START	JOB FINISH	
WEILEH LEASE ESTATE				LANTA 1/25-1		COUNTY HASKE!	STATE	
OLD OR NEW (C								
CONTRACTOR	NON	5		OWNER				
TYPE OF JOB	040				1 400 1			
HOLE SIZE				CEMENT				
CASING SIZE	5/2	DEP	TH	AMOUNT OF	EDERFID 3005	Ks 60/408	0262616	
TUBING SIZE		DEP		500 A	4/15		•	
DRILL PIPE		D <u>CP</u>			• • • • • • • • • • • • • • • • • • • •	***	Management 191	
TOOL		DEP			100 Silv	60 91 <u>9</u>	_16380	
PRES. MAX MEAS. LINE			IIMUM	COMMON	1805Ks		-1630	
CEMENT LEFT II	N CSG	2ur	DE JOINT	POZMIX GEL	12 0 5Ks	-@-7/P	16500	
	19 10	577/	***	CHLORIDE	70 3/3	(d) / <u>/</u>	160	
DISPLACEMENT				ASC	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_ (d)	EMBLICATION PROPERTY SECTION S	
110000000000000000000000000000000000000	***	IPMENT		A publication and the second and the	***************************************	(i)	1 190 AMERICAN AND AND AND AND AND AND AND AND AND A	
	12.00	311 (******				(a)	# # ***********************************	
PUMPTRUCK	CEMENT		RRY	- Hylls	300	@ 25°=	- 600	
# 191	HELPER	JARRO			****	(d)		
BULK TRUCK	111 3 3 1 3 1	VEILE	a zomou z			(a)	****	
# 386	DRIVER	A	LAN	****************		(ä)		
BULK TRUCK			<u> </u>			_ @		
#	DRIVER			7 8 4 8 18 8 8 8 8 12 8		(i) 135	1/20 21	
• 1				- HANDLING		(a) - / 33	429 39	
	DW	MARKS:		MILEAGE	5.75	TOTAL	<u> 556.50</u> 3340,89	
MIX 100# 200# Hull CEMENT OF	UACC	um si	MIX 260		SERVI	CE	pt 1 Marie description of deleganders and the	
Blew Top	DEF	DFC	ASINE		рв K CHARGE			
	Lot . 1	-		EXTRA FOO	FAGE	-ω	5/0	
44 -			11 00	MILEAGE	35 mz	_ ~ /	11000	
							/ ///	
		ブ	HANK YOU	Y		(ψ)		
CHARGE TO: <	,			11.11		<u>ش</u>		
CHARGE TO: <	hESA A	PEAKE	OFERATEN C	· 				
STREET						TOTAL	71000	
	ST			•				
C.111	37 1	AIC	KANSAS CO	RPORATION COMMISSION	PLUG & FLOAT	1) 100 0-1-1-1-1		
			JU					
To Alliad Comon	tina Ca	I m a	CONSE	RVATION DIVISION	****			
To Allied Cemen You are hereby re			V	VICHITA, KS	1	(ý)	Halls (All responses to the second se	
and furnish ceme	equested t	o tem cem	citting equipmen	1		_		
contractor to do	mer and r work so ic	Reporto as	sist owner or					
done to satisfacti						ΊΥΎΤΑΙ		
contractor. I hav	on and Su	pervision c	A OWNER agent OF	JID		10 IAC	•	
CONDITIONS"				TAX	1 11 2 2 2 2	-		
	rarishina 1783 (are to volac	VI BARNOY	TOVINAL CHILAE	OCE.			
				TOTAL CHAR		To Secretary Sec	•	
				DISCOUNT =	:	· IF PAH	D IN 30 DAYS	
	116							
SIGNATURE		org						

ALLIED CEMENTING CO., INC. 19090

Federal Tax I.	D.# ******	·			
REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT: OAKLEX				
10 305 33W	ALLED OUT	1230 Pm	1245 PM	JOB FINISH JOB PA	
SLD OR NEW (Circle one)	+A 1/25-1/2	E-NING	HASKELL	Ks	
CONTRACTOR TYPE OF JOB OLD HOLE TOP OFF CASCUG HOLE SIZE CASING SIZE DEPTH TUBING SIZE DEPTH TOOL PRES. MAX MINIMUM MEAS. LINE CEMENT LEFT IN CSG. PERFS. DISPLACEMENT FUMP TRUCK # 191 BULK TRUCK BULK TRUCK BULK TRUCK BULK TRUCK BULK TRUCK BULK TRUCK T.D. DEPTH DEPTH DEPTH DEPTH SHOE JOINT FUMP TRUCK CEMENTER JARY BULK TRUCK BULK TRUCK DRIVER LOWNER	CEMENT AMOUNT OR! LISE LISE COMMON_ POZMIX GEL CHLORIDE ASC KANSAS	DERED 150 SAME DERED 150 SAME TS SKS SO SKS G SKS CORPORATION COMMISS JUL 1 5 2005 SERVATION DIVISION WICHITA, KS	0 2 6 6 6 8 @ 9.10 @ 4.10 @ 11 @ 6		
# DRIVER REMARKS: TOP OFF 51/2" CASINL WITH 125 SKS CEMENT,	HANDLING MILEAGE O	54 DER 5K 54 DER 5K 6 MASSE SERVICE	TOTAL	213,30 237,00 1403 80	
THANK YOU	DEPTH OF JOI PUMP TRUCK EXTRA FOOT MILEAGE MANIFOLD	CHARGEAGE	@ @ 4 € @ @	250 °	
CHARGETO: Chesapeake Operators STREET ZIP			₩TOTAL	370 4	
	<u>.</u>		(a)	7	
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND			@ @ @ @		
CONDITIONS" listed on the reverse side.	TAX TOTAL CHARG	GE	IF PAID	IN 30 DAYS	

PRINTED NAME