STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 800 BITTING BUILDING WICHITA, KANSAS 15-119-00006-00-0

WELL PLUGGING APPLICATION FORM

Well Location swiswiswi Sec. 11 Twp. 68 Rge. 28 (E) (W) W
Field Name (if any)County Sheridan
Lease (Farm Name) Harold Well No. 1
Was well log filed with application? Yes If not, explain circumstances
and give available data (Use an additional sheet if necessary)
Date and hour plugging is desired to begin April 27, 1946 12M
Plugging of the well will be done in accordance with the Rules and
Regulations of the State Corporation Commission, or with the approval
of the following exceptions: Explain fully any exceptions desired
(Use an additional sheet if necessary)
Name of the person on the lease in charge of well for owner
H. W. Tomlinson Address Post Office Box 36, Great Bend, Kansas
Name of well owner or Acting Agent H&T DRILLING COMPANY
Address Post Office Box, 36, Great Bend, Kansas
Invoice covering assessment for plugging this well should be sent to:
H & T DRILLING COMPANY Address Post Office Box 36, Great Bendy Kansas
and payment will be guaranteed by applicant.
11628W 5-18-4C
11 6 28W W. Jonling 5-18-46 53 14 Operator or Acting Agent
Date April 26, 1946

15-179-00006-00-00

DRILLING LOG

H & T DRILLING COMPANY

ALBERT N. HABOLD #1

SWASWASWA Sec 11 Two 68 R 28W

		And the second of the second o		and the second of the second	
	0- 25	Surface clay	2790-3000	Lime and shale	
	25- 150			Line and shale	
	150- 275	Shale			shells - red bed
	275- 580	Blue shale			the first of the state of the s
	580-1163	Shale, lime shells, sand	8225-3245		
. 8		Line, hard white	3245-3305	Lime and chale	
	1170-1190		3305-3340		
	1190-1350	Shale	3340-3370	Line	Contract State
	1350-1580	Sand, shale, soft lime	3370-3460	Line and chale	
	1680-1685			Lime and chale	
	1635-1680	Shale and lime		Line	"Sharp of policy
	1680-1690		3580-3635	Shale and lime	
			3635-3700		
	1815-1880	Sand and shale	3700-3020	Lime and shale	
	1980-1920		3820-3846	Line	
		Shalo	3845-4060	Line	
		Shale and lime	4060-4100	Line and shale	
		Shale and lime shells	4100-4185		
	2175-2565		4135-4265	Shale	
,	2885-2445	Shale and line shells	4265-4420	Shale and line	
4	2445-251.5	Shale and lime	4420-4435	Hard white sand	and shale
8	2 515- 2 5 90	Lime and shale	4435-4457	Shale and sand	
			4457-4534	Line	
	and the second second second	Line and shale	4534-4586	Line	
1	2750-2790	Lime and shale			
	and the second s	The first of the f		i de la companya de	1 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1

Casing Record: 275' of 10 3/4 seamless casing cemented with 150 sacks cement, 2 sacks calcium chloride. (April 5, 1946 cement circulated.)

Schlumberger electric log survey made from bottom surface pipe to bottom of hole April 26, 1946.

Hole plugged and abandoned April 27, 1946, in accordance with Kansas Stats Corporation Commission regulations.

The foregoing drilling log and statements concerning the drilling of said well are hereby certified to be true and correct to the best of my knowledge and belief.

Subscribed and sworn to before me this 30 day of C

My commission expires

28W STATE CORPORATION

MAY 1-1946

CONSERVATION DIVISION



15-179-00006-00-00

STATE OF KANSAS

STATE CORPORATION COMMISSION

CONSERVATION DIVISION 800 BITTING BUILDING WICHITA 2, KANSAS

May 15, 1946

IN REPLY PLEASE REFER TO THIS SUBJECT

Well No.

Lease

Berold

Description @ 3W 11-6-26W

County

Charidan

File:

53-14

Herrically Co. Box 36 Great Nend, Lemma

Contlocent

This letter is your permit to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission.

Very truly yours,

STATE CORPORATION COMMISSION CONSERVATION DIVISION

HA

NOTICE:

H. W. North

Great Bond, Kensas