

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA 2, KANSAS

COPY

RECEIVED
STATE CORPORATION COMMISSION
MAY 9 1963
8-9-63
CONSERVATION DIVISION
Wichita, Kansas

WELL PLUGGING APPLICATION FORM
File One Copy

15-179-00091-00-00

Lease Owner Cities Service Oil Co.
(Applicant)
Address Bartlesville, Oklahoma

Lease (Farm Name) Strohwig Well No. 1

Well Location C-NW-SE-SE Sec. 11 Twp. 6S Rge. 30W (E) (W)

County Sheridan Field Name (If any) -

Total Depth 4540' Oil Well Gas Well Input Well SWD Well D & A Dry Hole

Was well log filed with application? Yes If not, explain:

Date and hour plugging is desired to begin as soon as possible

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of the person on the lease in charge of well owner Earl Mabry
Cities Service Oil Co. Address Box 435 - Plainville, Kansas

Plugging Contractor Halliburton License No.
Address Hays, Kansas

Invoice covering assessment for plugging this well should be sent to M. M. Hardin
Cities Service Oil Co. Address Box 553, Russell, Kansas

and payment will be guaranteed by applicant.

Signed: MM Hardin
Applicant or Acting Agent

Date: 12/27/61

WELL RECORD

19-179-00091-06-00

WILDCAT

DISCOVERY

POOL

COMPANY Cities Service Petroleum Co. WELL # 1 FARM Strohwig

LOCATION 990' North and 990' West of SE Corner

Section 11, Township 6, Range 30 West.

ELEV. 2879 K.B., 2876 D.F. CO. Sheridan STATE Kansas
2874 Gr.

IP. Dry hole. P. and A. December 28, 1961.

PERFS.

FRAC. ACID None

T.D. 4540' P.BTD. GRAV/GOR

DRLG. COMM. December 7, 1961 COMP. December 28, 1961 CONTRACTOR Peel Bros., Inc.

CASING RECORD:

8-5/8" at 320' with 250 sacks cement.

FORMATION RECORD:

soil and shale	0-322
shale	1200
shale and sand	1712
shale and lime	1895
shale and lime streaks	2065
shale and shells	2360
shale and sand	2435
shale and shells	2505
shale	2595
anhydrite	2625
shale	2790
shale and red bed	2900
lime and shale	3145
lime	3335
lime and shale	3395
lime	3465
shale and lime streaks	3525
lime and shale	3640
lime	3686
lime and shale	3730
lime	4118
lime and shale	4153
lime	4200
lime and shale	4370
shale and lime	4435
shale and sand	4480
chert	4511
lime	4540 T.D.

Slope Tests (Syfo): 500' - 0°
1000' - 0°
2000' - 0°

7-7/8" Rotary hole.

RECEIVED

STATE CORPORATION COMMISSION

JAN 21 1962

CONSERVATION DIVISION
Wichita, Kansas

1-21-62



JOHN ANDERSON, Jr. Governor
 RICHARD C. BYRD Chairman
 ALVIN F. GRAUERHOLZ Commissioner
 HARRY G. WILES Commissioner
 RAYMOND B. HARVEY Secretary
 CHARLES C. McCARTER Gen. Counsel

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
 500 Insurance Bldg. 212 N. Market
 WICHITA, KANSAS

WELL PLUGGING AUTHORITY

Well No.	1	
Lease	Strahwig	
Description	NW SE SE	11-6-30
County	Sheridan	

Cities Service
 553 Russell, Kansas

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

J.P. Roberts
 J. P. ROBERTS
 Assistant Petroleum Conservation
 Director

Mr. Gilbert P. Leiker Victoria, Kansas

is hereby assigned to supervise the plugging of the above named well.

In the event you need any further information regarding this well feel free to write or call me at any time.

Harold J. Hollis
 Kansas Field Supervisor
 P. O. Box 569
 Great Bend, Kansas
 Phone: GL 3-2126

RECEIVED
 STATE CORPORATION COMMISSION

JAN 4 1962

CONSERVATION DIVISION
 Wichita, Kansas

