RECEIVED

For KCC Use: Effective Date:	8-	16.05
District #		
SGA? Yes	□ No	

Kansas Corporation Commission Oil & Gas Conservation Division

AUG 0 5 2005

Form C-1

AUG 1) 5 2009 Porm C-1
December 2002

KCC WICHITA Form must be Signed

NOTICE OF INTENT TO DRILL

Expected Spud Date August 16 2005	Spot
month day year	Sec. 29 Twp. 26 S. R. 16 West
OPERATOR: License# 6039	<u>∠310</u> feet from N / I√ S Line of Section
_{Name} · L. D. DRILLING, INC.	760 Feet from Fe
7 SW 26 AVF	Is SECTION Regular Irregular?
City/State/Zip: GREAT BEND, KANSAS 67530	(Note: Locate well on the Section Plat on reverse side)
Contact Person: L. D. DAVIS	County: EDWARDS
Phone: 620-793-3051	Lease Name: ERIC Well #: 1
	Field Name: TROUS DALE SOUTH
CONTRACTOR: License# 6039	Is this a Prorated / Spaced Field?
Name: L. D. DRILLING, INC.	Target Formation(s): MISSISSIPPIAN
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
✓Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: 2087' feet MSL
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: ✓ Yes No
OWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 200
Other	Depth to bottom of usable water: 260 340 (+1750)
	Surface Pipe by Alternate: \[\sqrt{1} \] 1 \[\] 2 Length of Surface Pipe Planned to be set: \(\frac{360}{1} \)
If OWWO: old well information as follows:	20.1g.i. 0. 04.1400 . ipo 1.14.1100 to 00 to 1
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 4850' Formation at Total Depth: MISSISSIPPIAN
Original Completion Date:Original Total Depth:	Tomator, at Total Dopui.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other
Bottom Hole Location:	DWR Permit #:
bottom Hole Location.	(Note: Apply for Permit with DWR ✓)
KCC DKT #-	NACH Course to Astrono
KCC DKT #: KIN KINGER E PIPE 15 360.	Will Cores be taken?
MOTE: MIN. SURFACE PIPE IS 360'.	Will Cores be taken?
NOTE: MIN. SURFACE PIPE IS 360'.	
NOTE: MIN. SURFACE PIPE IS 360'.	If Yes, proposed zone:
NOTE: MIN. SURFACE PIPE IS 360'. AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemes Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu if an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: Document Documen	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attention below any usable water to surface within 120 days of spud date. It #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be strough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 8/04/05 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2/5// - 2/5/	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attention below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on etc. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 8/04/05 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2/5// - 2/5	If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attention below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: SEC / TREASURER Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 8/04/05 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required A ONE feet Minimum surface pipe required Approved by 2 - 1 - 05	If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ligged or production casing is cemented in; Inted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on etc. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 8/04/05 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2/5// -	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; intendiged or production casing is cemented in; intendiged from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing. In the second prior to the following prior

RECEIVED AUG 0 5 2688 KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

ation of Well: County: EDWARDS
10 feet from N / S Line of Section
feet from F E / W Line of Section
. 29 _{Twp.} 26 s. R. 16
ection: 📝 Regular or 🗌 Irregular
ection is Irregular, locate well from nearest corner boundary. tion corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

August 11, 2005

Mr. L.D. Davis L.D. Drilling, Inc. 7 SW 26 Ave. Great Bend, KS 67530

RE: Drilling Pit Application Eric Lease Well No. 1 SE/4 Sec. 29-26S-16W Edwards County, Kansas

Dear Mr. Davis:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Havnes

Environmental Protection and Remediation Department

cc: S Durrant