8-21.05 For KCC Use: Effective Date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

	FORTIN C-1
	December 2002
	Form must be Typed
	Form must be Signed
ΑII	blanks must be Filled

Expected Spud Date August 15, 2005	Spot
month day year	2 NE SE NE Sec. 28 Twp. 26 S. R. 10 West
	1550' feet from N / S Line of Section
OPERATOR: License# 2670509 3 3 6 5 0 Name: West Bay Exploration Company	1550' feet from N / S Line of Section 150' Feet from E / W Line of Section
13685 S. West Bay Shore #200	Is SECTIONRegularIrregular?
City/State/Zip: Traverse City, MI 49684	(Note: Locate well on the Section Plat on reverse side)
Contact Person: David C. Holke	County: Reno
Phone: 405-843-8773	Lease Name: Hansen Trust Well #: 1
27426	Field Name: Turon
CUNTRACTOR: License#	Is this a Prorated / Spaced Field?
Name: Forrest Energy L.L.C.	Target Formation(s): Simpson
Mall Class. Turo Equipment	Nearest Lease or unit boundary: 1090'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1721' feet MSL
✓ Sil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: Unknown 150
Seismic; # of Holes Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 🗸 1 📉 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 4500'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #: Will apply
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗹)
KCC DKT #:	Will Cores be taken? Yes ✓ No
Kunit into Ht.	If Yes, proposed zone: RECEIVED
^ FE	KANGAGOODOODATAA
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:	lugging of this well will comply with K.S.A. 55 et seq. 0.5
It is agreed that the following minimum requirements will be met:	JUL 2 5 2005
Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on ear	
	WICHTA KO
3. The minimum amount of surface pipe as specified below shall be se	of by circulating cement to the top; in all cases surrateriphy. Canali be set
through all unconsolidated materials plus a minimum of 20 feet into the	he underlying formation.
through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the design of the second of	he underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the common terms of the superior of	he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the confidence of the street	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution of 20	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Lonsul fant
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the second of the well is district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 16. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 20, 2005	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Lonsul fant Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution of 20	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Lonsul fant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution of 20 feet into the constitution of 20 feet into the dry hole of 20 feet into the constitution of 20	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Lonsul fant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution of 20	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Lonsul fant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the second of the constitution of the second of the se	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the second o	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the second o	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the second o	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Title:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the second o	the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Title:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the second o	he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	Location of Well: County: Reno		
Operator: West Bay Exploration Company	1550' feet from V N / S Line of Section		
Lease: Hansen Trust	150' feet from E / W Line of Section		
Well Number: 1	Sec. 28 Twp. 26 S. R. 10 East ✓ Wes		
Field: Turon			
Number of Acres attributable to well: OTR (OTR (OTR of proper) NE SE NE	Is Section: Regular or Irregular		
QTR / QTR / QTR of acreage: NE - SE - NE	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

PI AT


(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

			\{\begin{array}{cccc} \cdot &	: : 			
	28	}	~	: 			
		· · · · · · · · · · · · · · · · · · ·					
	•						
			: : :				
			· · · · · · · · · · · · · · · · · · ·				

Voluntary 160 Acre Unit E/2 NE/4 of Sec. 28 & W/2 NW/4 of Sec. 27

Communitization Agreement Filed in Reno County, Bk 345, Pg 208, dated 1/27/05

EXAMPLE



NOTE: in all cases locate the spot of the proposed drilling locaton.

JUL 2 5 2005

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, WICHITA, KS

 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

August 11, 2005

Mr. David C. Holke West Bay Exploration Company 13685 S. West Bay Shore #200 Traverse City, MI 49684

Re:

Drilling Pit Application

Hansen Trust Lease Well No. 1

NE/4 Sec. 28-26S-10W Reno County, Kansas

Dear Mr. Holke:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources. District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used.

This office has received the haul-off pit application located in NE/4 Sec. 28-26S-10W, Reno County, Kansas. District staff has determined that the pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the haul-off pit within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathv Havneš

Environmental Protection and Remediation Department

cc: D Louis