For KCC Use: Effective Date: 8-31-05 District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Contember 14, 2005		
Expected Spud Date September 14, 2005	Spot East	
month day year	W/2 _ SE _ SE/4 Sec. 29 Twp. 33 S. R. 32	
OPERATOR: License# 8061 V	660' feet from N / ✓ S Line of Section	
Name: Oil Producers Inc. of Kansas	990'feet from VE / W Line of Section	
Address: 1710 Waterfront Parkway	Is SECTION _✓ RegularIrregular?	
Address: Wichita, KS 67206	(Note: Locate well on the Section Plat on reverse side)	
Contact Person, Lori Wedel	County: Seward	
Phone: 316-681-0231	Lease Name: Sally D Well #: 3	
22275	Field Name: Araklon	
CONTRACTOR: License# 33375 V	★ Is this a Prorated / Spaced Field? Yes Yes	
Name: Cheyenne Drilling, LP	Target Formation(s): Morrow Sand	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660'	
	Ground Surface Elevation: Est. 2652 feet MSJ	
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile:	
✓ Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 460	
Seismic;# of Holes Other	Depth to bottom of usable water: 546'	
Other	Surface Pine by Alternate: 1 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1500'	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 6100'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Morrow Sand	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore RECEIVED Yes No	Well Farm Pond Other Haul	
If Yes, true vertical depth: KANSAS CORPORATION COMMISSION	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #: AUG 2 2 2005	Will Cores be taken? Yes ✓ No	
Promoto D CHASE /02/ Grove	If Yes, proposed zone:	
Proveded CHATE/cgl. Grove CONSERVATION DIVISION	TDAVIT	
Monney	FIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p	nugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:		
 Notify the appropriate district office <i>prior</i> to spudding of well; 	No. 1 90 and the	
2 A conv of the approved notice of intent to drill chall he posted on es	ach drilling rig;	
2. A copy of the approved notice of intent to drill shall be posted on ea		
3. The minimum amount of surface pipe as specified below shall be s	et by circulating cement to the top; in all cases surface pipe shall be set	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	
 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemen 	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended to surface within 120 days of spud date.	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into the second of the second	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into the second of the second	the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into the second of the second	the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into the second of the second	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into the second of the second	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into the second of the second	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 8/17/2005 Signature of Operator or Agent:	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall thereby certify that the statements made herein are true and to the best of the best of the shall be shall be shall be statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 175-21795-00-00	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Vice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall thereby certify that the statements made herein are true and to the best of the best of the shall be shall be shall be statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 175-21795-00-00	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall thereby certify that the statements made herein are true and to the best of the best of the shall be shall be shall be statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 175-21795-00-00	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to:	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 8/17/2005 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 175-2/995-00-00 Conductor pipe required 6eet per Alt. 1 X	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill;	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 6. If the well is dry hole, an agreement between the operator and the 6. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete statements are true and to the best of the complete statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 175-2/795-00-00 Conductor pipe required feet Minimum surface pipe required feet per Alt. 1	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Vice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 6. If the well is dry hole, an agreement between the operator and the 6. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete statements are determined by the spud state of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - /75-2/995-00-00 Conductor pipe required feet Minimum surface pipe required feet per Alt. 1 X Approved by: Drug-26-05 This authorization expires: 2-26-06	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 8/17/2005 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /75-2/995-00-00 Conductor pipe required feet Minimum surface pipe required feet per Alt. 1 X Approved by: Drw 8-26-05	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 6. If the well is dry hole, an agreement between the operator and the 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 8/17/2005 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25-2/995-00- Conductor pipe required feet Minimum surface pipe required feet per Alt. 1 X Approved by: Drus-26-05 This authorization expires: 2-26-06 (This authorization void if drilling not started within 6 months of effective date.)	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. # #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	
3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 8/17/2005 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /75-2/995-00-00 Conductor pipe required feet Minimum surface pipe required feet per Alt. 1 X Approved by: Drw8-26-05 This authorization expires: 2-26-06	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

I No. 15 - 175 2/99 5 00 00 Location of				Vell: County: Seward	
perator: Oil Producers Inc. of Kansas Pase: Sally D ell Number: 3 eld: Araklon			660'	feet from N / S Line of Section	
			990'	feet from VE / W Line of Section	
			Sec. 29 Twp. 33 S. R. 32 East ✓ Wes		
		-	Is Section: ✓ Regul	ar or 🔲 Irregular	
	ributable to well: 640		is Section. Y Negui	al of irregular	
R / QTR / QTR of acreage: W/2 - SE - SE/4		If Section is Irregular.	locate well from nearest corner boundary.		
			Section corner used:	NE NW SE SW	
		_			
	(Chave lanat	-	LAT	an and walle h	
	(Snow locat	ion of the well and shade attrib	outable acreage for prorated est lease or unit boundary line	• •	
		(Show lootage to the heare	ist lease of unit boundary line	5.)	
			•	RECEIVED	
				KANSAS CORPORATION COMMISSION	
	· · · ·			6187 A 2 200E	
				AMG 2 2 2005	
			•	CONSERVATION DIVISION	
	· · · ·			WICHITA, KS	
	· · · ·			EXAMPLE	
	· · ·		:	· · · · · · · · · · · · · · · · · · ·	
				1980	
				: [<u>#</u>]	
				3390'	
			:	• • •	
				• • • • • • • • • • • • • • • • • • • •	
			9-40'		
			1 .		
			[
				SEWARD CO.	

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

in plotting the proposed location of the well, you must show:

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

1660



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

August 26, 2005

Ms. Lori Wedel Oil Producers Inc. of Kansas 1710 Waterfront Parkway Wichita, KS 67206

RE: Drilling Pit Application Sally D Lease Well No. 3 SE/4 Sec. 29-33S-32W Seward County, Kansas

Dear Ms. Wedel:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Environmental Protection and Remediation Department

cc: S Durrant