#### For KCC Use: 10-17-05 Effective Date:\_ District #\_ SGA? Yes V No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed

# **NOTICE OF INTENT TO DRILL**

All blanks must be Filled

Form C-1

Expected Spul Date  105(0)S  107  107  108  108  109  109  109  109  109  109	must be approved by KCC live	(5) days prior to commencing well	Shiloh
OPERATOR: Lecreary 32977  Name. Dornot Gas Resources Address:	Expected Spud Date 10/5/05 month day year N/	Spat   NW NE   Sec. 23   Two. 265	East West
Dordon Gas Resources	-	174 feet from $\sqrt{N}$	
Address:1450E Easter Ave, Ste. 1900 CityState Zip:	Name: Dorado Gas Resources		
Country Allen   Country Alle	14550 E Easter Ave. Ste. 1000		_
ContractOrs: License# 5786 Name. McGown Drilling  Well Drilled For: Well Class: Type Equipment: Oil	City/State/Zin: Centennial, CO 80112	(Mote: Locate well on the Section Plat on re	avarea cida)
Lease Name; CRES   Well #2-23-SWD	Contact Person: Steven Tedesco		verse side)
Feel Name: MildCat   Sharm: MildCat	Phone: 303-327-7016	Lease Name: Cress	Well #. 2-23-SWD
Self-action			
Target Formation(s): Arbuckle   Moure Dates:   Type Equipment:	CONTRACTOR: License# 5786		Yes V No
Neal Drilled For:   Well Class:   Type Equipment:   Ground Surface Elevation: 980   teet MSL   Water well within one-quarter mile:   Yes   Ne   Ne   Ne   Ne   Ne   Ne   Ne	Name: McGown Drilling		
Seismic;   s of Holes   Other   Original Total Depth:   Original Total Depth	Well Drilled For Mell Clase: Type Equipment:	Nearest Lease or unit boundary: 174 FNL	
Water well within one-quarter mile:			feet MSL
Seismic;    s of Holes   Other   Oth		Water well within one-quarter mile:	Yes ✓ No
Seismic;		Public water supply well within one mile:	Yes ✓ No
Depth to bottom of usable water: Surface			
Surface Pipe by Alternate:			
If OWWC: old well information as follows:  Operator:  Well Name: Original Completion Date: Origi	DISPOSITIVE (Per of 10-11-5		
Well Name: Original Completion Date: Original Completion Original Com		Length of Surface Pipe Planned to be set: 20	
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source For Drilling Operation For Drillin	Operator:		
Water Source for Drilling Operations:  Water Source for Public For Machael Source for Source Source For Source For Public For Pub		Projected Total Depth: 1700	
If Yes, true vertical depth::	Original Completion Date:Original Total Depth:		
If Yes, true vertical depth:	Directional, Deviated or Horizontal wellbore? Yes ✓ No		
Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  MANSAS  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 & seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any useb water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133.991-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my/knowledge and belief.  Pate: 9/22/05  Signature of Operator or Agent:  File Completion Form ACO-1 within 120 days of spud date; File cases attribution plat according to field proration orders; Notify appropriate district office 98 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:			
Will Cores be taken?    Yes   No	•		
If Yes, proposed zone:    Notify the appropriate district office prior to spudding of well;			
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 at_seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the appropriate district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe ahall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my/knowledge and belief.  Pate: 9/22/05 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO		Virginia -	163 [4]
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 &		KANSASOTT	Test de pers
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 9/22/05 Signature of Operator or Agent:  Approved by: 10 - 12.05  This authorization expires: 4/2-0C  (This authorization void if drilling not started within 6 months of effective date.)  This provided is drived appropriate district office appropriate district office appropriate described expiration date) please check box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:		O 177 AP 13	a same
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my/knowledge and belief.  Date: 9/22/05 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - OO		lugging of this well will comply with K.S.A. 55 et seq.	ال بالد
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of myknowledge and belief.  Date: 9/22/05  Signature of Operator or Agent:  For KCC Use ONLY  Approved by: 10 - 12:05  This authorization expires: 412-0C  (This authorization expires: 412-0C  (This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: 4gent Expired  Signature of Operator or Agent: 5genature of Operator or Agent: 5gen		.16.43 E	. State appear
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of mylknowledge and belief.  Date: 9/22/05  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO \ 29 3 / O OOO  Approved by: 10 - 12:05  This authorization expires: 4/2 - OC  (This authorization expires: 4/2 - OC  (This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Agent: Signature of Operator or Agent: Well Not Drilled - Permit Expired  Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent:		the same of the sa	THE KOREN
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my/knowledge and belief.  Date: 9/22/05	,,	or arming rig,	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my/knowledge and belief.  Date: 9/22/05  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO \ 29 3 6 \ OO OO  Conductor pipe required	through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.		
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my/knowledge and belief.  Date: 9/22/05  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO			
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 9/22/05 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO \ 29 3/6 \ OO OO  Conductor pipe required \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	, , ,		
I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 9/22/05  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO \ 293/6 \ OO OO  Conductor pipe required \ No NE   feet		•	•
For KCC Use ONLY  API # 15 - OO \ 293/6 \ OO OO  Conductor pipe required \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
For KCC Use ONLY  API # 15 - OO \ 293/6 OOO  Conductor pipe required \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	I hereby certify that the statements made herein are true and to the best $\rho$	f my/knowledge and belief.	
For KCC Use ONLY  API # 15 - OO \ 293/6 \ OO OO  Conductor pipe required \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Date: 9/22/05 Signature of Operator or Agent:	Steerhouft Title: Exec Asst	
For KCC Use ONLY  API # 15 - OO \ 293/6 \ OO OO  Conductor pipe required \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Remember to:	
API # 15 - 00 \ 293/6 \ 000 \ 000 \ 1	For KCC Use ONLY		Orill:
Conductor pipe required NONE feet  Minimum surface pipe required Zo feet per Alt. 1 (2)  Approved by: PID-IZ-OS  This authorization expires: 4/2-OC  (This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Signature of Operator or Agent: White a grant according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	• • • • • • • • • • • • • • • • • • • •	
Minimum surface pipe required 70 feet per Alt. 4 2  Approved by: 10-12-05  This authorization expires: 4/2-06  (This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:		- File acreage attribution plat according to field prora	
Approved by:			or re-entry,
This authorization expires: 4/2-0C (This authorization void if drilling not started within 6 months of effective date.)  Spud date:Agent:	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
(This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Signature of Operator or Agent:	1/10 -/		10
(This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Signature of Operator or Agent:			, IV.
Spud date: Agent: Signature of Operator or Agent:	(This authorization void if drilling not started within 6 months of effective date.)		1 4
	Soud date: Agent		
W.	nyonnyon		
		Signature of Operator or Agent:	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	Location of Well: County: Allen
Operator: Dorado Gas Resources	
Lease: Cress	174 feet from  N / S Line of Section 2004 feet from  E / W Line of Section
Well Number: 2-23-SWD	Sec. 23 Twp. 26S S. R. 17 ✓ East Wes
Field: Wildcat	
Number of Acres attributable to well: 40	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW NE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show located to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.