RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

For KCC Use:

Effective Date:

OCT 13 2005

Form C-1

December 2002

KCC WICHITA Form must be Typed

NOTICE OF INTENT TO DRILL All blanks must be Filled Must be approved by KCC five (5) days prior to commencing well Upon Approval **Expected Spud Date** Spot East NE Sec 36 Two 25 S. R. 36 dav SW 1250 _feet from VN / S Line of Section OPERATOR: License# 32864 1250 _feet from 🗸 E / W Line of Section Name: XTO Energy Inc. Address: 210 Park Avenue, Suite 2350 Is SECTION - Regular - Irregular? City/State/Zip: Oklahoma City, OK 73102 (Note: Locate well on the Section Plat on reverse side) Contact Person: Robin S. McCarley County: Kearny Well #: 3-2R-36 Phone: (405) 319-3236 Lease Name: Masonic Home Field Name: Panoma Council Grove CONTRACTOR: License# 4815 Is this a Prorated / Spaced Field? ✓ Yes Name: Thornton Drilling Company Target Formation(s): Council Grove Nearest Lease or unit boundary: 1250' Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: 3031' feet MSL Oil Enh Rec Infield **Mud Rotary** Water well within one-quarter mile: Yes ✔ No Gas Storage Pool Ext. Air Rotary Public water supply well within one mile: Yes ✓ No OWWO Wildcat Disposal Cable Depth to bottom of fresh water: 400 _# of Holes ✓ Seismic: Other Depth to bottom of usable water: 840 Surface Pipe by Alternate: 1 Length of Surface Pipe Planned to be set: If OWWO: old well information as follows: Length of Conductor Pipe required: Operator: Projected Total Depth: 3025' Well Name: Formation at Total Depth: Neva Limestone Original Completion Date: ___Original Total Depth:_ Water Source for Drilling Operations: Yes ✓ No Other Haul in Directional, Deviated or Horizontal wellbore? Well Farm Pond If Yes, true vertical depth:_ DWR Permit #: Bottom Hole Location:___ (Note: Apply for Permit with DWR) KCC DKT #:_ Yes ✓ No Will Cores be taken? If Yes, proposed zone: _ **AFFIDAVIT** The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. ______Title: Drilling Technician Date: 10/10/05 Signature of Operator or Agent: ICOUM Remember to: For KCC Use ONLY File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. (This authorization void if drilli Well Not Drilled - Permit Expired Spud date: Signature of Operator or Agent: Agent

Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Kearny
Operator: XTO Energy Inc.	
Lease: Masonic Home	1250 feet from VN/ S Line of Section 1250 feet from VE/ W Line of Section
Well Number: 3-2R-36	Sec. 36 Twp. 25 S. R. 36 East ✓ West
Field: Panoma Council Grove	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SW - NE - NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

3



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.