

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
245 North Water  
WICHITA, KANSAS 67202

Rev. 6-3-74  
Form CP-1

WELL PLUGGING APPLICATION FORM  
File One Copy

API Number 15-163 - 21,364-00-00 (of this well)

Lease Owner Liberty Enterprises, Inc.

Address 308 West Mill Plainville, Ks 67663

Lease (Farm Name) Schruben Well No. #1

Well Location NW SW NE Sec. 29 Twp. 7S Rge. (E) 17 (W)

County Rooks Total Depth 3410' Field Name \_\_\_\_\_

Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ Rotary D & A X

Well Log attached with this application as required Yes

Date and hour plugging is desired to begin August 6, 1981 5:30 P.M.

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-128 OF THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

Name of company representative authorized to be in charge of plugging operations:

Don Armbruster Address 308 West Mill Plainville, Kansas 67663

Plugging Contractor Pioneer Drilling Co, Inc. License No. \_\_\_\_\_

Address 308 West Mill Plainville, Ks 67663

Invoice covering assessment for plugging this well should be sent to:

Name Liberty Enterprises, Inc.

Address 308 West Mill Plainville, Kansas 67663

and payment will be guaranteed by applicant or acting agent.

Signed: David L. Lomeau  
Applicant or Acting Agent

Date: 8-18-81

RECEIVED  
STATE CORPORATION COMMISSION  
8-19-81  
AUG 19 1981  
CONSERVATION DIVISION  
Wichita, Kansas

W E L L L O G

OPERATOR: Liberty Enterprises, Inc.

15-163-21364-00-00

WELL NAME: Schruben #1

LOCATION: NW SW NE 29-7S-17W

COUNTY: Rooks

STATE: Kansas

WELL COMMENCED: July 28, 1981

WELL COMPLETED: August 6, 1981

ELEVATION: 1799' G.L.

TOTAL DEPTH: 3410'

PRODUCTION: D & A

RIG NO: #4

CASING - 8 5/8": 27 jts new 24# tallied @ 1214.59' set @ 1213' cemented with 450 sxs 60-40 pos  
2% gel 3%cc P.D. @ 12:30 P.M. did circ  
5 1/2": \_\_\_\_\_

ALL MEASUREMENTS TAKEN FROM THE TOP OF ROTARY BUSHING:

FROM	TO	FORMATION	DEVIATION FROM VERTICAL	REMARKS:
0'	215'	sand and clay		
215'	669'	shale and sand	218' - 3/4 degree	
669'	1111'	shale and sand		
1111'	1207'	shale and sand		
1207'	1222'	anhydrite	1212' - 1 1/4 degree	
1222'	1250'	anhydrite		
1250'	1596'	shales		
1596'	1916'	shales		
1916'	1936'	shale	1936' - 2 1/4 degree	
1936'	2071'	shale		
2071'	2311'	shale		
2311'	2587'	shale and lime		
2587'	2760'	shale and lime		
2760'	2913'	shale and lime		
2913'	3070'	shale and lime		
3070'	3105'	lime and shale	3105' - 1 1/4 degree	
3105'	3157'	lime and shale		
3157'	3175'	lime and shale		
3175'	3200'	lime and shale		
3200'	3275'	shale and lime		
3275'	3374'	shale and lime		
3374'	3410'	lime and shale		
3410'	R.T.D.			

RECEIVED  
STATE CORPORATION COMMISSION

AUG 19 1981

CONSERVATION DIVISION  
Wichita, Kansas

8-19-81

STATE OF KANSAS  
COUNTY OF \_\_\_\_\_


The undersigned hereby certifies that to the best of his knowledge and belief,  
the above facts are true and correct

PIONEER DRILLING CO., INC.

By Stacy A. Hilgers

SUBSCRIBED AND SWORN TO, BEFORE ME, This 18<sup>th</sup> day of August, 1981

Sharon Garvert  
NOTARY PUBLIC



STATE OF KANSAS

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
200 Colorado, Derby Bldg.  
Wichita, Kansas 67202

INVOICE and WELL PLUGGING AUTHORITY

September 28, 1981

INVOICE NUMBER: 7624-W

TO: Liberty Enterprises, Inc.  
308 West Mill  
Plainville, KS., 67663

15-163-21364-0000

PLUGGING ASSESSMENT AS FOLLOWS:

PAYABLE UPON RECEIPT

Schruben #1  
NW NW NE, Sec.29-7S-17W  
Rooks  
3410'

\$110.83

NOTE: We also need the following before our file is completed:

- \_\_\_\_\_ Well Plugging Record (CP-4)
- \_\_\_\_\_ Well Log
- \_\_\_\_\_ Well Plugging Application (CP-1)


WELL PLUGGING AUTHORITY

Gentlemen:

This is your authority to plug the above subject well in accordance with the rules and regulations of the state corporation commission.

This authority is void after ninety (90) days from the above date.

For Administrator



Mr. Marion Schmidt, 2104 Canterbury Rd., Hays, KS., 67601  
is hereby assigned to supervise the plugging of the above mentioned well.