

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

15-163-00388-00-00

WELL PLUGGING APPLICATION FORM

Lease Owner JONES, SHELBURNE & FARMER Address RUSSELL, KANSAS  
(Applicant)

Lease (Farm Name) CARSTEN Well No. 1

Well Location NE. NE. SW Sec. 32 Twp. 7S Rge. 17 (E)-(W)

County BOOKS Field Name (if any) WILDCAT

Total Depth 3,350' Oil      Gas      Dry Hole X

Was well log filed with application? Yes. If not, explain:     

Date and hour plugging is desired to begin 11:00 A. M. 10/14/50

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.

(Use an additional sheet if necessary) NONE

Name of the person on the lease in charge of well for owner     

ROY McCLURE Address RUSSELL, KANSAS

Name of Plugging Contractor STRAIN DRILLING COMPANY

Address HAYS, KANSAS

Invoice covering assessment for plugging this well should be sent to

STRAIN DRILLING COMPANY Address HAYS, KANSAS

and payment will be guaranteed by applicant.

RECEIVED  
STATE CORPORATION COMMISSION  
OCT 20 1950  
CONSERVATION DIVISION  
Wichita, Kansas

John O. Farmer  
Applicant or Acting Agent

Date OCTOBER 17, 1950

FILE 32  
BOOK PAGE 35

1020-50

# Jones, Shelburne & Farmer, Inc.

Russell, Kansas

15-163-00388-00-00

## CONTRACTOR'S VERIFIED LOG

Operator JONES, SHELBURNE & FARMER, INC Farm Name CARSTEN Well No 1

Location NE, NE, SW SECTION 32-7S-17W

Pool Name WILDCAT County ROOKS State KANSAS

Commencement Date 9/27/50 Completion Date 10/15/50

### Log of Well

Depth	Formation	Deviation from vertical (degrees)	Remarks
From	To		
0	146		Shale and sand
146	455		Shale and shells
455	560		Shale, Shells and sand
560	720		Shale and sand
720	895		Sand
895	1180		Red Beds and shale
1180	1190		Shale and shells
1190	1225		Anhydrite
1225	1300		Shale and Red Beds
1300	1625		Shale and shells
1625	2040		Lime and shale
2040	2080		Lime
2080	2225		Lime and shale
2225	2285		Lime
2285	2375		Lime and shale
2375	2470		Shale and Lime shells
2470	2955		Lime and shale
2955	3020		Lime
3020	3070		Lime and shale
3070	3109		Lime
3109	3130		Lime and shale
3130	3235		Lime
3235	3350		Lime and shale
	3350		Total Depth
	1825		Elevation
	1190		Anhydrite
	2752		Topeka
	2964		Heebner
	2987		Dodge
	3006		Kansas City
	3304		Conglomerate
	3314		Arbuckle
			Plugged 10/15/50

**RECEIVED**  
STATE CORPORATION COMMISSION  
OCT 20 1950

10-20-50

3V-7-17W  
35-33

Depth		Formation	Deviation from vertical (degrees)	Remarks
From	To			
		BITUMINOUS TO 12/20		
	3314'	Vertical		
	3304'	Con't to 1000'		
	3000'	Vertical		
	3124'	Vertical		
	3104'	Vertical		
	3125'	Vertical		
	3110'	Vertical		
	3152'	Vertical		
	3320'	Vertical		
3332'	3320'	14.8° and 14.8°		
3130'	3332'	14.8°		
3100'	3130'	14.8° and 14.8°		
3010'	3100'	14.8°		
3030'	3010'	14.8° and 14.8°		
3122'	3030'	14.8°		
3110'	3122'	14.8° and 14.8°		
3312'	3110'	14.8° and 14.8°		
3322'	3312'	14.8° and 14.8°		
3352'	3322'	14.8°		
3010'	3352'	14.8° and 14.8°		
3070'	3010'	14.8°		
3152'	3070'	14.8° and 14.8°		
3300'	3152'	14.8° and 14.8°		
3352'	3300'	14.8° and 14.8°		
				Total Depth

Was Well to be deepened by another Contractor? NO

**CASING LEFT IN HOLE AFTER COMPLETION OR ABANDONMENT**

Size	Wt.	Grade	Range	Thread	FOOTAGE					
					Delivered	Run	Set At	Unused	Pulled	Left in Hole
10 3/4"		Cemented with	110 sacks		148'				None	148'
8 5/8"		Cemented with	700 sacks		1015'				None	1015'

8/31/20  
 Deviation From Vertical Data Is Correct as Shown  
 \_\_\_\_\_  
 Company Superintendent  
 (This space for Company use)

The foregoing Well Log and other data are correct.

JONES, SHELBURNE & FARMER, Inc.  
 Contractor

By *John Farmer*

Company: JONES, SHELburne & FARMER, INC.,

Lease: Carsten #1

N/2 Sec. 32, T-7S  
R-17W

Elevation: 1625 Derrick floor.

Neosho, County, Mo.

Note: All meas. from rotary bushings.

0	80 Shale & sand
80	140 Blue shale & shells
140	455 Shale & shells
455	500 Shale & shells, sand
500	650 Sand & shale
650	720 Shale & shells
720	895 Sand
895	1190 Shale & shells
1190	1190 Shale & shells
1190	1225 Anhydrite
1225	1300 Shale & red bed
1300	1440 Shale & shells
1440	1625 Shale & shells
1625	1700 Shale & lime
1700	1910 Lime & shale
1910	2035 Lime & shale
2035	2040 Lime & shale
2040	2080 Lime
2080	2100 Lime & shale
2100	2225 Lime & shale
2225	2285 Lime
2285	2350 Lime & shale
2350	2375 Lime & shale
2375	2470 Shale & lime
2470	2583 Lime & shale
2583	2600 Lime & shale
2600	2795 Shale & lime
2795	2825 Shale & lime
2825	2907 Lime & shale
2907	2937 Lime
2937	2942 Lime & shale
2942	2955 Lime & shale
2955	3020 Lime
3020	3070 Lime
3070	3100 Lime
3100	3130 Lime & shale
3130	3180 Lime
3180	3235 Lime
3235	3275 Lime & shale
3275	3298 Lime & shale
3298	3350 Lime & shale
3350	T.D. (rotary bushing meas.)

COMMENCED: 9-27-50  
COMPLETED: 10-15-50

CASING RECORD:

10 3/4" Surface casing set at 140' with 110 sacks cement by Sun Cementing Co.

8 5/8" Surface casing set at 1000' w/200 sks cement, 4 sks C.C. by Sun Cementing Co.

D.S.P. by Johnson Testing Co.

3200' to 3225', tool open 30 min. Had weak blow for 20 min. Recovered 30' rotary mud, no oil shows. S.E.P. 15 min. 1250' pressure.

Ran Schlumberger Log, to total depth.

RECEIVED  
STATE CORPORATION COMMISSION

OCT 20 1950

CONSERVATION DIVISION  
Wichita, Kansas

Arbuckle Line 3215  
Total Depth 3350

TOPS:

Anhydrite	1190
Reebner	2650
Kansas City Lime	2892

I hereby affirm that the above and foregoing is a true and correct copy of the log of the Carsten #1, located N/2 Sec. 32-T-7S, R-17W, Neosho County, Kansas.

CONTRACTOR: Strain Drilling Co.

PLUGGING  
FILE SEC 32 T 7 R 17W  
BOOK PAGE 35 LINE 33

By Florence Strain  
Secy.



STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

October 16, 1950

15-163-00388-00-00

Well No. 1  
Lease Carsten  
Description NE NE SW 32-7-17W  
County Rooks  
File No. 35-33

Jones, Shelburne & Farmer, Inc.  
Russell, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

BY: J. P. Roberts  
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR