

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-163-22509-00-00
Spot: SESWSW Sec/Twnshp/Rge: 3-7S-20W
330 feet from S Section Line, 4290 feet from E Section Line
Lease Name: PROBASCO Well #: 4-2
County: ROOKS Total Vertical Depth: 3665 feet

Operator License No.: 5011
Op Name: VIKING RESOURCES, INC
Address: 105 S BROADWAY, STE 1040
WICHITA, KS 67202

String	Size	Depth (ft)	Pulled (ft)	Comment
PROD	4.5	3661		125 SX CMT
SURF	8.625	345		225 SX CMT

Well Type: OIL UIC Docket No: _____ Date/Time to Plug: 10/05/2001 10:00 AM
Plug Co. License No.: 5011 Plug Co. Name: VIKING RESOURCES, INC
Proposal Rcvd. from: JAMES B. DEVLIN Company: VIKING RESOURCES, INC Phone: (316) 262-2502

Proposed Plugging Method: Ordered 175 sxs 60/40 pozmix - 10% gel - 400# hulls - 14 sxs gel.

Plugging Proposal Received By: DENNIS HAMEL Witness Type: COMPLETE (100%)
Date/Time Plugging Completed: 10/05/2001 11:30 AM KCC Agent: DENNIS HAMEL

Actual Plugging Report:

5 1/2" casing - squeezed down 25 sxs 60/40 pozmix - 10% gel with 400# hulls, followed with 14 sxs gel, followed with 150 sxs cement.
8 5/8" S.P. Pressured up to 800#.

Perfs:

Top	Bot	Thru	Comments
3530	3538		
3514	3524		

Remarks: LEASE FORMERLY KNOWN AS ROSS #2. ALLIED CEMENTING COMPANY.

Plugged through: CSG

District: 04

Signed Dennis L. Hamel
(TECHNICIAN)

RECEIVED

AUG 29 2005

KCC WICHITA

AUG 23 2005

X

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-163-22509-00-00
Spot: CSESWSW Sec/Twnshp/Rge: 3-7S-20W
330 feet from S Section Line, 4290 feet from E Section Line
Lease/Unit Name: PROBASCO Well Number: 3-2
County: ROOKS Total Vertical Depth: 3665 feet

Operator License No.: 5011
Op Name: VIKING RESOURCES, INC
Address: 105 S BROADWAY, STE 1040
WICHITA, KS 67202

Conductor Pipe: Size _____ feet:
Surface Casing: Size 8.625 feet: 345 225 SX CMT
Production: Size 5.5 feet: 3661 125 SX CMT
Liner: Size _____ feet:

Well Type: EOR UIC Docket No: _____ Date/Time to Plug: 10/05/2001 10:00 AM

Plug Co. License No.: 5011 Plug Co. Name: VIKING RESOURCES, INC

Proposal Rcvd. from: JAMES B. DEVLIN Company: VIKING RESOURCES, INC Phone: (316) 262-2502

Proposed Plugging Method: Ordered 175 sxs 60/40 pozmix - 10% gel - 400# hulls - 14 sxs gel.

Plugging Proposal Received By: DENNIS HAMEL

Witness Type: Plugging Operations 100% Witnessed (Complete)

Date/Time Plugging Completed: 10/05/2001 11:30 AM

KCC Agent: DENNIS HAMEL

Actual Plugging Report:

5 1/2" casing - squeezed down 25 sxs 60/40 pozmix - 10% gel with 400# hulls, followed with 14 sxs gel, followed with 150 sxs cement.
8 5/8" S.P. Pressured up to 800#.

Remarks: LEASE FORMERLY KNOWN AS ROSS #2. ALLIED CEMENTING COMPANY.

Plugged through: CSG

District: 04

Signed

Dennis L. Hamel

(TECHNICIAN)

RECEIVED

AUG 29 2005

KCC WICHITA

Form CP-2/3

OCT 09 2001

THUNDERBIRD DRILLING, INC.
BOX 18407 #2 ROSS

3-7-20W
SE SW SW

WICHITA, KS 67218


CONTN COMPANY TOOLS

CTY ROOKS

GEOL

FIELD PROBASCO EXT (1/4 N)

ELV 2152' KB SPD 10/7/84 CARD ISSUED 11/15/84 IP P 85 BOPD, NW
2147' GL LKC 3514-3538 OA



LOG	Tops	Depth/Datum	API 15-163-22, 509
ANH	1714+	438	8 5/8 " 345 / 225SX, 4 1/2 " 3661 / 125SX
B/ANH	1745+	407	DST (1) 3364-3385 (LKC) / 30-45-60-45, REC 135' MW, SIP 962-933#, FP 19-126#
TOP	3122-	970	DST (2) 3511-3550 (LKC) / 30-30-30-30, 1520' GIP, 1250' CL OIL, SIP 647-704#, FP 87-475#
HEEB	3327-	1175	DST (3) 3637-3665 (ARB) / 30-30-30-30, REC 190' MW, W / FEW OIL SPKS, SIP 924-886#, FP 38-107#
TOR	3349-	1197	MICT - CO, SWB DWN, PF (LKC) 3514-3524, 3530-3538, SWB DWN & REC 5.5 BOPD, NAT / 2 HRS, AC 1000G & 46 BALL SEALERS, FU 1300' FL, SWB 28 00 / 2 HRS, NW, POP, P 85 BOPD, NW 10/26/84
LKC	3363-	1211	
BKC	3573-	1421	
REW ARB	3621-	1469	
ARB	3631-	1479	
LTD	3661-	1509	
RTD	3665-	1513	

COPYRIGHT 1984
INDEPENDENT OIL & GAS SERVICE, INC.
WICHITA, KANSAS

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-163-22509-00-00
Spot: CSESWSW Sec/Twnshp/Rge: 3-7S-20W
330 feet from S Section Line, 4290 feet from E Section Line
Lease/Unit Name: PROBASCO Well Number: 3-2
County: ROOKS Total Vertical Depth: 3665 feet

Operator License No.: 5011
Op Name: VIKING RESOURCES, INC
Address: 105 S BROADWAY, STE 1040
WICHITA, KS 67202

Conductor Pipe: Size feet:
Surface Casing: Size 8.625 feet: 345 225 SX CMT \$119.11
Production: Size 5.5 feet: 3661 125 SX CMT
Liner: Size feet:

Well Type: EOR Oil Wm 6/13/05 UIC Docket No: Date/Time to Plug: 10/05/2001 10:00 AM

Plug Co. License No.: 5011 Plug Co. Name: VIKING RESOURCES, INC

Proposal Rcvd. from: JAMES B. DEVLIN Company: VIKING RESOURCES, INC Phone: (316) 262-2502

Proposed Plugging Method: Ordered 175 sxs 60/40 pozmix - 10% gel - 400# hulls - 14 sxs gel.

Plugging Proposal Received By: DENNIS HAMEL Witness Type: Plugging Operations 100% Witnessed (Complete)
Date/Time Plugging Completed: 10/05/2001 11:30 AM KCC Agent: DENNIS HAMEL

Actual Plugging Report:

5 1/2" casing - squeezed down 25 sxs 60/40 pozmix - 10% gel with 400# hulls, followed with 14 sxs gel, followed with 150 sxs cement.
8 5/8" S.P. Pressured up to 800#.

Remarks: LEASE FORMERLY KNOWN AS ROSS #2. ALLIED CEMENTING COMPANY.

Plugged through: CSG

District: 04

Signed

Dennis L. Hamel

(TECHNICIAN)

RECEIVED

OCT 16 2001

KCC WICHITA

INVOICED

DATE

10-16-01

INV. NO.

2002060810

Form CP-2/3

OCT 09 2001

THUNDERBIRD DRILLING, INC.
BOX 18407
WICHITA, KS 67218

3-7-20W
SE SW SW

#2 ROSS


CONTR COMPANY TOOLS

CTY ROCKS

GEOL

FIELD PROBASCO EXT (1/4 N)

ELV 2152 KB SPD 10/7/84 CARD ISSUED 11/15/84 IP P 85 BOPD, NW
2147 GL LKC 3514-3538 OA



LOG	Tops	Depth/Datum
ANH	1714+	438
B/ANH	1745+	407
TOP	3122-	970
HEEB	3327-	1175
TOR	3349-	1197
LKC	3363-	1211
BKC	3573-	1421
REW ARB	3621-	1469
ARB	3631-	1479
LTD	3661-	1509
RTD	3665-	1513

API 15-163-22, 509

8 5/8 " 345 / 225SX, 4 1/2 " 3661 / 125SX

DST (1) 3364-3385 (LKC) / 30-45-60-45, REC 135' MW, SIP 962-933#, FP 19-126#

DST (2) 3511-3550 (LKC) / 30-30-30-30, 1520' GIP, 1250' CL OIL, SIP 647-704#, FP 87-475#

DST (3) 3637-3665 (ARB) / 30-30-30-30, REC 190' MW, W / FEW OIL SPKS, SIP 924-886#, FP 38-107#

MICT - CO, SWB DWN, PF (LKC) 3514-3524, 3530-3538, SWB DWN & REC 5.5 BOPD, NAT / 2 HRS, AC 1000G & 46 BALL SEALERS, FU 1300' FL, SWB 28 BO / 2 HRS, NW, POP, P 85 BOPD, NW 10/26/84

COPYRIGHT 1984
INDEPENDENT OIL & GAS SERVICE, INC.
WICHITA, KANSAS

Vertical stamp or text on the right side of the page, possibly a date or reference number.