

15-163-03652-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Well Location C.SE of NW Sec. 10 Twp. 7S Rge. (E) 17 (W)

Field Name (if any) Wildcat County Rooks

Lease (Farm Name) Moore Well No. 1

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary)

Well log attached.

Date and hour plugging is desired to begin 12/2/1943

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary) C. T. Alexander, Great Bend, Kansas

Name of the person on the lease in charge of well for owner

Paul McBride Address Williams & Copeland Drilling Co., Great Bend, Kans.

Name of well owner or Acting Agent Sohio Producing Company

Address Box 609, Russell, Kansas

Invoice covering assessment for plugging this well should be sent to:


Sohio Producing Company Address Box 609, Russell, Kansas

and payment will be guaranteed by applicant.

04-04-44

Bernie J. Smith
Operator Acting Agent

Date March 24, 1944



copy

15-163-03652-00-00

Moore No. 1 Well

10-7-17 Rooks County, Kansas

Drilled for: Standard Oil Co. of Ohio
Drilled by: Mouser Drilling Company

Drilling commenced: April 5, 1943
Drilling completed: June 16, 1943

Casing Record:

8 1/4" 319' Cemented to top
5 1/2" 3040' 100 sacks cement.

Shot from 2812-15 - 10 shots
Shot from 2715-2812 50 shots
Hole plugged back to 2833

<u>FORMATION</u>	<u>DEPTH</u>	<u>FORMATION</u>	<u>DEPTH</u>
From surface soil		Lime	2738
to	220	Lime	2872
Shale and shells	275	" and shale	2900
Blue shale (Artesian wa-	510	Lime and shale	3051
Sand ter flow)	528	lime	
Shale and shells	708	Total Depth of Rotary hole	3051
Sand	950		
Shale and shells	1205	Lime	3070
Anhydrite	1230	Sandy lime	3072
Shale and shells	1535	Hard Lime	3076
Shale and lime	1690	Broken lime	3080
Lime	1703	Shale	3092
Lime and shale	1775	Lime	3098
Lime	1878	Broken lime	3110
Shale and lime	1928	Lime	3145
Shale	1930	Shale	3147
Broken lime	1985	Lime	3195
Lime	2060	Shale	3202
Broken lime	2119	Broken lime	3212
Lime	2145	Shale and lime	3222
Lime and shale	2168	Brown shale	3227
Lime	2307	Red rock	3235
Broken lime	2350	Lime	3240
Shale	2375	Red Rock	3250
Shale	2410	Broken lime	3260
Lime and shale	2430	Lime	3268
Shale (Top of Topeka)	2551	Shale	3278
		Lime	3281
		Conglomerate	3315
		Lime	3325
		Conglomerate	3337
		Lime, Arbuckle	3339
		Hole full of water	3339
		Total Depth	3339'

10 7-17u
111 4

04-04-44



15-163-03652-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA 2, KANSAS

IN REPLY PLEASE
REFER TO THIS
SUBJECT

March 14, 1944

Well No. 1
Farm Moore
Description SE SW 10-7-17W
County Rooks
File 111-4

Sohio Producing Co.
Bitting Building
Wichita, 2, Kansas

Gentlemen:

This letter is your permit to plug
the above subject well, in accordance
with the Rules and Regulations of the
STATE CORPORATION COMMISSION.

Yours very truly,

STATE CORPORATION COMMISSION

T. A. MORGAN, DIRECTOR
CONSERVATION DIVISION

JF

By: J. P. Roberts
J. P. ROBERTS

NOTICE: C. F. Alexander
Great Bend, Kansas