15-163-21618-60-00

PRODUCTIVITY TEST BARREL TEST

RULE 81-2-106 of the General Rules and Regulations of the State of Kansas:

Productivities; when to be taken. (b) Pool tests. Pool tests shall be taken as ordered by the Commission at twelve (12) month intervals thereafter.

COUNTY Rocks					EFFECTIVE DATE 4-(-86 (Office use only)		
FIELD R	iffe			the same of the sa	TOTALICE USE	onry)	
producing formation K.C. operator Helmoriel & Dayne LEASE K-iley					PURCHASER		
					ADDRESS (if new operator)		
* WELL NO.	SEC.	TWP.	RGE.	BOPD	WATER %	DATE TAKEN	
1. 4	20	7	17	6	17	4-23-86	
2.		to-recommendate special representative	· Lambana	und different security of the second	· · · · · · · · · · · · · · · · · · ·	7 23 0%	
1	****	beller reday has might be the described in	derde one metanog	la-mariji usolaka neriji ka usakinomer	namen and transfer and produced produced in		
3.		Market of the second se	April Market Control of the Control	enconduction (SP and other	samenters and association of the same and the same	the transfer of the transfer or design and the second design and the second design at the second design and the second design at the se	
1.	North Calendaria (Chin In Calendaria) and a second and a	. Attacheronalistica algoritation	dentina diada malayahan daga danyin	, and an analysis of the second second second	*	Consulting the contract of the	
·	·		Anthonous and man this say, of	Sentenda militar religione conse	of countries and the contribution of the contr	Water State of March & March State of the Assessment of the Assess	
Antiquina conservation de la contraction de la c	dennya di dennya di salah kantakara sa	*****	SAME TO THE PROPERTY OF THE PARTY OF THE PAR				
	Messel Printeen and Mingray and			and a continuing the state of t			
					,		
•					With the control of t		
0.	the section of the se	dentral respecto recitizano con bismo	, Protestinospiese de la companya del la companya de la companya d	Administration and the firestern compared annuals.			
	On the state of t	Alexandra grand gr	Married Standards 1	If professored stripping and sends			
IELDMAN'S REMA	RKS:		rak nembro efecto en responso a la management de la colonia.				
• 7							
			A 14				

IITNESSES:					·		
1100	14/		100		1 /		
MM YDO	alth.o	407 x	S. K. NU	Bough	V	FOR AFFOR	
JAIRIE			IUR UPERAL	or ()		FOR OFFSET	

* NOTE: IF THE WELL IS TEMPORARY ABANDONED AT TIME OF TEST, BUT AT A LATER DATE IS PUT ON PUMP, PLEASE HAVE IT TESTED AT THAT TIME. CALL (913)-735-2786, OR WRITE: GILBERT LEIKER, 805 MAIN, VICTORIA, KANSAS 67671 TO SCHEDULE A TEST. THIS PREVENTS OVER PRODUCTION ON THE TABLE "B" REPORT.

STATE CORPORATION COMMISSION OF KANSAS.

CONSERVATION DIVISION

STATE CORPORATION COMMISSION

APR 28 1986

CONSERVATION DIVISION

Wighlia, Kanaas