For KCC Use:	11-23.05
Effective Date:	11-23:00
District #	<u> </u>

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DOUG

Form must be Slaned December 2002

				М	lust be ap	pproved by K	C five (5)	days p	nor to c		ıng well				s must b	
Evanatas	I Spud Dat	_ 11			22	2005					_				Г	7 =
Expected	opud Dai	e	month	7	day	year	w/2	-SE	SE	SE	0	20 -	. 33	0 - 1	<u>ا</u> 17	✓ East
		5150	`			-	7 , 3									West
OPERAT	OR: Licens	Se#	,					550							ine of Sec	
Name:	P O BOX	388	•					Is SEC	TION	✓ Reg				·· -	110 01 000	20011
Address:	e/Zip: IOLA	, KS 6674	9									_				
City/State	e/Zip: Person: _DE	ENNIS KEI	RSHNE	ER				County	'	Note: Loca TGOMER		n ine Secti	on Plat or	reverse s	side)	
Phone:	620-365-3	111												Wal	ı #: 16-20	SWD
			070 \	$\overline{/}$				Field N	lame:	COFFEY	/ILLE-C	HERRY	VALE			
CONTRA	CTOR: Lic	cense# 331	0/2	O COM	3ANV 11	NO				ted / Spac					Yes	√ No
Name: V	ELL REF	INEU UF	(ILLIIV	G COMP	PANT, II	NC /		Target	Formati	on(s): A	RBUCK	LE				
V	Vell Drilled I	For:	Well	Class:	Tyne	Equipment:		Neares	t Lease	or unit b	oundary	350				
		Enh Rec		Infield		Mud Rotary		Ground	l Surfac	e Elevatio	n: UNKN	IOWN			fe	et MSL
o		Storage	\vdash	Pool Ext.	=	Air Rotary		Water	well with	nin one-qu	arter mi	le:			Yes	√ No
=	=	Disposal	=	Wildcat		Cable				upply well			_		Yes	✓No
	eismic;					Cable		•		m of fresh			+			
	ther SALT	WATER	DISP	OSAL				Depth 1	to botto	m of usat	le water					
										y Alternat						
If OWWC): old well i	information	as follo	ows:				Length	of Surf	ace Pipe	Planned	to be se	t: 			
Oper	ator:									ductor Pi		red: NON				
	Name:							Project	ed lota	l Depth: _ otal Depti	AF	BUCKLE				
Origir	nal Complet	tion Date:_		Ori	iginal Tota	al Depth:	+									
Direction	al, Deviated	d or Horizo	ntal we	ellbore?		Yes 7	No		Source Well	for Drilling Farm I	•	ons: Other _	X			
	-						_		AAGII	railli i	Uliu	Other _				
								DWR P	ormit #:							
	lole Locatio							DWR P	ermit #:				with DWF	.		
Bottom H	lole Locatio	on:								(No		for Permit	with DWF	? [])		✓ No
Bottom H KCC DK1	Г#:	on:						Will Co	res be	(No staken?	te: Apply	for Permit		ן ק	Yes	✓No
Bottom H KCC DKT	"#: ATTA	CHED						Will Co	res be	(No	te: Apply	for Permit		? []}	Yes	√No
Bottom H KCC DK1 SEE U 1	"#: E ATTA C LETT	CHED					AFFIDA	Will Co If Yes, AVIT	res be t	(No : taken? ed zone: _	t e: Apply	for Permit			Yes	✓No
Bottom H KCC DKT SEE U10	#:	CHED FER	 ms that	t the drillir	ng, comp	letion and eve		Will Co If Yes, AVIT	res be t	(No : taken? ed zone: _	t e: Apply	for Permit			Yes	√No
Bottom H KCC DKT SEG U10 The under	#: ATTA LETT ersigned he ed that the	CHED TEN ereby affirm following	 ms that minimu	t the drillir	ng, comp ements w	letion and eve		Will Co If Yes, AVIT	res be t	(No : taken? ed zone: _	t e: Apply	for Permit			Yes	✓ No
Bottom H KCC DKT SEE U10 The unde It is agre 1. No 2. A c 3. Th th 4. If t 5. Th 6. If a Or mu	r#:	ereby affirm following propriate of a amount of a consolidate district NATE II Coto Append pleted with	ms that minimu district of notice for surfa ted ma an agre office OMPLE ix "B" -	t the drilling the	ng, compements wor to sput to drill se specification with the second control of the seco	letion and ever vill be met: thall be posted ed below sha mum of 20 fee ne operator are fore well is eith pipe shall be surface casing	on each I be set be to into the distremented corder #1 is shall be	Will Co If Yes, AVIT ging of the drilling reproduced underlyic ict officed or profession be 33,891-iplugge	propose this well ig; ating ce ng form e on pladuction elow and C, whice	ement to the tracking is you sable to the applies cases, it is to the cases, it is to the applies cases, it is to the cases, it is to the applies cases, it is to the applies to the applies cases, it is to the applies	ply with he top; and pla cemen water to to the I	for Permit K.S.A. 55 in all cas cement ited in; surface CCC Dist	es surfaces necesses within 12 arect 3 arect 3	ce pipe s ary prio to days c	shall be a r to plug of spud d	set aging; ate. menting
Bottom H KCC DKT SEC U10 The unde It is agre 1. No 2. A 0 3. Th th ft 5. Th 6. If a Or mu I hereby	ersigned he ed that the ediffy the apprough all urche well is a eappropria an ALTERN pursuant tust be comported that the certify that	ereby affirm following propriate of amount of acconsolidated dry hole, a ate district NATE II Coto Appendipleted with the stater	ms that minimu district of I notice of surfa ted ma an agre office OMPLE ix "B" - nin 30 of ments i	t the drilling the	ng, compements wor to sput to drill se specificate a minimative multified befoluction Kansas to spud cein are	letion and ever vill be met: dding of well; hall be posted ed below sha mum of 20 fee ne operator ar fore well is eith pipe shall be surface casing date or the we	on each I be set be to into the distremented corder #1 is shall be	Will Co If Yes, AVIT ging of the drilling reproduced underlyic ict officed or profession be 33,891-iplugge	propose this well ig; ating ce ng form e on pladuction elow and C, whice	ement to the tracking is you sable to the applies cases, it is to the cases, it is to the applies cases, it is to the cases, it is to the applies cases, it is to the applies to the applies cases, it is to the applies	ply with he top; and pla cemen water to to the I	for Permit K.S.A. 55 in all cas cement i ted in; surface CCC Dist district	es surfaces necesses within 12 rict 3 are	ce pipe s ary prio to days c ea, altern ior to an	r to plug of spud d late II ce y cement	set aging; ate. menting
Bottom H KCC DKT SEC U10 The unde It is agre 1. No 2. A 0 3. Th th ft 5. Th 6. If a Or mu I hereby	ersigned he ed that the ediffy the apprough all urche well is a eappropria an ALTERN pursuant tust be comported that the certify that	ereby affirm following propriate of amount of acconsolidated dry hole, a ate district NATE II Coto Appendipleted with the stater	ms that minimu district of I notice of surfa ted ma an agre office OMPLE ix "B" - nin 30 of ments i	t the drilling the	ng, compements wor to sput to drill se specificate a minimative multified befoluction Kansas to spud cein are	letion and ever vill be met: dding of well; hall be posted ed below sha mum of 20 fee ne operator ar fore well is eith pipe shall be surface casing date or the we	on each I be set be to into the distremented corder #1 is shall be	Will Co If Yes, AVIT ging of the drilling reproduced underlyic ict officed or profession be 33,891-iplugge	propose this well ig; ating ce ng form e on pladuction elow and C, whice	ement to the tracking is you sable to the applies cases, it is to the cases, it is to the applies cases, it is to the cases, it is to the applies cases, it is to the applies to the applies cases, it is to the applies	ply with he top; and pla cemen water to to the I	for Permit K.S.A. 55 in all cas cement i ted in; surface CCC Dist district	es surfaces necesses within 12 rict 3 are	ce pipe s ary prio to days c	r to plug of spud d late II ce y cement	set aging; ate. menting
Bottom H KCC DKT SEC U10 The unde It is agre 1. No 2. A 0 3. Th th ft 5. Th 6. If a Or mu I hereby	ersigned he ed that the ediffy the apprough all urche well is a eappropria an ALTERN pursuant tust be comported that the certify that	ereby affirm following propriate of amount of acconsolidated dry hole, a ate district NATE II Coto Appendipleted with the stater	ms that minimu district of I notice of surfa ted ma an agre office OMPLE ix "B" - nin 30 of ments i	t the drilling the	ng, compements wor to sput to drill se specificate a minimative multified befoluction Kansas to spud cein are	letion and ever vill be met: dding of well; hall be posted ed below sha mum of 20 fee ne operator ar fore well is eith pipe shall be surface casing date or the we	on each I be set be to into the distremented corder #1 is shall be	Will Co If Yes, AVIT ging of the drilling reproduced underlyic ict officed or profession be 33,891-iplugge	ries be in proposed this well in the proposed	ement to tration. I will compare the tration. I was glength applies to a see, and belief.	ply with he top; and pla cemen water to to the I	for Permit K.S.A. 55 in all cas cement i ted in; surface CCC Dist district	es surfaces necesses within 12 rict 3 are	ce pipe s ary prio to days c ea, altern ior to an	r to plug of spud d late II ce y cement	set aging; ate. menting
Bottom H KCC DKT SEC U10 The unde It is agre 1. No 2. A c 3. Th thr 4. If t 5. Th 6. If a Or m. I hereby Date: 11- For KC API # Conduc Minimum	ersigned he ed that the entify the appropriate an ALTERN pursuant the territory that the component of the entify that the component the entify that the component tha	ereby affirm following propriate of approved amount of amount of approved to Append pleted with the stater	ms that minimudistrict of notice of surfated ma an agree office in MPLE ix "B" - nin 30 cments r	t the drilling the price of intent ace pipe a aterials plusement be will be no control of the made her the price of Op	ng, compements were to drill set specification with the set of the	letion and ever vill be met: dding of well; hall be posted ed below sha mum of 20 fee ne operator ar fore well is eith pipe shall be surface casing date or the we	on each I be set be to into the distremented corder #1 is shall be	Will Co If Yes, AVIT ging of t drilling r y circula underlyi ict offic d or pro from be 33,891-i plugge y knowl Remen - File D - File D - File D - File D - File S - Notify - Subm	this well in the complete comp	ement to tration. I will come that to tration. I will casing is you sable to happlies to a police. I polication on Form a attribution riate distring report	ply with he top; and plata cemen water to to the I NOTIFY (form C ACO-1 w plat accidet office (CP-4)	in all cas icement i ted in; surface (CC Dist district Title: DP-1) wit vithin 120 cording to 48 hours after plug	es surfaces s necess within 12 rict 3 are office properties of field properties of ging is considered.	ce pipe a sary <i>prio</i> of an ary and an ary and are of an	chall be a r to plug of spud deate II cell y cement GER e; ders; or re-ent;	set aging; ate. menting ing.
Bottom H KCC DK1 SEC U10 The unde It is agre 1. No 2. A 0 3. Th thr 4. If t 5. Th 6. If a Or mu I hereby Date: 11- For KC API # Condu Minimu Abbrox	ersigned he ed that the entify the appropriate an ALTERN pursuant the test be comported and the entify that the comported and the entify that the entificient that the entificie	ereby affirm following propriate of approved a mount of amount of approved to Appendix attended to Appendix attend	ms that minimulation district of notice of surfacted man agree office of DMPLE ix "B" - nin 30 cments r	t the drilling the price of intent acception atterials plus element be will be no element be will be no element of the control	ng, compements were to drill set specification with the set of the	letion and everyll be met: dding of well; hall be posted ed below sha mum of 20 fee operator are operator are operator are operator are one to the late or the well and to the late of the	on each I be set be to into the distremented corder #1 is shall be	will Co If Yes, AVIT ging of the drilling region of the drilling re	propose this well this wel	ement to the taken? I will complete the taken? I will complete the taken. I will co	ply with he top; and platic cemen water to the I NOTIFY (form C ACO-1 w plat accit office (CP-4) I before	in all cas cement i ted in; surface (CC Dist district Title: DP-1) wit vithin 120 cording to 48 hours after plug disposing	es surfaces within 12 rict 3 are office properties of signification of the properties of the propertie	ce pipe sary prio to days cea, alternior to an EMANA o Drill; spud date pration or workover ompleted ting salt	shall be a r to plug of spud deate II cere y cement GER	set aging; ate. menting ing.
Bottom H KCC DKT SEE U10 The unde It is agre 1. No 2. A c 3. Th thr 4. If t 5. Th 6. If a Or mu I hereby Date: 11- For KC API # Conduct Minimu Approv This au	ersigned he ed that the ed that the entify the appropriate an ALTERN pursuant the ust be composed by the entify that entify th	ereby affirm following propriate of a approved in amount of a consolidate district NATE II CO to Appendig pleted with the state of the	ms that minimudistrict of notice of surfated main agree office of the surfated main 30 cments of the surfated main and	t the drilling the price of intent of the price of the p	ng, compements were to drill se specification where the control of	letion and every vill be met: thall be posted ed below sha mum of 20 fee ne operator are fore well is eith pipe shall be surface casing that or the well and to the letter between the letter per Alt.	on each I be set b I tinto the d the district er plugge cemented order #1 I shall be best of m	will Co If Yes, AVIT ging of t drilling r y circula circt office d or pro from be 33,891 plugge y knowl Remen - File D - File C - File a - Notify - Subm - Obtain - If this	ries be in propose this well rig; atting ce on pluduction cellow and complete to brill Pit A completi coreage in approprint pluggin writter: permit	ement to tration. I will come that to tration. I will casing is you sable to happlies to a police. I polication on Form a attribution riate distring report	ply with he top; and pla cemen water to to the I NOTIFY (form C ACO-1 w plat ac ict office (CP-4) i before ed (See	in all cas in all cas icement i ted in; surface (CC Dist district Title:_ DP-1) wit within 120 cording to 48 hours after plug disposing authorize	es surfaces sees surfaces sees surfaces surfaces within 12 rict 3 are office pro OFFICE to days of a field pro prior to ging is color injected expirate	ce pipe sary prio to days of the analysis of t	shall be a r to plug of spud deate II cere y cement GER	set aging; ate. menting ing.
Bottom H KCC DKT SEC U10 The unde It is agre 1. No 2. A c 3. Th thr 4. If t 5. Th 6. If a Or mu I hereby Date: 11- For KC API # Condu Minimu Approv This au	ersigned he ed that the ed that the entify the appropriate an ALTERN pursuant the ust be composed by the entify that entify th	ereby affirm following propriate of a approved in amount of a consolidate district NATE II CO to Appendig pleted with the state of the	ms that minimudistrict of notice of surfated main agree office of the surfated main 30 cments of the surfated main and	t the drilling the price of intent of the price of the p	ng, compements were to drill se specification where the control of	letion and everyll be met: dding of well; hall be posted ed below sha mum of 20 fee operator are operator are operator are operator are one to the late or the well and to the late of the	on each I be set b I tinto the d the district er plugge cemented order #1 I shall be best of m	will Co If Yes, AVIT ging of the drilling ry circular underlyicite office of the control of the	this well this w	ement to the taken? I will complete the taken? I will complete the taken. I will co	ply with he top; and pla cemen water to to the I NOTIFY (form C ACO-1 w plat ac- ict office (CP-4) i before ed (See nd retur	in all cas in ted in; surface in to the all in t	es surfaces sees surfaces sees surfaces surfaces within 12 rict 3 are office pro OFFICE to days of a field pro prior to ging is color injected expirate	ce pipe sary prio to days of the analysis of t	shall be a r to plug of spud deate II cere y cement GER	set aging; ate. menting ing.
Bottom H KCC DK1 SEC U10 The unde It is agre 1. No 2. A c 3. Th th 4. If t 5. Th 6. If a Or mu I hereby Date: 11 For KC API # Condu Minimu Approv This au (This au	ersigned he ed that the ed that the entify the appropriate an ALTERN pursuant the ust be composed by the entify that entify th	ereby affirm following propriate of approved in amount of a proved in a firm of the state of the	ms that minimudistrict of notice of surfated ma an agree office of the ments of the	t the drilling the price of intent of the price of the p	ng, compements were to drill se specification where the control of	letion and every vill be met: thall be posted ed below sha mum of 20 fee ne operator are fore well is eith pipe shall be surface casing that or the well and to the letter between the letter per Alt.	on each I be set b I tinto the d the district er plugge cemented order #1 I shall be best of m	will Co If Yes, AVIT ging of the drilling ry circular underlying ict office of the control of t	this well this w	ement to the training report in approvations (Note that I will complete the training report in approvalue that experience the training report in a	ply with he top; and pla cemen water to to the I NOTIFY (form C ACO-1 w plat ac- ict office (CP-4) i before ed (See nd retur Permit I	in all cas	es surfaces sees surfaces sees surfaces surfaces within 12 rict 3 are office pro OFFICE to days of a field pro prior to ging is color injected expirate	ce pipe sary prio to days of the analysis of t	shall be a r to plug of spud deate II cere y cement GER	set aging; ate. menting ing.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: MONTGOMERY
Operator: COLT ENERGY, INC.	
Lease: L PETERSON	feet from N / S Line of Section feet from E / E / W Line of Section
Well Number: 16-20 SWD	Sec. 20 Twp. 33 S. R. 17 VEast West
Field: COFFEYVILLE-CHERRYVALE	
Number of Acres attributable to well: OTR / OTR / OTR of persons: SE SE SE	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SE SE SE SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

350



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.