

TYPE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

SIDE ONE

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # _____ EXPIRATION DATE _____

OPERATOR Rupe Oil Company, Inc. API NO. 15-163-21,609-00-00

ADDRESS P.O. Box 2273 COUNTY ROOKS

Wichita, KS 67201 FIELD Riffe

** CONTACT PERSON William G. Clement PROD. FORMATION Arbuckle

PHONE (316) 262-3748

PURCHASER CRA, Inc. LEASE REICHARD-BYFIELD

ADDRESS P.O. Box 7305 WELL NO. 1

Kansas City, Missouri WELL LOCATION 35'S-150'W NW Cor. NWN

DRILLING KANDRILCO, Inc. 535 Ft. from North Line and

CONTRACTOR ADDRESS 555 N. Woodlawn, Bldg. 1-Suite 207 150 Ft. from East Line of

Wichita, KS 67208 the NE (Qtr.) SEC 19 TWP 7S RGE 17W

PLUGGING CONTRACTOR ADDRESS _____

WELL PLAT			
		19	

(Office Use Only) KCC KGS SWD/REP _____ PLG. _____

TOTAL DEPTH 3315 PBTD _____

SPUD DATE 3/23/82 DATE COMPLETED 4/4/82

ELEV: GR 1753 DF _____ KB 1761

DRILLED WITH ~~CONCRETE~~ (ROTARY) ~~TOOLS~~ TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE _____

Amount of surface pipe set and cemented 1185 DV Tool Used? NO

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, OWWO. Other _____

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH. Rec'd 6-7-82

A F F I D A V I T


William G. Clement, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

William G. Clement (Name)

SUBSCRIBED AND SWORN TO BEFORE ME this 23rd day of June

Debbie Johnson (NOTARY PUBLIC) Debbie Johnson



MY COMMISSION EXPIRES: July 28, 1985

** The person who can be reached by phone regarding any questions concerning this information.

SIDE TWO

ACO-1 WELL HISTORY

OPERATOR Rupe Oil Company, Inc. LEASE Reichard-

SEC. 19 TWP. 7S RGE. 17W

FILL IN WELL LOG AS REQUIRED: Byfiled

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.	
			NAME	DEPTH
No DST's			Anhydrite	1172
Electric Log-GR-N-Guard-Caliper			Topeka	2695
RTD 3315 LTD 3314			Heebner	2906
			Lansing	2949
			B/KC	3276
			Arbuckle	3254
			Total Depth	3315

RECEIVED
STATE CORPORATION COMMISSION
JUL - 7 1982
CONSERVATION DIVISION
Wichita, Kansas
6-7-82
5-1-83

RELEASED
MAY 1 1983
FROM CONFIDENTIAL

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or XXXXX							
Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Conductor	17 1/2"	13 5/8"	54#	92'	Common	120	1/4# Flocele
Surface	12 1/4"	8 5/8"	23#	1175'	HLC Class A	250	3% CC w/1/4# Flocele
						250	3% CC, 2% Gelw/1/4# Flocele
Production	7 7/8"	5 1/2"	14#	3315'	50-50 Pozmix	150	2% Gel, 18% Salt 3/4# CFR-2; 1/4# Flocele

LINER RECORD			PERFORATION RECORD		
Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			1		3258-59
					3263-64

TUBING RECORD		
Size	Setting depth	Packer set at
2 7/8"	3266	NONE

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD	
Amount and kind of material used	Depth interval treated
12 bbls. 15% MCA	3258-59 3263-64

Date of first production	Producing method (flowing, pumping, gas lift, etc.)	Gravity
June 23, 1982	Pumping	28°

RATE OF PRODUCTION PER 24 HOURS		Oil	Gas	Water	Gas-oil ratio
		130 bbls.	None	20% MCF	33 bbls.

Disposition of gas (vented, used on lease or sold)

Perforations
3258-59 & 3263-64