

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
P. O. BOX 17027
WICHITA, KANSAS 67217

Rev. 6-3-74
FORM CP-1

15-163-20264-00-00
WELL PLUGGING APPLICATION FORM
File One Copy

API Number 15 - Not Assigned (of this well)
Lease Owner J. Mark Richardson #5414
Address 640 Century Plaza Bldg., Wichita, Kan. 67202
Lease (Farm Name) Flint Well No. 1
Well Location SW SW NW Sec. 36 Twp. 7S Rge. 18 (R) (W)
County Rooks County, Kansas Total Depth 3325 Field Name Roelf
Oil Well Gas Well Input Well SWD Well Rotary D & A
Well Log attached with this application as required yes
Date and hour plugging is desired to begin 3-13-84

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-128 OF THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

Name of company representative authorized to be in charge of plugging operations:

J. Mark Richardson Address 640 Century Plaza Bldg., Wichita, Ks. 67202

Plugging Contractor Kelso Casing Pulling License No. 6050
Address Box 176, Chase, Ks. 67524

Invoice covering assessment for plugging this well should be sent to:

Name J. Mark Richardson
Address 640 Century Plaza Bldg. Wichita, Kan. 67202

and payment will be guaranteed by applicant or acting agent.

Signed: J. Mark Richardson
Applicant or Acting Agent
J. Mark Richardson
Date: 3-12-84

RECEIVED
STATE CORPORATION COMMISSION

MAR 13 1984

CONSERVATION DIVISION
Wichita, Kansas

3-13-84

GABBERT-JONES, INC.
WICHITA, KANSAS
DRILLERS' WELL LOG

15-163-20264-00-00


FLINT #1
 SW SW NW Section 36-78-18W
 Rooks County, Kansas

Commenced: October 27, 1969
 Completed: November 4, 1969

OPERATOR - J. Mark Richardson

DEPTH		FORMATION	REMARKS
From	To		
0	215	Surface soil and shale	Ran 10 joints 8-5/8" casing, set @ 215' w/150 sacks cement.
215	500	Shale and shells	
500	660	Sand and shale	
660	900	Sand	
900	960	Sand and red bed	
960	1233	Shale and shells	
1233	1277	Anhydrite	
1277	1445	Shale	
1445	1550	Shale and shells	
1550	2000	Shale and lime	
2000	2125	Lime	
2125	2970	Lime and shale	
2970	3110	Lime	
3110	3271	Lime and shale	
3271	3325	Lime	
3325	TD		Ran 103 joints 4-1/2" casing, set @ 3324-1/2' w/100 sacks cement. DV Tool @ 1261' w/450 sacks cement.

I, E. E. HALL, certify this is a correct copy of the Drillers' Log for the well drilled in the SW SW NW Section 36-78-18W, Rooks County, Kansas, to the best of my knowledge and belief.


 E. E. HALL


STATE OF KANSAS)
) SS
 COUNTY OF SEDGWICK)

Before me, the undersigned, a Notary Public within and for said County and State, on this 6 day of November, 1969, personally appeared E. E. Hall to me personally known to be the identical person who executed the within and foregoing instrument and acknowledged to me that he executed the same as his free and voluntary act and deed for the uses and purposes therein set forth.

IN WITNESS WHEREOF, I have hereunto set my hand and official seal the day and year last above written.

My Commission Expires Feb. 1, 1972.


 Barbara J. Layton, Notary Public



RECEIVED
 STATE CORPORATION COMMISSION

MAR 13 1984

CONSERVATION DIVISION
 Wichita, Kansas

3-13-84

State of Kansas



15-163-20264-00-00

JOHN CARLIN
MICHAEL LENNEN
R. C. (PETE) LOUX
PHILLIP R. DICK
JUDITH MCCONNELL
BRIAN J. MOLINE

GOVERNOR
CHAIRMAN
COMMISSIONER
COMMISSIONER
EXECUTIVE SECRETARY
GENERAL COUNSEL

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
200 Colorado Derby Building
202 West 1st Street
WICHITA, KANSAS 67202-1286

THIS NOTICE

JUN 13 1984

March 13, 1984

EXPIRES

WELL PLUGGING NOTICE

Flint #1
SW-SW-NW
Sec. 36-7-18W
Rooks County

J. Mark Richardson
640 Century Plaza Bldg.
Wichita, Ks. 67202

Gentlemen:

This is your notice to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This notice is void after ninety (90) days from the above date.

Yours very truly,

Carol J. Larson, Administrator

Please submit your proposal for plugging the above captioned well to
DIST. #6 1014 Cody Hays, Kansas 67601
seven days prior to plugging the well (KAR-82-3-113)