State of Kansas NOTICE OF INTENTION TO DRILL

FORM MUST BE SIGNED ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date	5/03/89		C NW SW Sec 6 Twp 7 S, Rg 20 East
month	day		5, kg <u>X</u> West
HOTE	day	,	1980 feet from South line of Section
OPERATOR: License #	4767		4620 feet from East line of Section
Name:Ritchie Explo	oration. Inc	4	(Note: Locate well on Section Plat Below)
Address:125.N			
City/State/Zip:Wich	nita, KS67	.202	County: Rooks
Contact Person:Jet	ff Christian	1	County: ROOKS Lease Name: R.V. Jones Well #: 4
Phone:316/.267:	- 4 3.75		Field Name:Lesage NW
		•	Is this a Prorated Field? yes X no
CONTRACTOR: License #:6033			Target Formation(s): Lansing/KC, Arbuckle
Name:Murfin D	rilling.Co		Nearest lease or unit boundary:660
			Ground Surface Elevation: est. 2200 feet MSL
Well Drilled For:	Well Class:	Type Equipment:	Domestic well within 330 feet: yes no
v		*7	Municipal well within one mile: yes
Xoil Inj	Infield	.X Mud Rotary	Depth to bottom of fresh water:100.
Gas Storage		Air Rotary	Depth to bottom of usable water:1200.
OWWO Disposal	Wildcat	Cable	Surface Pipe by Alternate: 1 .X. 2
Seismic; # of Holes			Length of Surface Pipe Planned to be set: 200
If OWWO: old well information	on ac follows		Length of Conductor pipe required:NQNG Projected Total Depth: .3720!
Operator:			Formation at Total Depth:Arbuckle
Well Name:			Water Source for Drilling Operations:
Comp. Date:			well farm pond .X. other
•	iti ota iotat po,		DWR Permit #:
Directional, Deviated or Hor	rizontal wellbore	e? yes .X. no	Will Cores Be Taken?: yes X no
If yes, total depth location			If yes, proposed zone:
			•
		AFFIDA	VIT
The undersigned hereby affir	ms that the dril		
The undersigned hereby affiret. seq.	ms that the dril		VIT eventual plugging of this well will comply with K.S.A. 55-101,
et. seq. It is agreed that the follow	ving minimum requ	ling, completion and e	eventual plugging of this well will comply with K.S.A. 55-101,
et. seq. It is agreed that the follow 1. The appropriate dist	ving minimum requ trict office sha	ling, completion and e uirements will be met: ll be notified before	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe;
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o	wing minimum requ trict office shal f surface pipe as	ling, completion and e uirements will be met: ll be notified before s specified above shal	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry,	ving minimum requ trict office shal f surface pipe as arough all uncons a plugging propo	ling, completion and e uirements will be met: ll be notified before s specified above shal solidated materials pl osal shall be submitte	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off	ving minimum requirict office shall surface pipe as arrough all uncons a plugging propertice on plug leng	ling, completion and e uirements will be met: ll be notified before s specified above shal solidated materials pl osal shall be submitte gth and placement is r	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging;
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist	ving minimum requirict office shall surface pipe as a rough all uncons a plugging propertice on plug lengtrict office will	ling, completion and e uirements will be met: ll be notified before s specified above shal solidated materials pl osal shall be submitte gth and placement is r l be notified before u	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in:
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al	ving minimum requirict office shall for surface pipe as a rough all uncons a plugging propertice on plug lenguistict office will ompletion, produll cases, notify	ling, completion and e uirements will be met: ll be notified before s specified above shal solidated materials pl sosal shall be submitte gth and placement is r l be notified before a ction pipe shall be co	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing.
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al	ving minimum requirict office shall for surface pipe as a rough all uncons a plugging propertice on plug lenguistict office will ompletion, produll cases, notify	ling, completion and e uirements will be met: ll be notified before s specified above shal solidated materials pl sosal shall be submitte gth and placement is r l be notified before a ction pipe shall be co	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days r to any cementing. the best of my knowledge and belief.
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ving minimum requirict office shalf surface pipe as a rough all uncons a plugging properties on plug length of the product office will ompletion, product cases, notify tatements made here.	ling, completion and entirements will be metall be notified before a specified above shall solidated materials plosal shall be submitted that and placement is a libe notified before a district office priore erein are true and to	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days r to any cementing. the best of my knowledge and belief.
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ving minimum requirict office shall for surface pipe as a rough all uncons a plugging propertice on plug lenguistict office will ompletion, produll cases, notify	ling, completion and entirements will be metall be notified before a specified above shall solidated materials plosal shall be submitted that and placement is a libe notified before a district office priore erein are true and to	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing.
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ving minimum requirict office shalf surface pipe as a rough all uncons a plugging properties on plug length of the product office will ompletion, product cases, notify tatements made here.	ling, completion and evirements will be metall be notified before a specified above shall solidated materials plosal shall be submitted gith and placement is relied before a loction pipe shall be condistrict office priore erein are true and to to tor or Agent:	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing. the best of my knowledge and belief. FOR KCC USE:
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum requirect office shall surface pipe as a rough all uncons a plugging propertice on plug lenguistrict office will ompletion, product cases, notify tatements made he gnature of Operation 5280	ling, completion and evirements will be metall be notified before a specified above shall solidated materials plosal shall be submitted that the specified before a little of the shall be considered before a section pipe shall be considered and to the specified before a section pipe shall be considered and to the specified before a section are true and to	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days r to any cementing. the best of my knowledge and belief. FOR KCC USE:
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum requerict office shall surface pipe as a plugging properice on plug lengtrict office will cases, notify tatements made he gnature of Operation 15280 4620 4620	ling, completion and evirements will be metall be notified before a specified above shall solidated materials plosal shall be submitted that the specified before a section pipe shall be condistrict office priore are true and to the specified before in the specified priore and the specified priore are true and to the specified before in the specified priore are true and to the specified priore are true and to the specified priore are true and to the specified priore are true and the specified priore are true are true and the specified priore are true	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days r to any cementing. the best of my knowledge and belief. FOR KCC USE: API # 15-/63-23,044-00-00 Conductor pipe required Mark feet
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum requerict office shall surface pipe as a plugging properice on plug lengtrict office will cases, notify tatements made he gnature of Operation 15280 4620 4620	ling, completion and entirements will be metall be notified before a specified above shall solidated materials plosal shall be submitted that and placement is related before a specified before a specified before a district office priore are true and to the tor or Agent:	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing. the best of my knowledge and belief. FOR KCC USE: API # 15- 163-23,044-00-00 Conductor pipe required NONE feet GRANIMUM surface pipe required 200' feet per Alt. N/2
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum requirict office shall fourface pipe as a rough all uncons a plugging properties on plug lengtrict office will ompletion, prodult cases, notify tatements made he gnature of Operation 1950 4950 4620 4290 3960 3630	ling, completion and evirements will be metall be notified before a specified above shall solidated materials plosal shall be submitted that the specified before is the specified before is a specified before is the specified before in the specified before is the specified before in the specified before it is the specified above shall be submitted by the specified before it is the specified before it	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days r to any cementing. the best of my knowledge and belief. FOR KCC USE: API # 15-/63-23,044-00-00 Conductor pipe required NONE feet GENIMUM surface pipe required 200' feet per Alt. X 2
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum requirict office shall surface pipe as a plugging property of the	ling, completion and evirements will be metall be notified before a specified above shall solidated materials plocal shall be submitted by the specified before a specified before a specific price of the strict office price are true and to the specific price of the specific price are true and to the specific price are true and the specific price are true are true and the specific price are true are true and the specific price are true are tru	seventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing. the best of my knowledge and belief. FOR KCC USE: API # 15-/63-23,044-00-0 Conductor pipe requiredNONE_ FOR FOR KCC USE: API # 15-/63-23,044-00-0 Conductor pipe requiredNONE_ Feet per Alt. X 2 Approved by:KM 1-28-89 EFFECTIVE DATE: / 5-3-89
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum required office shall surface pipe as a plugging properties on plug lengtrict office will ompletion, product cases, notify tatements made here of Operations 18280 4950 4620 4290 3630 3630 3300 2970 2640	ling, completion and evirements will be metall be notified before a specified above shall be submitted that and placement is related before a district office priorice and to the complete and the complete	seventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing. The best of my knowledge and belief. FOR KCC USE: API # 15- 163-23,044-00-00 Conductor pipe required None feet Approved by: 4M 1-28-89 EFFECTIVE DATE: 5-3-89 This authorization expires: 10-28-89
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum required office shall surface pipe as a plugging properties on plug lengtrict office will ompletion, product cases, notify tatements made he gnature of Operations 1300 1300 1300 1310 1310	ling, completion and evirements will be metall be notified before a specified above shall be submitted to the submitted before and the submitted before a submitted before a submitted before and the submitted before a	seventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days r to any cementing. the best of my knowledge and belief. FOR KCC USE: API # 15- 163-23,044-00-00 Conductor pipe requiredNONE feet APPOPRIVE DATE: 5-3-89 This authorization expires: 10-28-89 (This authorization void for drilling not started within set methods and started within determined and started within set methods.)
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum requirict office shall fourface pipe as a plugging property of the production of the prod	ling, completion and evirements will be metall be notified before a specified above shall be submitted to the submitted before and the submitted before a submitted before a submitted before and the submitted before a	seventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing. The best of my knowledge and belief. FOR KCC USE: API # 15-/63-23,044-00-00 Conductor pipe requiredNONE
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum required office shalf surface pipe as a rough all uncons a plugging properties on plug lengtrict office will ompletion, prodult cases, notify tatements made he gnature of Operation 1980 1650 1320	ling, completion and evirements will be metall be notified before a specified above shall be submitted that and placement is related before a district office priorice and to the complete and the complete	setting surface pipe; les set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing. The best of my knowledge and belief. FOR KCC USE: API # 15- 163-23,044-00-00 Conductor pipe required NONE Approved by: LM 1-28-89 EFFECTIVE DATE: 5-3-89 This authorization expires: 10-28-89 (This authorization void if drilling not started within 100 months of effective date.) Spud date: Agent:
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	ring minimum requirict office shall fourface pipe as a plugging property of the production of the prod	ling, completion and evirements will be metall be notified before a specified above shall be submitted before in the notified before in t	seventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing. The best of my knowledge and belief. FOR KCC USE: API # 15-/63-23,044-00-00 Conductor pipe requiredNONE feet Approved by:KM1-28-89 EFFECTIVE DATE:
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	sing minimum requerict office shall surface pipe as a plugging properice on plug lengtrict office will completion, product cases, notify tatements made here are surfaced as a surfaced	ling, completion and evirements will be metall be notified before a specified above shall solidated materials plosal shall be submitted that the specified before is considered before in the state of the shall be considered before in the state of the shall be considered are true and to the state of the shall be considered are true and to the shall be considered are true and to the shall be considered are true and to the shall be considered as a shall be considered as	eventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing. The best of my knowledge and belief. FOR KCC USE: API # 15- /63-23,044-00-00 Conductor pipe required
et. seq. It is agreed that the follow 1. The appropriate dist 2. The minimum amount o pipe shall be set th 3. If the well is dry, and the district off 4. The appropriate dist 5. If an Alternate II c of spud date. In al I hereby certify that the st	sing minimum requerict office shall surface pipe as a plugging properice on plug lengtrict office will cases, notify tatements made he gnature of Operations 1320 1380 1320 1380 1330 1380 1380 1330 1380 1330 1380 1330 1380 1330 133	ling, completion and evirements will be metall be notified before a specified above shall solidated materials plosal shall be submitted by the specified before a solidated materials plosal shall be submitted before a solidated materials be notified before a solidated before a so	seventual plugging of this well will comply with K.S.A. 55-101, setting surface pipe; l be set by circulating cement to the top; in all cases surface lus a minimum of 20 feet into the underlying formation; ed to the district office. An agreement between the operator necessary prior to plugging; well is either plugged or production casing is cemented in; emented from below any usable water to surface within 120 days or to any cementing. The best of my knowledge and belief. FOR KCC USE: API # 15-/63-23,044-00-00 Conductor pipe requiredNONE feet Approved by:KM1-28-89 EFFECTIVE DATE:

Submit plugging report (CP-4) after plugging is completed;
Obtain written approval before disposing or injecting salt water.