For KCC Use: 12.20-05
Effective Date: 12.20-05
District # No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Section Sect	
OPERATOR: License# 3392 OPERATOR: License# 3392 Name: KEITH F. WALKER Oll. & GAS COMPANY, L.L.C. 1320	on .
1320 feet from N / S Line of Sect	on .
1320 feet from	
Address: 10000 Millispaugh Wey City/State/Zip; Tukon, OK 73099 City/State/Zip; Tukon, OK 73099 City/State/Zip; Tukon, OK 73099 Contact Person; Meg L. Prestidge Phone: (405) 577-7703 CONTRACTOR: Licensee 31572 Name: BIG A DRILLING Weil Drilled For: Weil Classes: Type Equipmant: Recard Fleid? Target Formation(s): CHESTER Nearest Lease or unit boundary: 1320' Target Formation(s): CHESTER Nearest Lease or unit boundary: 1320' Weil Water well within one mile: Depth to bottom of resh water: 1890' Weil water walphy well within one mile: Depth to bottom of usable water: 1890' Weil Conductor Pipe required: 40 - 50 Projected Total Depth: 700' Formation at Total Depth: 700' Formation at Total Depth: 700' Formation at Total Depth: 700' Weil Cores be taken? If Yes, proposed zone: Weil Farm Pond Other X Weil Cores be taken? Weil Cards Pipe Pipe Pipe Pipe Pipe Pipe Pipe Pipe	
(Note: Loate well on the Section Pilat on reverse sicke) Contract Person: Meg L. Prestidge Contract Person: Meg L. Prestidge Phone: (405) 577-7703 CONTRACTOR: Licenses 31572 Name: BIG A DRILLING Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary OND Disposal Wildcat Cable Seismic: # of Holes Other Original Completion Date: Original Total Depth: Orgenator: Well Name: Original Completion Date: Original Total Depth: Bottom Hole Location: Well brown at the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. SENSAS CORPORATI It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approvale notice of intent of related and eventual plugging of this well will comply with K.S.A. 55 et. SENSAS CORPORATI It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approval notice of intent of related or horizontal wells or an agreement between the operator and the district office on plug length and placement is necessary prior to plug for production casing is comented in: 8. The aminimum amount of surface pipe as specified below shall be see by circulating coment to the top; in all cases surface plug of or production casing is comented in: 8. The aminimum amount of surface pipe as specified below shall be comented from below any usable water to surface within 120 days of spud did or pursuant to Appendix of fiftic will be not included or the well shall be plugged. In all cases, NOTIFY district office prior to any coment in heads of must be set to my coment in the best of my knowledge and belief.	
Counts: Clark Person: Meg L. Prestidge Phone: (405) 577-7703 CONTRACTOR: Licenses 31572 Name: BIG A DRILLING Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary OWD Disposal Wildcat Cable Other Other Office Sesimic: If of Holes Other Original Completion Date: Original Total Depth: Other Well Arise original Completion Date: Original Total Depth: Original Completion or original Completion Date: Original Total Depth: Original Completion or original Completion Date: Original Completion Date: Original Completion original Completion Original Completion Date: Original Completion Origina	
Phone: (405) 577-7703 CONTRACTOR: Licenses 31572 Name: BIG A DRILLING Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infeld Mud Rotary	
CONTRACTOR: Licenses 31572 Name: BIG A DRILLING Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary OWD Disposal Wildcat Cable Other Other Other Office Pool Ext. Air Rotary Other Other Other Office Pool Ext. Air Rotary Other Other Other Other Other Office Pool Ext. Air Rotary Other Other Other Other Other Other Other Other Office Pool Ext. Air Rotary Other Original Completion Date: Original Total Depth: Original Completion Date: Office Original Total Depth: Other Other Other Other Original Completion Date: Original Total Depth: Other Original Completion Date: Original Total Depth: Other Original Completion Date: Original Total Depth: Other Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Total D	
Solution Special Field S	enderstander (deute
Name: BIG A DRILLING Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary: 1330' Ground Surface Elevation: 1950' fee Ground Surface Elevation: 1950' fee Ground Surface Elevation: 1950' fee Water well within one-quarter mile: Yes Yes Water well within one-quarter mile: Yes Yes Well Water well within one-quarter mile: Yes	√ No
Well Drilled For: Well Class: Type Equipmant: Oil	<u></u>
Ground Surface Elevation: 1950' fee Own	
Gas	t MSL .
Common	√ No
Depth to bottom of fresh water: \$\frac{140}{1} = 2 \\ Depth to bottom of fresh water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2 \\ Depth to bottom of suable water: \$\frac{140}{1} = 2	√No
Other	
Surface Pipe by Alternate:	MAY PERSON AND STREET
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth:: Bottom Hole Location: KCC DKT #: Well Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. #MSAS CORPORATI It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill *shall be posted on each drilling completion and underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud do Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cement I hereby certify that the statements made herein are true and to the best of my knowledge and belief.	
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Well Farm Pond Other X Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seans Corporatil tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig: 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface (CONSEINANCO) WICHITA 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud do Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cermust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementil hereby certify that the statements made herein are true and to the best of my knowledge and belief.	
Original Completion Date:Original Total Depth:Formation at Total Depth:Formation at Total Depth:Formation at Total Depth:	
Original Completion Date:Original Total Depth:	
Directional, Deviated or Horizontal wellbore? Yes No	
DWR Permit #:	
Bottom Hole Location: (Note: Apply for Permit with DWR)	
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seans CORPORATI It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface MISERIANNO through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud do Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementic in the plugged and belief.	
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. **SANSAS CORPORATI It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office *prior* to spudding of well; 2. A copy of the approved notice of intent to drill *shall* be** posted on each drilling rig; 3. The minimum amount of surface pipe as specified below *shall* be** set* by circulating cement to the top; in all cases surface *PONSERIMANO** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary *prior** to *plug**. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within *120 days** of spud do Or pursuant to Appendix "B" - Eastern Kansas surface casing order *133.891-C, which applies to the KCC District 3 area, alternate II cements be completed within 30 days of the spud date or the well shall be plugged. In *all cases, NOTIFY district office** prior to any cementic in the plugged of the spud belief.	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. ##INSAS CORPORATI It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface ##INSERIMATION WICHITA 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud do Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cements in the plugged and belief.	™ No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. ##NSAS CORPORATION It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface **ONSERIMANO** WICHITA 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud do Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cements in the plugged of the statements made herein are true and to the best of my knowledge and belief.	
 The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe SECHNOOL through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. WICHITA If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud do Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cements I hereby certify that the statements made herein are true and to the best of my knowledge and belief. 	N COMMISS
	KS Ing; te. enting
Date: 12/14/05 Signature of Operator or Agent: Title: Agent	
Date: 12/14/05 Signature of Operator or Agent: Title: Agent Remember to:	
For KCC Use ONLY - File Drill Pit Application (form CDP-1) with Intent to Drill:	
API # 15. 025 - 2/330 - 00 00 - File Completion Form ACO-1 within 120 days of spud date;	
- File acreage attribution plat according to field proration orders;	 W
A series and the series and the series and the series are the series and the series are the seri	_
Minimum surface pipe required 260 feet per Alt. 1 & - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.	_
Approved by: 5175.503	_
This authorization expires: 6-15-06 - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	. - ω
(Inis authorization void if drilling not started within 6 months of approval date.)	, -
Spud date:Agent:Signature of Operator or Agent:	. - ω
Spud date: Agent: Signature of Operator or Agent:	33
Dete:	. - ω

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 Operator: KEITH F. WALKER OIL & GAS COMPANY, L.L.C. Lease: TRAPPER JOHN							_ Lo	cation of V	Vell: County: Clark			
							1320 feet from N / S Line of Section					
								1320 feet from F E / W Line of Secti				
Well Number: 31 #1 Field: KEIGER CREEK Number of Acres attributable to well: QTR / QTR / QTR of acreage: C-SE							Se	Sec. 31 Twp. 33 S. R. 23 ☐ East ✓ W				
							_		_			
							ls	Section:	✓ Regular or Irregular			
						C-SE	-					
						THE RESERVE OF THE PARTY OF THE		If Section is irregular, locate well from nearest corner boundary.				
							S	ection com	er used: NE NW SE SW			
			(Show lo			i shade at		-	or prorated or spaced wells.) oundary line.)			
Г	**************************************	ne rekarinekari Maja Si Sekro-	,	•	-	•	*	•]			
				:				•	25051/55			
									RECEIVED			
									*ANSAS CORPORATION COMMISSION			
			•	•		•		•	DEC 1 5 2005			
•				`				·				
			•	:					CONSERVATION DIVISION			
		•	•					•	WICHITA, KS			
1.			٠. ٠٠٠					. • • • •				
			•	:			•	:				
			;	. 7		•		•	EXAMPLE			
		•	•			•	•	•				
			:	:	1	:		:				
1.												
		•										
		•	•	•			132	10				
						(ـــــــ د		3390'			
			:	:				:				
		•	•	•		•	1	•				
1												

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells),

SEWARD CO.



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

December 15, 2005

Ms. Meg L. Prestidge Keith F. Walker Oil & Gas Co., LLC 10000 Millspaugh Way Yukon, OK 73099

Re:

Drilling Pit Application

Trapper John Lease Well No. 31 #1

SE/4 Sec. 31-33S-23W Clark County, Kansas

Dear Mr. Prestidge:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Department of Environmental Protection and Remediation

CC:

Steve Durrant

File