| For KCC Use: | 12 25 |
|-----------------|----------|
| Effective Date: | 12.45.05 |
| District # | |
| SGA2 Type T | X No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed

Form C-1

| NOTICE OF INTENT TO DRILL | | Form must be Signed |
|---|--|---|
| | (5) days prior to commencing well | All blanks must be Filled |
| In 4 0000 | APPOX - | |
| Expected Spud Date | Spot | East |
| month day year | NW - NW - Sec. 7 Twp. 30 | |
| OPERATOR: License# 32309 | | / S Line of Section |
| Name: Presco Western, LLC | | / W Line of Section |
| Address: 5480 Valmont, Ste. 350 | Is SECTIONRegularIrregular? | |
| Address: Boulder, CO 80301 | (Note: Locate well on the Section Plat | on reverse side) |
| Contact Person: Leonard Witkowski | County: Haskell | 20 D7 20 22 |
| Phone: 303-444-8881 | Lease Name: Black | Well #: 20-D7-30-33 |
| CONTRACTOR: License# 5982 33375 | Field Name: Victory | |
| Name: Cheyenne Drilling LP | Is this a Prorated / Spaced Field? | Yes ✓ No |
| | Target Formation(s): St. Louis | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 751' | 4 MOI |
| ✓ Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation: 2978.6 | feet MSL |
| ✓ Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: | Yes No |
| OWWO Disposal Wildcat Cable | Public water supply well within one mile: Depth to bottom of fresh water: | Yes No |
| Seismic;# of Holes Other | Depth to bottom of usable water: | 686 |
| Other | Surface Pipe by Alternate: 2 | , |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: | 700 MIA |
| Operator: | | 1005 |
| Well Name: | Projected Total Depth: 5700' | |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: St. Louis | |
| | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DI | N P ✓) |
| KCC DKT #: | Will Cores be taken? | Yes No |
| Prorated & Spaced Huyolin & Panona | If Yes, proposed zone: | |
| AFF | IDAVIT KANGA | RECEIVEL |
| The undersigned hereby affirms that the drilling, completion and eventual pl | lugging of this well will comply with K.S.A. 55 et. se | S CORPORATION COMMISSION |
| It is agreed that the following minimum requirements will be met: | ,, | DEC 2 0 2005 |
| Notify the appropriate district office <i>prior</i> to spudding of well; | | 250 F 0 5000 |
| 2. A copy of the approved notice of intent to drill shall be posted on each | ch drilling rig; | NSFRVATION DIVIDIO |
| A copy of the approved notice of intent to drill shall be posted on ear The minimum amount of surface pipe as specified below shall be se | et by circulating cement to the top; in all cases surf | ace pipe enall be set |
| through all unconsolidated materials plus a minimum of 20 feet into the | he underlying formation. | 7, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, |
| If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug | | ssary prior to plugging ; |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement | | 120 days of spud date. |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order | #133,891-C, which applies to the KCC District 3 a | area, alternate II cementing |
| must be completed within 30 days of the spud date or the well shall | | prior to any cementing. |
| I hereby certify that the statements made herein are true and to the best of | f my knowledge and belief. | |
| Date: 12-16-05 Signature of Operator or Agent: | / /llura - Regula | tory Specialist |
| Date: 12-16-05 Signature of Operator or Agent: | Title: Nogula | tory openand |
| | Remember to: | |
| For KCC Use ONLY | - File Drill Pit Application (form CDP-1) with Intent | |
| API # 15 08 1- 2/637-00-00 | - File Completion Form ACO-1 within 120 days of | , |
| Conductor pipe required NonE feet | - File acreage attribution plat according to field p | · |
| Minimum surface pipe required 700 feet per Alt. 6 3 | Notify appropriate district office 48 hours prior t Submit plugging report (CP-4) after plugging is | • |
| Approved by: RS @12.20.05 | Obtain written approval before disposing or injection. | |
| 7. 20 0/- | - If this permit has expired (See: authorized expired | len. |
| (This authorization expires: (This authorization void if drilling not started within 6 months of effective date.) | check the box below and return to the address | |
| (This assistance for a chang not stated within a months of enective date.) | Well Not Drilled - Permit Expired | |
| Spud date: Agent: | Signature of Operator or Agent: | W |
| | Date: | W |
| | | , X |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 | Location of Well: County: Haskell |
|---|--|
| Operator: Presco Western, LLC | 751 feet from V N / S Line of Section |
| Lease: Black | 751 feet from VN / S Line of Section 760 feet from E / V W Line of Section |
| Well Number: 20-D7-30-33 | Sec. 7 Twp. 30 S. R. 33 East West |
| Number of Acres attributable to well: 160 | Is Section: Regular or Irregular |
| QTR / QTR / QTR of acreage: NW - NW - | If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)



RECEIVEL **ANSAS CORPORATION COMMISSION

DEC 2 0 2005

ONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.