

Notice: Fill out COMPLETELY
and return to Conservation Division
at the address below within
60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

RECEIVED
NOV 21 2005
KCC WICHITA

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

Lease Operator: R.P. Nixon Oper., Inc.

Address: 207 West 12th St. Hays, KS 67601

Phone: (785) 628-3834 Operator License #: 5252

Type of Well: oil Docket #: _____
(Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) (If SWD or ENHR)

The plugging proposal was approved on: 11.1.05 (Date)

by: Herb Deines (KCC District Agent's Name)

Is ACO-1 filed? ☐ Yes ☒ No If not, is well log attached? ☐ Yes ☒ No

Producing Formation(s): List All (If needed attach another sheet)

see attached Depth to Top: _____ Bottom: _____ T.D. _____
Depth to Top: _____ Bottom: _____ T.D. _____
Depth to Top: _____ Bottom: _____ T.D. _____

API Number: 15-167-20,371-00-00

Lease Name: Heinze

Well Number: 4

Spot Location (QQQQ): app. - W/2 - SE - SE

660 Feet from ☐ North / ☒ South Section Line

990 Feet from ☒ East / ☐ West Section Line

Sec. 24 Twp. 15 S. R. 21 1/2 ☐ East ☒ West

County: Russell

Date Well Completed: Nov. 1969

Plugging Commenced: 11.14.05

Plugging Completed: 11.14.05

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface Conductor & Production)				
Formation	Content	From	To	Size	Put In	Pulled Out
				8 5/8"	313'	none
				5 1/2"	3323'	none

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Tied on to 5 1/2" backside and pressured up to 500#. Ran in hole with tubing to 500'. Pumped 60 sx 60/40 Pozmix, 10% gel and cement circulated. Pulled all tubing from well and tied on to casing. Pumped 10 sx of same cement and pressured up to 500#. Used 100# of hulls total. Pat Staab on location.


Name of Plugging Contractor: Express Well Service & Supply License #: 6426

Address: Box 19 Victoria, KS 67671-0019

Name of Party Responsible for Plugging Fees: R.P. Nixon Oper., Inc.

State of Kansas County, Ellis, ss.

Dan A. Nixon (Employee of Operator) or (Operator) on above-described well, being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.



(Signature) [Signature]

(Address) 207 West 12th Street Hays, KS 67601

SUBSCRIBED and SWORN TO before me this 18th day of November, 20 05

[Signature] My Commission Expires: 3-12-2009
Notary Public

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KCC
BEM
11-23-05
KCDMS
CP2/3

BEM

CP-4 attachment

RECEIVED
NOV 21 2005
KCC WICHITA

#4 Heinze producing intervals

3190'-96'	3170'-75'	3100'-04'	3085'-87'	3071'-73'
3035'-41'	2824'-28'	2845'-47'	2839'-41'	2829'-31'
2819'-21'	Retrievable plug set at 2650'			

ALLIED CEMENTING CO., INC. 25654

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <i>11/14/05</i>	SEC. <i>24</i>	TWP. <i>15</i>	RANGE <i>12W</i>	CALLED OUT	ON LOCATION <i>2:10 pm</i>	JOB START <i>2:20 pm</i>	JOB FINISH <i>4:00 pm</i>
LEASE <i>Henze</i>	WELL # <i>4</i>	LOCATION <i>Durand + 1-70 55</i>			COUNTY <i>Russell</i>	STATE <i>Ks</i>	
OLD OR NEW (Circle one)			<i>1 1/2 W 55 1/2 E N into</i>				

CONTRACTOR *Express Well Service*
TYPE OF JOB

OWNER

HOLE SIZE	T.D.
CASING SIZE <i>5 1/2</i>	DEPTH <i>323</i>
TUBING SIZE <i>2 3/8</i>	DEPTH <i>510</i>
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT	

EQUIPMENT

PUMP TRUCK	CEMENTER <i>Shane</i>
# <i>366</i>	HELPER <i>Fred</i>
BULK TRUCK	
# <i>396</i>	DRIVER <i>Gary</i>
BULK TRUCK	
#	DRIVER

REMARKS:

Circulated cement with 60 sks. Case out of hole. Spurred with 10 sks. Back side. pressured up to 500 psi. Used 100 # hells down tubing.

CHARGE TO: *R. P. Nixon*

STREET

CITY STATE ZIP

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Thanks

SIGNATURE *AK Alloy*

CEMENT	
AMOUNT ORDERED	<i>75 60% 10% Grd</i>
	<i>100 # PD Hells</i>
COMMON	@
POZMIX	@
GEL	@
CHLORIDE	@
ASC	@
	@
	@
	@
	@
	@
	@
	@
HANDLING	@
MILEAGE	@
TOTAL	

SERVICE

DEPTH OF JOB	
PUMP TRUCK CHARGE	
EXTRA FOOTAGE	@
MILEAGE	@
MANIFOLD	@
	@
	@
TOTAL	

PLUG & FLOAT EQUIPMENT

	@
	@
	@
	@
	@
TOTAL	

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

PRINTED NAME