

CONFIDENTIAL

WELL COMPLETION FORM

WELL HISTORY-DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 30606
Name: Murfin Drilling Co., Inc.
Address: 250 N. Water, Suite 300
City/State/Zip: Wichita, KS 67202
Purchaser: _____
Operator Contact Person: Tom W. Nichols
Phone: (316) 267-3241
Contractor: Name: Murfin Drilling Co., Inc.
License: 30606
Wellsite Geologist: Curtis Covey

API NO. 15 - 023-20539-00-00
County: Cheyenne County
N/2 NE - NW - 2 Sec. T3 S. R. 41W East West
4950 feet from (S) N (circle one) Line of Section
3360 feet from (E) W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE (NW) SW
Lease Name: Zweygartd Well #: 1-2
Field Name: Wildcat

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

Producing Formation: Lansing Kansas City
Elevation: Ground: 3525 Kelly Bushing: 3530
Total Depth: 4904 Plug Back Total Depth: 4869
Amount of Surface Pipe Set and Cemented at _____ Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

if Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____


Drilling Fluid Management Plan 10/1 or 6-2-04
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec _____ Twp _____ S. R. East West
County: _____ Docket No.: _____

Deepening Re-perf. Conv. To Enhr/SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
12/20/2003 1/12/2004 1/22/2004
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Tom W. Nichols
Title: Tom Nichols, Prod. Manager Date: 3/01/04
Subscribed and sworn to before me this 2nd day of March, 2004
Notary Public: Kristin Grady
Date Commission Expires: 2/06/08



KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes _____ Date: _____
 Wireline Log Received
____ UIC Distribution

✓

X

Operator Name: Murfin Drilling Co., Inc. Lease Name: Zweygardt Well: 1-2
 Sec. 2 Twp. 3 S. R. 41 East West County: Cheyenne County

INSTRUCTIONS: Show important tops and bas of formations penetrated. Detail all cores. Report all final copies of drill stem tests giving interval test, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final charts(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline logs surveyed. Attach final geological well site report.

| | | | |
|--|---|--|--|
| Drill Stem Tests Taken Yes No (Attach Additional Sheets) | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> Log Formation (Top), Depth and Datum Name Top <input type="checkbox"/> Sample Datum SEE ATTACHED LIST |
| Samples Sent to Geological Survey | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | |
| Cores Taken | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | |
| Electric Log Run Yes No (Submit Copy) | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | |
| List All E. Logs Run: Dual Induction Log Dual Compensated Porosity Log Microresistivity Log | | | |

| CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Conductor | | | | | | | |
| Surface | 12-1/4" | 8 5/8" | 24# | 263' | Common | 285 | 3%cc, 2% gel |
| Production | 7-7/8" | 5-1/2" | 15.5# | 4893' | STD | 225 | 5%caseal, 10%salt, 6%CFR2 |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|---|------------------|----------------|-------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate | | | | |
| <input type="checkbox"/> Protect Casing | | | | |
| <input type="checkbox"/> Plug Back TD | | | | |
| <input type="checkbox"/> Plug Off Zone | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|----------------|---|---|-------|
| 4 | 4566-73' (J) | 500 gallons 15% MCA acid | |
| 4 | 4566-73' (J) | 1000 gallons PAD FE acid | |
| | | | |
| | | | |

| | | | | |
|---------------|----------------|-----------------|-------------------|--|
| TUBING RECORD | Size 2 3/8" | Set At 4586' | Packer At None | Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
|---------------|----------------|-----------------|-------------------|--|

| | |
|--|---|
| Date of First, Resumed Production, SWD or Enhr. 2/20/04 | Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) |
|--|---|

| | | | | | |
|-----------------------------------|----------------------|---------|-----------------------|---------------|---------|
| Estimated Production Per 24 Hours | Oil Bbls 57.73 BO | Gas Mcf | Water Bbls 1.00 BW | Gas-Oil Ratio | Gravity |
|-----------------------------------|----------------------|---------|-----------------------|---------------|---------|

Disposition of Gas: Vented (If vented, Sumit ACO-18.) Sold Used On Lease Open Hole Perforated Dually Comp. Commingled Other Specify _____



SWIFT SERVICES, INC.
CONFIDENTIAL
 PO BOX 466
 NESS CITY, 67560-0466

KCC
 FEB 27 2004

ORIGINAL
Invoice

CONFIDENTIAL RECEIVED

| | |
|--------|-----------|
| DATE | INVOICE # |
| 1/4/04 | 6191 |

RELEASED

MAR 03 2004


FROM
CONFIDENTIAL

KCC WICHITA

| |
|--|
| BILL TO |
| Murfin Drilling Co Inc PO Box 661 Colby, KS 67701-0661 |

USED FOR 4 New Well Completions
 APPROVED [Signature]

| TERMS | Well No. | Lease | County | Contractor | Well Type | Well Category | Operator | Job Purpose |
|-------------------------------------|------------------------------------|-----------|----------|------------|-----------|---------------|-------------------|-------------|
| Net 30 | 1-2 | Zweygardt | Cheyenne | | Oil | Development | Lenny | Longstring |
| PRICE REFERENCE... | DESCRIPTION | | | | QTY | UNIT PRICE | AMOUNT | |
| 575D | Milage | | | | 150 | 2.50 | 375.00 | |
| 578D | Pump Charge | | | | 1 | 1,200.00 | 1,200.00 | |
| 400-5 | 5 1/2" Guide Shoe | | | | 1 | 100.00 | 100.00T | |
| 401-5 | 5 1/2" Insert Float with Auto Fill | | | | 1 | 125.00 | 125.00T | |
| 402-5 | 5 1/2" Centralizers | | | | 10 | 44.00 | 440.00T | |
| 413-4 | Roto Wall Scratchers | | | | 10 | 30.00 | 300.00T | |
| 414-4 | Limit Clamp | | | | 1 | 25.00 | 25.00T | |
| 410-4 | Top Plug | | | | 1 | 50.00 | 50.00T | |
| 193 | Rotating Head | | | | 1 | 150.00 | 150.00T | |
| 281 | Mud Flush | | | | 500 | 0.60 | 300.00T | |
| 221 | Liquid KCL | | | | 2 | 19.00 | 38.00T | |
| 325 | Cement | | | | 250 | 7.00 | 1,750.00T | |
| 284 | Calseal | | | | 12 | 25.00 | 300.00T | |
| 283 | Salt | | | | 1,350 | 0.15 | 202.50T | |
| 285 | CFR-2 | | | | 150 | 2.75 | 412.50T | |
| 290 | D-Air | | | | 60 | 2.75 | 165.00T | |
| 581D | Service Charge Cement | | | | 250 | 1.00 | 250.00 | |
| 583D | Drayage | | | | 1,313 | 0.85 | 1,116.05 | |
| | Subtotal | | | | | | 7,299.05 | |
| | Sales Tax | | | | | 5.30% | 230.97 | |
| Thank you for your business. | | | | | | Total | \$7,530.02 | |



CHARGE TO: *Murfin Drly Co.*
 ADDRESS:
 CITY, STATE, ZIP CODE: *Calby KS*

RECEIVED
 MAR 03 2004
 KCC WICHITA

TICKET No 6191

PAGE 1 OF 2

CONFIDENTIAL

| | | | | | | | |
|---|-------------------------------------|----------------------------------|-------------------------------------|---------------------------|--|-----------------------|----------------------|
| 1. SERVICE LOCATIONS <i>Hay 16</i> | WELL/PROJECT NO. <i>1-2</i> | LEASE <i>Zweygardt</i> | COUNTY/PARISH <i>Cheyenne</i> | STATE <i>KS</i> | CITY | DATE <i>1-4-04</i> | OWNER <i>same</i> |
| 2. TICKET TYPE <input checked="" type="checkbox"/> SERVICE <input type="checkbox"/> SALES | CONTRACTOR | | RIG NAME/NO. <i>Murfin Rig 3</i> | SHIPPED VIA <i>105</i> | DELIVERED TO <i>N.W. ST Francis</i> | ORDER NO. | |
| 3. WELL TYPE <i>oil</i> | WELL CATEGORY <i>Development</i> | JOB PURPOSE <i>Longstring</i> | | WELL PERMIT NO. | WELL LOCATION | | |
| 4. REFERRAL LOCATION | INVOICE INSTRUCTIONS | | | | | | |

| PRICE REFERENCE | SECONDARY REFERENCE/ PART NUMBER | ACCOUNTING | | | DESCRIPTION | QTY. | | UNIT PRICE | | AMOUNT |
|-----------------|-------------------------------------|------------|------|----|---------------------------------|------|-----|------------|-----|---------|
| | | LOC | ACCT | DF | | QTY. | U/M | QTY. | U/M | |
| 575 | | | | | MILEAGE | 150 | mi | 2.50 | | 375.00 |
| 578 | | | | | Pump Charge | 1 | EN | 4893 | FT | 1200.00 |
| 400 | | | | | Guide shoe | 1 | EA | 5 1/2 | IN | 100.00 |
| 401 | | | | | insert float valve w/ auto fill | 1 | EA | | | 125.00 |
| 402 | | | | | Centralizer | 10 | EA | 44 | 00 | 440.00 |
| 413 | | | | | Roto wall Scratchers | 10 | EA | 30 | 00 | 300.00 |
| 414 | | | | | Limit Clamp | 1 | EA | | | 25.00 |
| 410 | | | | | Top Plug | 1 | EA | | | 50.00 |
| 193 | | | | | Rotating Head | 1 | EA | | | 150.00 |
| | | | | | myd fluid | 500 | Gal | 60 | | 300.00 |
| | | | | | Liquid KCC | 2 | Gal | 19.00 | | 38.00 |
| | | | | | From Continuation | | | | | 4196.05 |

CONFIDENTIAL
 RELEASED FROM

LEGAL TERMS: Customer hereby acknowledges and agrees to the terms and conditions on the reverse side hereof which include, but are not limited to, **PAYMENT, RELEASE, INDEMNITY, and LIMITED WARRANTY** provisions.

MUST BE SIGNED BY CUSTOMER OR CUSTOMER'S AGENT PRIOR TO START OF WORK OR DELIVERY OF GOODS

X
 DATE SIGNED: *1-4-04* TIME SIGNED: *1900* A.M. P.M.

REMIT PAYMENT TO:
 SWIFT SERVICES, INC.
 P.O. BOX 466
 NESS CITY, KS 67560
 785-798-2300

| | | | |
|--|------------------------------|-----------------------------|-----------|
| SURVEY | AGREE | UN-DECIDED | DIS-AGREE |
| OUR EQUIPMENT PERFORMED WITHOUT BREAKDOWN? | | | |
| WE UNDERSTOOD AND MET YOUR NEEDS? | | | |
| OUR SERVICE WAS PERFORMED WITHOUT DELAY? | | | |
| WE OPERATED THE EQUIPMENT AND PERFORMED JOB CALCULATIONS SATISFACTORILY? | | | |
| ARE YOU SATISFIED WITH OUR SERVICE? | <input type="checkbox"/> YES | <input type="checkbox"/> NO | |
| <input type="checkbox"/> CUSTOMER DID NOT WISH TO RESPOND | | | |

PAGE TOTAL: *7299.05*

CONFIDENTIAL

TAX: *230.99*

TOTAL: *7530.04*

FEB 27 2004

KCC

ORIGINAL

CUSTOMER ACCEPTANCE OF MATERIALS AND SERVICES The customer hereby acknowledges receipt of the materials and services listed on this ticket.

SWIFT OPERATOR: *Long* APPROVAL: *Ken Hildebrand*

Thank You!

JOB LOG

CONFIDENTIAL

SWIFT Services, Inc.

ORIGINAL

DATE 1-4-04 PAGE NO. 1

CUSTOMER *Murphy Dng Co.*

WELL NO. *1-2*

LEASE *Zweygardt*

JOB TYPE *Longstring*

TICKET NO. *6191*

| CHART NO. | TIME | RATE (BPM) | VOLUME (BBL) (GAL) | PUMPS | | PRESSURE (PSI) | | DESCRIPTION OF OPERATION AND MATERIALS |
|-----------|-------------|------------|--------------------------|-------|---|----------------|--------|--|
| | | | | T | C | TUBING | CASING | |
| | <i>1845</i> | | | | | | | <i>on LOC Rig Laying Down D.P.</i> |
| | <i>2100</i> | | | | | | | <i>R.T.D. 4900</i> |
| | | | | | | | | <i>ST 5 1/2 15.5# CSG TOTAL CSG 4893'</i> |
| | | | | | | | | <i>Run Guide shoe</i> |
| | | | | | | | | <i>insert w/ auto fill shoe JT 20.21'</i> |
| | | | | | | | | <i>Limit Clamp 5' up from Guide shoe with Cent.</i> |
| | | | | | | | | <i>Cont. on Collars 3, 5, 7, 9, 11, 13, 15, 17, 19</i> |
| | | | | | | | | <i>10 Roto wall scratchers welded on Throughout Pay Zones</i> |
| | <i>2210</i> | | | | | | | <i>58 Joints in hole Circ 30 min</i> |
| | <i>2400</i> | | | | | | | <i>CSG on bottom hookup to circ & rotate</i> |
| | <i>0100</i> | | | | | | | <i>finish circ</i> |
| | | | <i>488 L</i> | | | | | <i>Plug Rathole w/ 15 SKS CMT</i> |
| | | | <i>20 BBC</i> | | | | | <i>Pump Mouse hole w/ 10 SKS CMT</i> <i>no mouse hole</i> |
| | | <i>5</i> | <i>12 BBC</i> | | | <i>200</i> | | <i>ST 500 gal mud flush</i> |
| | | | <i>20 BBC</i> | | | | | <i>Pump 20 BBC Clafix water</i> |
| | | | <i>500</i> | | | | | <i>ST mix 225 SKS STDCMT w/ 5% Calseal, 10% Salt, .6% CFR-2, 1% D-AIR mixed at 14.7#/gal, 1.46</i> |
| | | | | | | | | <i>4.5 SK, 6.5 gal water/sk</i> |
| | <i>0132</i> | | <i>59 BBC</i> | | | | | <i>finish mix CMT washout P+C</i> |
| | <i>0134</i> | <i>5.5</i> | | | | <i>0</i> | | <i>Release Top Plug + ST Disp</i> |
| | | <i>5.4</i> | <i>78 BBC</i> | | | <i>300</i> | | <i>caught CMT w/ 78 BBC Disp out</i> |
| | | <i>3</i> | | | | <i>900</i> | | <i>PSI</i> <i>PSI Just before Landing Plug</i> |
| | <i>0200</i> | <i>3</i> | <i>116 BBC</i> | | | <i>1200</i> | | <i>Plug Down</i> |
| | | | | | | | | <i>Release PSI float float DID not hold</i> |
| | | | | | | <i>1000</i> | | <i>Repressure CSG to 1000 + shut in 4 HRS</i> |
| | | | | | | | | <i>Job Complete ✓</i> |

RECEIVED
MAR 03 2004
KCC WICHITA

CONFIDENTIAL

KCC

FEB 27 2004

ORIGINAL

CONFIDENTIAL

RECEIVED

MAR 03 2004

KCC WICHITA

RELEASED
FROM
CONFIDENTIAL

ALLIED CEMENTING CO., INC.

P.O. BOX 31
RUSSELL, KS 67665
PH (785) 483-3887
FAX (785) 483-5566

* I N V O I C E *

Invoice Number: 091925

Invoice Date: 12/22/03

Sold Murfin Drilling Co.
To: 250 N. Water, St. #300
Wichita, KS
67202

Cust I.D.....: Murfin
P.O. Number...: Zwaygardt 1-2
P.O. Date.....: 12/22/03

Due Date.: 01/21/04
Terms.....: Net 30

| Item I.D./Desc. | Qty. Used | Unit | Price | Net | TX |
|------------------------------|-----------|------|----------|---------|----|
| Common | 285.00 | SKS | 8.3500 | 2379.75 | T |
| Gel | 5.00 | SKS | 10.0000 | 50.00 | T |
| Chloride | 10.00 | SKS | 30.0000 | 300.00 | T |
| Handling | 285.00 | SKS | 1.1500 | 327.75 | E |
| Mileage (80) | 80.00 | MILE | 14.2500 | 1140.00 | E |
| 285 sks @\$.05 per sk per mi | | | | | |
| Surface | 1.00 | JOB | 520.0000 | 520.00 | E |
| Mileage pmp trk | 80.00 | MILE | 3.5000 | 280.00 | E |
| Surface plug | 1.00 | EACH | 45.0000 | 45.00 | T |

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 504.25
ONLY if paid within 30 days from Invoice Date

Subtotal: 5042.50
Tax.....: 174.81
Payments: 0.00
Total....: 5217.31

*New Well
Surface Casing Cement*

CONFIDENTIAL

KCC
FEB 27 2004
CONFIDENTIAL

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

RELEASED

SERVICE POINT:
OAKLEY

| | | | | | | | |
|--|-----------|---------------|---|------------------------------------|------------------------|-----------------------|------------------------|
| DATE 12-20-03 | SEC. 2 | TWP. 35 | RANGE 41W | FROM CALLED OUT CONFIDENTIAL | ON LOCATION 9:15 PM | JOB START 11:30 PM | JOB FINISH 12:00 AM |
| LEASE ZWAYGARDT | | WELL # 1-2 | LOCATION ST. FRANCIS 2W-3 1/4 N-3W-3 1/4 N | | COUNTY CHEYENNE | STATE KS | |
| OLD OR <input checked="" type="radio"/> NEW (Circle one) | | | E INTO | | | | |

CONTRACTOR MURFIN DALL RIL #3
 TYPE OF JOB SURFACE
 HOLE SIZE 12 1/4" T.D. 363'
 CASING SIZE 8 5/8" DEPTH 363'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. 15'
 PERFS. _____
 DISPLACEMENT 22 BBL.

OWNER SAME
 CEMENT
 AMOUNT ORDERED 285 SKS COM 3% CC 226 EL
 COMMON 285 SKS @ 8 35/40 2379 75
 POZMIX _____ @ _____
 GEL 5 SKS @ 10 00 50 00
 CHLORIDE 10 SKS @ 30 00 300 00
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING 285 SKS @ 1 15 327 75
 MILEAGE 054 PER SK/ MILE 1140 00
 TOTAL 4197 50

EQUIPMENT

PUMP TRUCK CEMENTER TERRY
 # 300 HELPER FUZZY
 BULK TRUCK
 # 361 DRIVER LARRY
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

CEMENT DIA CIRCIV
CIRC 5 BBL TO PET
THANK YOU

SERVICE

DEPTH OF JOB 363'
 PUMP TRUCK CHARGE 520 00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 80 MZ @ 3 50 280 00
 PLUG 8 5/8 SURFACE @ _____ 45 00
 _____ @ _____
 _____ @ _____
 TOTAL 845 00

CHARGE TO: MURFIN DALL CO, INC.
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

 @ _____
 @ _____
 @ _____
 @ _____
 @ _____
 TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Keith Carter

PRINTED NAME