For KCC Use: 1-8-C G

Effective Date: 2

SGA? XYes \[ \] No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date October 3, 2003	Spot   East		
month day year C	-W/2 - NE - NW Sec. 1 Twp. 32 S. R. 9 X West		
OPERATOR: Licenses 31191	660 feet from XN/ S Line of Section		
B. C. B. O.L. C. C. C.	1650 feet from E / X W Line of Section		
In C. D. 105   Is SECTION X Begular   Irregular?			
Address: P. U. BOX 195 City/State/Zip: Attica, Kansas 67009-0195	(Note: Locate well on the Section Plat on reverse side)		
Contact Person: Randy Newberry	County: Harper		
Phone: 620/254-7251	Lease Name: DUSENBURY Well #: 1		
F020	Field Name: SPINEY - GRABS-BASIL		
CONTRACTOR: License# 5929  Name: DUKE DRILLING CO., INC.	Is this a Prorated / Spaced Field?		
Name: DORE DRILLING CO., INC.	Target Information(s): Mississippian		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:		
X Oil Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 1540' estfeet MSL		
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:		
OWWO Disposal Wildcat Cable	Public water supply well within one mile:		
Seismic:# of Holes Other	Depth to bottom of fresh water: 120'		
Other	Depth to bottom of usable water: 180'		
Ollei	Surface Pipe by Alternate: 🗓 1 🔲 2		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+		
Operator:	Length of Conductor Pipe required: None		
Well Name:	Projected Total Depth: 4500 1		
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian		
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:		
	Well Farm Pond Other X		
If Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR )		
NOC DRI #	Will Cores be taken?		
	If Yes, proposed zone:		
AFFI	DAVIT RECEIVED		
	" "IOO CORPODATION A.		
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seg.		
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq.  SEP 0.0.2005		
It is agreed that the following minimum requirements will be met:	. SEP 0 9 2005		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the driving of the driving and the driving of the d	SEP 0 9 2005  ch drilling rig;  f by circulating cement to the top; in all cases surface pinchira, KS  e underlying formation.  istrict office on plug length and placement is necessary prior to plugging;		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the driving of the driving and the driving of the d	ch drilling rig;  CONSERVATION DIVISION to by circulating cement to the top; in all cases surface plantal, ks to be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the set of th	SEP 0 9 2005  th drilling rig;  CONSERVATION DIVISION the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Agent  Byers		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	SEP 0 9 2005  ch drilling rig;  CONSERVATION DIVISION the production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent  Byers  Remember to:		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decoration of the second of the sec	conservation pursion to the top; in all cases surface purchases of by circulating cement to the top; in all cases surface purchases are underlying formation.  In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent  Byers  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through a minimum of 20 feet per Alt. 1 feet pe	conservation pursion  the drilling rig;  the by circulating cement to the top; in all cases surface purching, is supported by circulating cement to the top; in all cases surface purching, is supported by the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent  Byers  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of th	conservation pursion to the top; in all cases surface purching, is the underlying formation.  In the underlying formation is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent  Byers  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through a minimum of 20 feet per Alt. 1 feet pe	conservation pursion  to be circulating cement to the top; in all cases surface purchases  to be circulating cement to the top; in all cases surface purchases  to be underlying formation.  istrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  to plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent  Byers  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	conservation pursion to the top; in all cases surface purchases of by circulating cement to the top; in all cases surface purchases are underlying formation.  In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent  Byers  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of th	conservation pursion to the top; in all cases surface plansing.  If by circulating cement to the top; in all cases surface plansing to be underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  In which is a prior to any cementing.  Title:  Agent  Byers  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15	Location of Well: County:
Operator:	feet from N / S Line of Section
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Well Number:	Sec Twp S. R East Wes
Field:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### PL AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1650	660'	:	
		: :	
: :	· · · · · · · · · · · · · · · · · · ·	: :	· · · · · · · · · · · · · · · · · · ·
:	•		· ·
:	•	1	
	· · · · · · · · · · · ·	· · · · · · · · ·	. :
		: : : : : : : : : : : : : : : : : : :	:
: :	:	: :	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

### HARPER COUNTY

# in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

January 3, 2006

Mr. Randy Newberry R & B Oil & Gas PO box 195 Attica, KS 67009-0195

Re: Drilling Pit Application

Dusenbury Lease Well No. 1 NW/4 Sec. 01-32S-09W Harper County, Kansas

Dear Mr. Newberry:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Environmental Protection and Remediation Department

cc: Doug Louis