## NOTICE OF State of Kansas NOTICE OF INTENTION TO DRILL (see rules on reverse side)

ILL CARD MUST BE SIGNED


| Starting !  | Date:     | 1019.       | • | API Number 15- 165 - dd, 3 dd                                     |
|---|-----------|-------------|---|---|
|   |           | month day   | year                                    | 100' W of □ East  |
| OPERATOR: License #5140   |           |             |   | . NE. ME NW Sec .25. Twp .7S. S, Rge19W 🗵 West                    |
| Name Frontier Oil Company   |           |             |   | 4950  |
| Address 1720 Kansas State Bank Bldg   |           |             |   | Ft North from Southeast Corner of Section                         |
| City/State/Zip Wichita, Kansas67202   |           |             |   | 3070 Ft West from Southeast Corner of Section                     |
| Contact Person George A. Angle  |           |             |   | (Note: Locate well on Section Plat on reverse side)               |
| Phone263-1201   |           |             |   | Nearest lease or unit boundary line300 feet.                      |
| <b>CONTRACTOR:</b> License #5302  |           |             |   |   |
| Name Red Tiger Drilling Co.   |           |             |   | County ROOKS Lease Name Schneider "E" Well# 1                     |
| City/StateWichita,Kansas67202   |           |             |   | Domestic well within 330 feet: yes 🙀 no                           |
| Well Dri  | lled For: | Well Class: | Type Equipment:                         | Municipal well within one mile: 🔲 yes 🙀 no                        |
| [ <b>X</b> Oil  | ☐ Swd     | ☐ Infield   | Mud Rotary                              | ~.  |
| ☐ Gas   | ☐ Inj     | Pool Ext.   | Air Rotary                              | Depth to Bottom of fresh water54 feet                             |
| $\square$ oww   | O 🗌 Expl  | ☐ Wildeat   | Cable                                   | Lowest usable water formation Dakota                              |
| If OWWO: old weil info as follows:  |           |             |   | Depth to Bottom of usable water 800 feet                          |
| Operator  |           |             |   | Surface pipe by Alternate: 1 🔀 2 🍱 🗥 🖰                            |
| Weli Name   |           |             |   | Surface pipe to be set .1379 feet                                 |
| Comp Date Old Total Depth   |           |             |   | Surface pipe to be set .13/9 feet  Conductor pipe if any required |
| Projected Total Depth 34.00 feet  |           |             |   | Ground surface elevation Est. 1890 ** feet MSL                    |
| Projected Formation at TDArbuckle   |           |             |   | This Authorization Expires . 4-1.7-85                             |
| Expected Producing Formations . Arbuckle  |           |             |   | Approved By RCH/K.4.10-1.7-8.4.                                   |
| certify that we will comply with K.S.A. 55-101, et seq., plus eventual reging hole to |           |             |   |   |
| Date $10/1.7/84$ Signature of Operator or Agent                                       |           |             |   | Title OWNER.  |
| 10/   | ±//OH     |             | 3                                       | m4c/404= 10/19/84 Form C-1 4/84                                   |

RECEIVED Must be filed with the K.C.C. five (5) days prior to commencing well STATE CORPORATION cardword if drilling not started within six (6) months of date received by K.C.C.

WT 84 OCT 1 7 1984

**CONSERVATION DIVISION** 

A Regular Section of Land 1 Mile = 5.280 Ft.



## Important procedures to follow:

- 1. Notify District office before setting surface casing.
- 2. Set surface casing by circulating cement to the top.
- 3. File completion forms ACO-1 with K.C.C. within 90 days of well completion, following instructions on ACO-1, side 1, and including copies of wireline logs.
- 4. Notify District office 48 hours prior to old well workover or re-entry.
- 5. Prior to plugging, prepare a plugging plan, then obtain agreement from the appropriate district office for an approved plugging plan.
- 6. Submit plugging report (CP-4) to K.C.C. after plugging is completed.
- 7. Obtain an approved injection docket number before disposing of salt water.
- 8. Notify K.C.C. within 10 days when injection commences or terminates.
- If an alternate 2 completion, cement in the production pipe from below any usable water to surface within 120 days of spud date.

State Corporation Commission of Kansas Conservation Division 200 Colorado Derby Building Wichita, Kansas 67202 (316) 263-3238 Gene Axelson, the tenant and son of the landowner Arthur Axelson, know of 1 water well that is 52-54' deep located 1/8 mile south of the location. This water well has not been used for quite some time. There are no other water wells within the  $\frac{1}{2}$  mile radius.

Gene Axelson knows of no one who now uses or has ever used Dakota water in this area.

15-163-22523-00-00