

RELEASED FROM CONFIDENTIAL
KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM

Form ACO-1
 September 1999
 Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE
CONFIDENTIAL

ORIGINAL

Operator: License # 9449
 Name: GREAT EASTERN ENERGY & DEVELOPMENT CORP.
 Address: P. O. BOX 2436
 City/State/Zip: MIDLAND, TX 79702
 Purchaser: STG
 Operator Contact Person: 1)MIKE DAVIGNON 2) BILL ROBINSON
 Phone: (785) 623-7520 2) 432-682-1178
 Contractor: Name: MURFIN DRILLING
 License: 30606
 Wellsite Geologist: MIKE DAVIGNON
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc.)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

05/01/03	05/10/03	05/27/03
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-22910-00-00
 County: GRAHAM
SE SW SW SE Sec. 24 Twp. 6 S. R. 21 East West
100 feet from S / N (circle one) Line of Section
2120 feet from E / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: STATES/VEHIGE Well #: 1
 Field Name: _____
 Producing Formation: LANSING
 Elevation: Ground: 2255' Kelly Bushing: 2260'
 Total Depth: 3798' Plug Back Total Depth: 3794'
 Amount of Surface Pipe Set and Cemented at 215 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set 1905' Feet
 If Alternate II completion, cement circulated from 215 1905
 feet depth to SURFACE w/ 150 210 sx cmt.


RECEIVED
AUG 14 2003
KCC WICHITA
KCC
AUG 08 2003
CONFIDENTIAL

Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit) *Alt II W*
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
 Title: VP Exploration/Prod Date: 8-11-03
 Subscribed and sworn to before me this 6 day of JULY 2003
 Notary Public: Guynna Crow
 Date Commission Expires: _____



KCC Office Use ONLY

Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: GREAT EASTERN ENERGY & DEVELOPMENT CORP. Lease Name: STATES/VEHIGE Well #: 1
Sec. 24 Twp. 6 S. R. 21 East West County: GRAHAM

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
Samples Sent to Geological Survey Yes No
Cores Taken Yes No
Electric Log Run Yes No
List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample
Name Top Datum
TOPEKA 3252' - 992'
HEEBNER 3456' - 1196'
KCC LANSING 3492' - 1232'

RA/GUARD W/sP BY: LOG-TECH

AUG 08 2003

RECEIVED

AUG 14 2003

CONFIDENTIAL

KCC WICHITA

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs./ Ft., Setting Depth, Type of Cement, # Sacs Used, Type and Percent Additives. Rows include SURFACE and PRODUCTION data.

Table with 5 columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Includes details for FLO SEAL 1/4# 6% GEL.

Table with 4 columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record, Depth. Includes data for 4 shots and LANSING 3548' - 3681'.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run. Includes data for size 2 7/8 and set at 3690'.

Table with columns: Date of First, Resumerd Production, SWD or Enhr., Producing Method. Includes date 05/27/03 and method Pumping.

Table with columns: Estimated Production Per 24 Hours, Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity. Includes values 50, 10, and 26.5.

Disposition of Gas METHOD OF COMPLETION Production Interval
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
Other (Specify)

CONFIDENTIAL

ORIGINAL

ALLIED CEMENTING CO., INC. 14660

Federal Tax I.D.# [REDACTED]

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>5/23/03</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>9:00A.M.</u>	JOB START	JOB FINISH <u>2:30P.M.</u>
LEASE <u>States/Vehige</u>	WELL # <u>1</u>	LOCATION <u>Brown School 4W</u>		COUNTY <u>RELEASED</u>		STATE <u>Ks</u>	
<input type="radio"/> OLD OR <input checked="" type="radio"/> NEW (Circle one)		KCC		FROM			

CONTRACTOR Marlin **AUG 08 2003** OWNER **CONFIDENTIAL**

TYPE OF JOB Port collar

HOLE SIZE	T.D.	CONFIDENTIAL	CEMENT
CASING SIZE <u>5/8</u>	DEPTH		AMOUNT ORDERED <u>350 (w/40 6% gel)</u>
TUBING SIZE <u>2 1/2</u>	DEPTH		<u>1/4 # Flo Seal</u>
DRILL PIPE	DEPTH		<u>USED 220 SR</u>
TOOL <u>PC.</u>	DEPTH <u>1915'</u>		<u>2 sand</u>
PRES. MAX	MINIMUM		COMMON <u>162</u> @ <u>7.15</u> <u>1158.30</u>
MEAS. LINE	SHOE JOINT		POZMIX <u>108</u> @ <u>3.00</u> <u>410.40</u>
CEMENT LEFT IN CSG.			GEL <u>19</u> @ <u>10.00</u> <u>190.00</u>
PERFS.			CHLORIDE @
DISPLACEMENT			<u>Flo Seal</u> <u>68#</u> @ <u>1.40</u> <u>95.20</u>
			<u>SAND</u> <u>2</u> @ <u>5.60</u> <u>11.20</u>
			@
			@
			@
			HANDLING <u>350</u> @ <u>1.15</u> <u>402.50</u>
			MILEAGE <u>54/54</u> / mile <u>1050.00</u>

EQUIPMENT	
PUMP TRUCK	CEMENTER <u>Paul</u>
# <u>366</u>	HELPER <u>Alan</u>
BULK TRUCK	
# <u>362</u>	DRIVER <u>Scott</u>
BULK TRUCK	
#	DRIVER

RECEIVED	TOTAL
AUG 14 2003	<u>3317.60</u>

REMARKS:

BD @ 3010: Press. to 1000psi
spot 2 sand. Tool @ 1915: opened
tool. Broke circulation. Circ. cement
w/ 220 sr. Closed tool. Press csg to
1000psi. Ran sjts Reversed out.
washed sand off plug.

Cement Circulated ✓

KCC WICHITA SERVICE

DEPTH OF JOB	
PUMP TRUCK CHARGE	<u>630.00</u>
EXTRA FOOTAGE	@
MILEAGE <u>60</u>	@ <u>3.50</u> <u>210.00</u>
PLUG	@
	@
	@
TOTAL	<u>840.00</u>

CHARGE TO: Great Eastern
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	
TOTAL		

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS
 PRINTED NAME _____

CONFIDENTIAL

KCC

AUG 08 2003

ORIGINAL

ALLIED CEMENTING CO., INC. 14711

Federal Tax I.D.# [REDACTED]

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>5/9/03</u>	SEG <u>24</u>	TWP <u>9</u>	RANGE <u>21</u>	CALLED OUT <u>7:30 AM</u>	ON LOCATION <u>NOON</u>	JOB START	JOB FINISH <u>2:00 PM</u>
LEASE <u>States Vehige</u>	WELL # <u>1</u>	LOCATION <u>Nicodemus 2E 7N 2W</u>			COUNTY <u>Cherokee</u>	STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)				RELEASED FROM			

CONTRACTOR MUFFIN S
 TYPE OF JOB 5 1/2 Prod String
 HOLE SIZE 7 7/8 T.D. 3796
 CASING SIZE 5 1/2 DEPTH
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 42.68'
 PERFS.
 DISPLACEMENT 9 1/2 bbls

OWNER CONFIDENTIAL

CEMENT
 AMOUNT ORDERED
125 m ASC 2% salt 10% salt
500 gal WFR-2

EQUIPMENT

PUMP TRUCK # 366 CEMENTER Bill Walt
 HELPER Shane
 BULK TRUCK # 213 DRIVER Glen
 BULK TRUCK # DRIVER

COMMON	<u>125 ASC</u>	@	<u>9.00</u>	<u>1125.00</u>
POZMIX		@		
GEL	<u>2</u>	@	<u>10.00</u>	<u>20.00</u>
CHLORIDE		@		
<u>Salt</u>	<u>12</u>	@	<u>15.00</u>	<u>180.00</u>
<u>WFR-2</u>	<u>500 gals</u>	@	<u>1.00</u>	<u>500.00</u>
		@		
		@		
HANDLING	<u>125</u>	@	<u>.45</u>	<u>143.75</u>
MILEAGE	<u>54/sk</u>	/MILE		<u>375.00</u>

RECEIVED
 AUG 14 2003
 KCC WICHITA SERVICE

TOTAL 2343.75

REMARKS:

Pipe set c 3794 3/2
shoe pt. 42.68
Insert c 3751.67
pump 500 gal WFR-2 Cent w/ 100 lbs Cent
Pump plug w/ 9 1/2 bbls of water
Land floose 1600' float did hold
1.5 inch Rit
10.002 M.H.

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>1130.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>60</u>	@	<u>3.50</u>	<u>210.00</u>
PLUG	<u>5-1/2</u>	@		<u>50.00</u>
		@		
		@		

TOTAL 1390.00

CHARGE TO: Great Eastern
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

<u>Weatherford</u>				
<u>10 Centralizers</u>	@	<u>40.00</u>		<u>400.00</u>
<u>1 Shoe</u>	@			<u>150.00</u>
<u>1 Insert</u>	@			<u>235.00</u>
<u>1 Port cull on</u>	@			<u>1500.00</u>
<u>4 BASKETS</u>	@	<u>142</u>		<u>568.00</u>

TOTAL 2853.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME _____

