RELEASED FROM CONFIDENTION GAS CONSERVATION DIVISION

RECEIVED KANSAS CORPORATION COMMISSION ACO-1 September 1999

OCT 0 8 2663 Must Be Typed

WELL COMPLETION FORM

| Operator: License # 32914 CONFIDENTIAL Sunwest Petroleum, Inc. | County: Montgomery URIGINAL |
|--|---|
| Address: 17776 Preston Road, Suite 100 | SESESE_ Sec. 1 Twp. 34 S. R. 14 🗹 East 🗌 We |
| City/State/Zip: Dallas, TX 75252-5736 | 330 feet from S / N (circle one) Line of Section |
| Purchaser: Summit Gas Transmission, LLC | 330 feet from E/ W (circle one) Line of Section |
| Derator Contact Person: Mike Shields | Footages Calculated from Nearest Outside Section Corner: |
| Phone: (972) 741.8001 | (circle one) NE (SE) NW SW |
| Contractor: Name: James D. Lorenz CONFIDENTIAL | Lease Name: Denny Well #: 1-4 |
| icense: 9313 | Field Name: Wayside/Havana |
| Wellsite Geologist: | Producing Formation: Rowe |
| Designate Type of Completion: | Elevation: Ground: 838' Kelly Bushing: |
| ✓ New Well Re-Entry Workover | Total Depth: 1,515' Plug Back Total Depth: |
| OilSWDSIOWTemp. Abd. | Amount of Surface Pipe Set and Cemented at 24 Fee |
| Gas SIGW Temp. Abd. | Multiple Stage Cementing Collar Used? |
| Dry Other (Core, WSW, Expl., Cathodic, etc) | If yes, show depth setFe |
| f Workover/Re-entry: Old Well Info as follows: | If Alternate II completion, cement circulated from 1,512 |
| Operator: | feet depth to_surface |
| Vell Name: | |
| Original Comp. Date: Original Total Depth: | Drilling Fluid Management Plan (Control of the Management Plan |
| Deepening Re-perf Conv. to Enhr./SWD | (Data must be collected from the Reserve Pit) |
| Plug BackPlug Back Total Depth | Chloride content ppm Fluid volume bb |
| Commingled Docket No. | Dewatering method used |
| Dual Completion Docket No | Location of fluid disposal if hauled offsite: |
| Other (SWD or Enhr.?) Docket No | Operator Name: |
| · | Lease Name: License No.: |
| 6.20.03 6.21.03 9.11.03 Spud Date or Date Reached TD Completion Date or | Quarter Sec TwpS. R East We |
| Recompletion Date Recompletion Date | County: Docket No.: |
| Kansas 67202, within 120 days of the spud date, recompletion, worko Information of side two of this form will be held confidential for a period of | ith the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-125 and geologist well report shall be attrached with this form. ALL CEMENTING |
| | ulate the oil and gas industry have been fully complied with and the statemen |
| Signature: // / / / / / / / / / / / / / / / / / | KCC Office Use ONLY |
| Controller Date: October 6, 2003 | Letter of Confidentiality Attached |
| | |
| · ml - | |
| Subscribed and sworn to before me this | Wireline Log Received |
| Subscribed and sworn to before me this U^{+} day of U^{-} day of U^{-} | 1 |
| Subscribed and sworn to before me this | Wireline Log Received |

Side Two

| Operator Name: Sun | | | Leas | Lease Name: Denny | | Well #: 1-4 | | | |
|---|------------------------|---------------------------|--|--|---|--|--|-----------------|--|
| | | .S. R. 14 | | County: Montgomery | | · · · · · · · · · · · · · · · · · · · | | | |
| NSTRUCTIONS: Shested, time tool oper emperature, fluid res Electric Wireline Logs | and closed, flowin | g and shut s if gas to | in pressures, v surface test, al | whether ong with | shut-in pre | ssure reache | d static level, hydr | rostatic pressu | res, bottom hole |
| Orill Stem Tests Taker (Attach Additional S | | Y | es No | | ✓L | og Form | ation (Top), Depth | and Datum | Sample |
| Samples Sent to Geological Survey | | | Name | | | Top Da | | | |
| Cores Taken | , | Y | es No | | Row | е | | 1,398' | |
| Electric Log Run (Submit Copy) | | Y | es No | | | | | | |
| ist All E. Logs Run: | | | | | | | | | |
| CBL, CDNL,D | PL,DTL,GR/N | | CASING I | | | | | | |
| | Size Hole | 1 | rt all strings set-co te Casing | | surface, inte | ermediate, prod Setting | | # Casia | Tone and Dave |
| Purpose of String | Drilled | | t (In O.D.) | | s. / Ft. | Depth | Type of Cement | # Sacjs Used | Type and Perce Additives |
| Surface | 11 1/4" | 8 5/8" | | | | 24' | Portland | 5 | |
| Production | 6 3/4' | 4 1/2" | | | | 1,512' | owc | 230 | 6 sx gel, 1 sx |
| | | | | | | | | | cottonseed h |
| | | Υ | ADDITIONAL | CEMEN | TING / SQL | JEEZE RECO | AD DE | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| Purpose: Depth Type of Cement | | of Cement | #Sacks Used 2 sx metasilicat | | | The second secon | Percent Additive | s | |
| Plug Off Zone | | | THE THE STREET S | | eduption continuous | | | | |
| Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | | | | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth | | | | | |
| 4 1,398' - 1,402' | | | | | 500 gal 15% HCL | | | | |
| | | | | | | | POPPOPOPOPOPOPOPOPOPOPOPOPOPOPOPOPOPOP | | |
| | | | | | | | | | |
| TUBING RECORD Size Set At Par 2 3/8" | | | | Packer | · At | Liner Run ☐ Yes 🗸 No | | | |
| Date of First, Resumero | f Production, SWD or I | Enhr. | Producing Meth | od | Flowing | J ✓ Pum | ping Gas L | .ift Otl | ner (Explain) |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Wate | er | Bbls. | Gas-Oil Ratio | Gravit |
| Disposition of Gas | METHOD OF (| COMPLETIC | DN | | *************************************** | Production In | terval | | |
| Vented Sold | Used on Lease | | Open Hole Other (Specia | √ Pe | erf. [[| oually Comp. | Commingled | | |

L AND S WELL SERVICE, LLC 543A 22000 ROAD CHERRYVALE, KANSAS 67335-8515 620-328-4433 OFFICE 620-328-4451 FAX

RECEIVED KANSAS CORPORATION COMMISSION

OCT 0 8 2003

TICKET NUMBER 062503 LOCATION Mont Co FOREMAN JLBI. BL

CONSERVATION DIVISION—3CT 0 6 2003 WICHITA, KS

ODICINIAL

| 401 1. 1. 10 | ~ ~~~ | | ATMENT REPO | ORT | was Wass And. | NIOIN | O Yi Vincae |
|--------------------------------------|---|----------|-----------------|--------------------------------|---------------|---|-------------|
| | 5-30282 WELL NAME DEVINE | , ,, | HOLE | PIPE | 1 | ANNUAL VOLUME IN LINEAR FT/BL. | |
| ECTION TOWNSHIP | RANGE | COUNTY | 6 3/4" | 4 1/2" | 40.5 | 37.3 | Anna V |
| 4 34 | 15 | Mo | 6 1/4" | 4 1/2" | 54.5 | 3 REI | LA |
| USTOMER | | 17110 | 6 1/4" | 2 1/2" | 33.5 | | RO |
| | etroleum | Inc | 5 1/4" | 2 1/2" | 53.5 | l | } |
| IAILING ADDRESS | 2110/2011 | 1113 | 5 1/4" | 2" | 47 | CONF | L)L |
| 17776 Pres | ton Roa | ا ا | | | | | Ī |
| erry | 101111111111111111111111111111111111111 | 1 | TUBIN | IG-LINEAR FT/B | L. | | 1 |
| Pallas | | | 4 1/2" | 9.5 lb. | 61.7 | 24.5 | |
| TATE TOXOS | ZIP CODE 75 | 257 | 4 1/2" | 10.5 lb. | 63.1 | | L |
| | | | 4 1/2" | 11.6 lb. | 64.5 | | 1 |
| TME ARRIVED ON LOCAT | TION | | 2 1/2" | | 170 | | 1 |
| IIII CHUUTED GIT EGGA | | , | 2" | | 250 | | 1 |
| WE | LL DATA | | | | | 13.0 | 1 |
| OLE SIZE | T | | | TYPE OF TRE | ATMENT | | |
| TOTAL DEPTH | | | () SI | URFACE PIPE | | | 1 |
| | | | A PI | RODUCTION CA | SING | | |
| CASING SIZE | | | | QUEEZE CEMEN | | | |
| CASING DEPTH | | | | LUG AND ABANE | OON | | |
| OPEN HOLE | | | | LUG BACK ISP. PU M P | | | |
| PACKER DEPTH | | |] IOW | ASH DOWN | | | |
| WIRE LINE | READING BEFO | ORE 1512 | 1/10 | THER | | | |
| WIRE LINE | READING AFTE | ER . | | | | | |
| TREATMENT VIA | | 7 4 1 MB | | | | |] |
| NSTRUCTIONS PRIOR TO |) JOB | | | | | | _ |
| AUTHORIZATION TO PROCEED | | TITLE | | DA | TE | | |
| HOOKED ONTO U) 6. GEL 1 236 SACKS OF | COTTONS | TMETAS | CEMENT, THEN DI | _ | AHEA | S OF WATER, RA D, THEN BLENDE EN PUMPED | |