For KCC Use:	2.4:-06
Effective Date:	27-04
District #	4
SGA? X Yes	No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date April 1 2006	Spot 150' S & 210' E of East
OPERATOR: License# 5252	1470 feet from VN / S Line of Section 120 feet from VE / W Line of Section
Name: R.P. Nixon Oper., Inc.	Is SECTION RegularIrregular?
Address: 207 West 12th Street	is Sectionnegularirregular?
City/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Dan Nixon	County: Trego
Phone: 785-628-3834	Lease Name: Applegate Unit Well #: 1
5184	Field Name: Wildcat
CONTRACTOR: License# 5184 V	Is this a Prorated / Spaced Field?
Name: Shields Oil Producers, Inc.	Target Formation(s): L/KC, Cherokee Sand
W-II Daille-d Farm W-II Classe Time Familiaments (	Nearest Lease or unit boundary: (120') Unitization info. enclosed
well brilled For: Well Class: Type Equipment.	Ground Surface Elevation: 2267' estimated feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: /
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 45 126
Seismic;# of Holes Other	Depth to bottom of usable water: 000 720'
Other	
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200' +
Operator:	Length of Conductor Pipe required: All Pipe Pipe Pipe Pipe Pipe Pipe Pipe Pipe
Well Name:	Projected Total Depth: 4575'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
UNIT DECLARATION ATTACHED: 330 FNLL.	ii ios, proposoa zono.
APP	RECEIVED
APP	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seg. At a complete to the seg. At
AFF The undersigned hereby affirms that the drilling, completion and eventual p	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. segan 2 6 2006
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	olugging of this well will comply with K.S.A. 55 et. segiAN 2 6 2006
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a first the well is dry hole, an agreement between the operator and the properties of the strict office will be notified before well is either plush an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig;  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate !! cementing
The undersigned hereby affirms that the drilling, completion and eventual pure is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intended of the intended of the posted on each of the intended of	Ach drilling rig;  the drilling rig;  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  the drom below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a first the well is dry hole, an agreement between the operator and the properties of the strict office will be notified before well is either plush an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	Ach drilling rig;  the drilling rig;  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  the drom below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pure is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intended of the intended of the posted on each of the intended of	AN 2 6 2006  CC WICHTA  The the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  The #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  The first placement is necessary prior to plugging; gged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date.  The first plugged is the first prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a first through all unconsolidated materials plus a minimum of 20 feet into a first through all unconsolidated materials plus a minimum of 20 feet into a first through all unconsolidated materials plus a minimum of 20 feet into a first through all unconsolidated materials plus a minimum of 20 feet into a first through all through a first through a	AN 2 6 2006  CC WICHITA  The the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  The #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  The first plugged of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a first through all unconsolidated materials plus a minimum of 20 feet into a first through all unconsolidated materials plus a minimum of 20 feet into a first through all unconsolidated materials plus a minimum of 20 feet into a first through all unconsolidated materials plus a minimum of 20 feet into a first through all through a first through a	AN 2 6 2006  CC WICHITA  The content of the content to the top; in all cases surface pipe shall be set  the underlying formation.  In the district office on plug length and placement is necessary prior to plugging;  In the great of production casing is cemented in;  Ited from below any usable water to surface within 120 days of spud date.  The shall be set  Title: President  Title: President
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a strict of the well is dry hole, an agreement between the operator and the strict office will be notified before well is either plu. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plant of the plant of the description.  5. Signature of Operator or Agent:  Date: January 20, 2006  Signature of Operator or Agent:	AN 2 6 2006  KCC WICHTA  The det by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  ##133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.    President   Pre
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason and the surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the surface pipe is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the	AN 2 6 2006  KCC WICHITA  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.    President   President
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the second of th	AN 2 6 2006  KCC WICHITA  The content of the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  # #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  ### President    President   Pres
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the surfaced properties district office will be notified before well is either plue for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plant of	AN 2 6 2006  KCC WICHITA  The polyment of the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.    President
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the second of th	AN 2 6 2006  KCC WICHITA  The text by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  ##133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  ### President    President
The undersigned hereby affirms that the drilling, completion and eventual pure it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason and intention of the posted on eason and the standard process of the appropriate district office will be notified below <i>shall be standard</i> to the well is dry hole, an agreement between the operator and the standard process of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate distri	AN 2 6 2006  KCC WICHITA  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief.    President   President
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: January 20, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 195 - 22324	Acc WichitA  Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Itel: President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pure it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason and intention of the posted on eason and the standard process of the appropriate district office will be notified below <i>shall be standard</i> to the well is dry hole, an agreement between the operator and the standard process of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate distri	A CC WICHITA  Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  The surface within 120 days of spud date.  Title: President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: January 20, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 195 - 22324	Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  Well Not Drilled - Permit Expired  KCC WICHITA  KCC WICHITA  KCC WICHITA  **COUNTER COUNTER**  **COUNTER COUNTER**  **COUNTER Shall be set the underlying formation.  **COUNTER Shall be set the underlying form to plugging;  **great to plugging;  **COUNTER Shall be set the underlying form to plugging;  **great to plugging;  **COUNTER Shall be set the underlying form to plugging;  **great to plugging;  **COUNTER Shall be set the underlying form to plugging;  **great to plugging;  **COUNTER Shall be set the underlying formation or plugging;  **great to plugging formation.  **Great to the underlying formation with the underlying formation or re-entry;  **Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  **If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  **Well Not Drilled - Permit Expired**
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the production pipe required Signature of Operator or Agent:  Date: January 20, 2006 Signature of Operator or Agent: feet Minimum surface pipe required Posses feet per Alt. X 2 Approved by: Posses feet per Alt. X 2 This authorization expires: 7-30-06  This authorization void if drilling not started within 6 months of effective date.)	Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Trego
Operator: R.P. Nixon Oper., Inc.	
Lease: Applegate Unit	feet from VN/ S Line of Section  120 feet from VE/ W Line of Section
Well Number: _1	Sec. 12 Twp. 15 S. R. 23 East West
Number of Acres attributable to well:	Is Section: 🔽 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: E/2 - E/2 - NE (150' S & 210' E of)	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

January 30, 2006

Mr. Dan Nixon R.P. Nixon Operations, Inc. 207 West 12<sup>th</sup> St. Hays, KS 67601

RE: Drilling Pit Application

Applegate Unit Lease Well No. 1 NE/4 Sec. 12-15S-23W

Trego County, Kansas

Dear Mr. Nixon:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.** 

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: H Deines