

STATE OF KANSAS
STATE CORPORATION COMMISSION
130 S. Market, Room 2078
Wichita, Kansas 67202

Well Plugging Record
K.A.R. -82-3-117

API NUMBER
LEASE NAME
WELL NUMBER

15-113-19210-00-01
Not Assigned
Bitikofer
2

TYPE OR PRINT

NOTICE: Fill out completely and return
to Cons. Div. office within 30 days.

1580' FNL Ft. from North Line of Section
1980' FWL Ft. from West Line of Section

LEASE OPERATOR American Energies Corporation

SPOT LOCATION SE NW/4

ADDRESS 155 N Market, Suite 710

Section 1 Township 20 Range 1W

CITY, STATE, ZIP Wichita, KS 67202

County McPherson

PHONE # 316-263-5785

Date Well Completed 7/10/59 original

Character of Well Gas

Date Plugging Commenced 1/31/06

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Date Plugging Completed 2/8/06

The plugging proposal was approved on

2/8/06

(date)

by

State Plugging Agent - Mike Wilson

(KCC District Agent's Name)

Is ACO-1 Filed?

On File with KCC

If not, is well log attached?

No logs run

Producing Formation(s)

Depth to Top

Bottom

T.D.

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULL OUT
Surface	Water sands	219'	0'	8 5/8" 23#	219'	None
Production	Gas	Surface	3108'	5 1/2"	3108'	1363'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet each set.

Pulled rods and tubing.

Ran 4 sx cement, ripped pipe at 1363', pulled 34 jts, run 450' 2", pumped in 35 sx cement,

pulled to 270' and pumped in 224 sx and then cemented to surface.

Name of Plugging Contractor American Energies Corporation

Licence No. 5399

Address 155 North Market, #710

City: Wichita

State: Kansas

Zip 67202

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES:

American Energies Corporation

(Operator)

STATE OF KANSAS COUNTY OF

Sedgwick, ss.

Alan L. DeGood, President

(Employee of Operator or (Operator) of above described well, being first

duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above described well as filed that the same are true and correct, so help me God.

(Signature)

(Alan L. DeGood, President, American Energies Corporation)

(Address)

155 North Market, Suite 710

City: Wichita

State: Kansas

Zip 67202

SUBSCRIBED AND SWORN TO me this


16th day of

February 2006

Melinda S. Wooten, Notary Public

My Commission Expires:

3/12/08



Form CP-4
Revised 12-92

RECEIVED
FEB 17 2006
KCC WICHITA

AMERICAN ENERGIES CORP.

P O BOX 516, 136 MAIN

CANTON, KS. 67428

PULLING UNIT #1

PHONE: 620-628-4424 FAX: 620-628-4435

DATE JOB STARTED 2-6-06LEASE: BitikoferCOUNTY McPhersonDATE JOB COMPLETED: 2-8-06WELL # 2

WORK PERFORMED:

(Please circle appropriate job)

Acidizing

Frac Well

Perforating Well

Squeeze Job

Workover

Pump Change:

New: _____ Rebuilt _____ Size of pump _____

Rod Part:

Size & Type of Replacement _____

Rod Break-Number of jts. Down _____ Kind of Break _____

Tubing Failure:

Tubing leak-Number of Jts Down _____ Kind of Break _____ Size & Type of Replacement _____

Replaced with New _____ or Used _____

Plugging Well:

Please Complete Information

<u>35</u>	Number of Sacks cement at
<u>342</u>	Number of Sacks cement at
	Number of Sacks cement at
	Number of Sacks cement at
	Total Number of Sacks of Cement

<u>450</u>	feet
<u>270</u>	feet
	feet
	feet

Type of Cement used: 32 sack 10% sand

Ticket number: _____

Cementing Company: _____

Date Plugging Completed: _____

State Plugging Agent: _____

Description of Work Performed:

Moved in or rigged up at 4:00PM on 2-6-06 shut down at 5:00PM
 Started at 8:00AM on 2-7-06 check fill up 2850' run 4 sacks cement rip
 pipe at 1363' pull 34 joints shut down at ~~4:30PM~~ 4:30PM
 Started at 8:00AM on 2-8-06 run 450' 2" pump in 35 sacks
 pulled to 270' pumped in 224 sacks waited on 128 more
 sacks fill to surface rigged down and moved off at 3:00PM

8 yards + 4 yards

RECEIVED

FEB 17 2006

KCC WICHITA

Joints Feet Size			Pulled from Well:					Equipment			Joints Feet Size			Run in Well:				
									Packer									
									Anchor									
									Polished Rod									
									Rods									
									Rods									
			2'	4'	6'	8'	10'		Rod Subs					2'	4'	6'	8'	10'
									Pump									
34	1363	5 1/2							Tubing					none				
			2'	4'	6'	8'	10'		Tubing Subs					2'	4'	6'	8'	10'
									Barrel									
									Mud Anchor									

Services

Hours

Per Hour

Amount

Unit and Power Tools

Road Time - Per hour

Other Charges

Swab Cables

<u>16</u>	<u>150</u>	\$ <u>2400</u>
		\$
		\$
<u>M.T.</u>		\$
		\$
		\$
		\$
		\$

Signed Douglas Ward Date: 2-9-06

Sales Tax

Total Due

\$

Feb. 16 2006 11:05AM P3

PHONE: 620-628-4424 FAX: 620-628-4435

\$ 900



PLANT	TIME	DATE	ACCOUNT	WEATHER:	TRUCK	DRIVER	TICKET
1	10:20	02/08/06	2-06		15	RUSS	51784
CUSTOMER AMERICAN ENERGY PO BOX 516 CANTON KS 67428				DELIVERY ADDRESS 56 HWY & 29TH-2 1/2 MI.SOUTH, EAST SIDE.			
PURCHASE ORDER		SALES ORDER		TAX COUN	CREDIT OK	BATCHMAN BILL	
				TEMP. 40		SLUMP 4.0	
LOAD QTY	PRODUCT	DESCRIPTION			ORDERED	DELIVERED	UNIT PRICE
4.00	22SK/10% S	22 SACK SLURRY/10% SAND			8.00	8.00	380.00
							AMOUNT

Bitkoser #2

5 MINUTES PER YARD UNLOADING TIME, \$60.00 PER HOUR DEMURRAGE CHARGE.

LEAVE PLANT :	ARRIVE JOB SITE :	START DISCHARGE :	FINISH DISCHARGE :	ARRIVE PLANT :	SUBTOTAL	380.00
					DISCOUNT	0.00
					TAX	23.94
					TOTAL	403.94
					PREVIOUS TOTAL	807.88
					GRAND TOTAL	

THESE MIXES HAVE BEEN DESIGNED TO A SET CEMENT-WATER RATIO TO WHICH WE MUST ADHERE TO GUARANTEE STRENGTH IF YOU ADD WATER, YOU THEREBY ASSUME RESPONSIBILITY.

WE MAKE DELIVERIES INSIDE CURB LINE AND ON PROPERTY AT CUSTOMERS RISK ONLY. AND ACCEPT NO RESPONSIBILITY FOR DAMAGE RESULTING IN THEREFROM.

"CAUTION" SKIN AREAS THAT COME INTO CONTACT WITH PORTLAND CEMENT OR MIXTURES CONTAINING PORTLAND CEMENT, EITHER DIRECTLY OR THROUGH SATURATED CLOTHING, SHOULD BE PROMPTLY WASHED WITH WATER. FAILURE TO DO SO MAY CAUSE SKIN IRRITATION OR BURNS. IF CEMENT GETS IN THE EYE, RINSE IMMEDIATELY WITH WATER AND GET PROMPT MEDICAL ATTENTION. KEEP OUT OF REACH OF CHILDREN

Driver instructed to add _____ gal. water

Received Per order by:

MATERIAL	REQ'D	BAT'D	MIX	TOL	ACWAT	%MST	AMERICAN ENERGY
SAND	843	860	LB 207	2.0	1.8	1.76*	DATE & TIME 02/08/06 10:24
CEMENT	-4136	4145	LB 1034	0.2	0.0		PLANT No: 1
FLY ASH	4136	4130	LB 1034	-0.1	0.0		BATCH No: 51784 DROPS: 1
WATER	398	398	GL100.0	-0.1	398.0		TRUCK 15 DRIVER: RUSS
							QUAN 4.00YD MIX: 22SK/10%S
							SLUMP 4.0 in
							% HOT WATER 0
							WAT ADJUST 0.0 GL
							AGG ST 0
							AGG ET 0
							CEM ST 20
							CEM ET 15
							HI ST ADX NONE

MANUAL 10:18

WAT IN TRK = 0.0 GL

WAT TO ADD = 0.2 GL

TOTAL WAT = 399.8 GL

WAT/CEM = 0.403T

REQUIRED FOR CERTIFIED CONCRETE

Moist. Corr. FA _____ %; CA _____ %

Corrected Mass per Volume: $\text{kg/m}^3(\text{lb/yd}^3)$

FA _____; CA _____; Water _____

Certified Batcher

No.

RECEIVED
FEB 17 2006
KCC WICHITA



McPHERSON CONCRETE PRODUCTS

1462 17TH AVENUE
McPHERSON, KS 67460 • (620) 241-1678



PLANT	TIME	DATE	ACCOUNT	WEATHER:	TRUCK	DRIVER	TICKET
1	10:14	02/08/06	2-06		15	RUSS	51783

CUSTOMER

AMERICAN ENERGY
PO BOX 516

CANTON

KS 67428

DELIVERY ADDRESS

56 HWY & 29TH-2 1/2 MI. SOUTH,
EAST SIDE.

PURCHASE ORDER

SALES ORDER

TAX

COUN

CREDIT
OK

TEMP. 40

BATCHMAN

BILL

SLUMP

4.0

LOAD QTY	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
4.00	22SK/10%S	22 SACK SLURRY/10% SAND	8.00	4.00	95.00	380.00

Bitiko Sack #2

5 MINUTES PER YARD UNLOADING TIME, \$60.00 PER HOUR DEMURRAGE CHARGE.

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
:	:	:	:	:

SUBTOTAL	380.00
DISCOUNT	0.00
TAX	23.94
TOTAL	403.94
PREVIOUS TOTAL	0.00
GRAND TOTAL	403.94

THESE MIXES HAVE BEEN DESIGNED TO A SET CEMENT-WATER RATIO TO WHICH WE MUST ADHERE TO GUARANTEE STRENGTH IF YOU ADD WATER, YOU THEREBY ASSUME RESPONSIBILITY.

WE MAKE DELIVERIES INSIDE CURB LINE AND ON PROPERTY AT CUSTOMERS RISK ONLY; AND ACCEPT NO RESPONSIBILITY FOR DAMAGE RESULTING IN THEREFROM.

"CAUTION" SKIN AREAS THAT COME INTO CONTACT WITH PORTLAND CEMENT OR MIXTURES CONTAINING PORTLAND CEMENT, EITHER DIRECTLY OR THROUGH SATURATED CLOTHING, SHOULD BE PROMPTLY WASHED WITH WATER. FAILURE TO DO SO MAY CAUSE SKIN IRRITATION OR BURNS. IF CEMENT GETS IN THE EYE, RINSE IMMEDIATELY WITH WATER AND GET PROMPT MEDICAL ATTENTION. KEEP OUT OF REACH OF CHILDREN.

Driver instructed to add _____ gal. water

Received Per order by: _____

MATERIAL	REQ'D	BAT'D	MIX	TOL	ACWAT	%MST	AMERICAN ENERGY
SAND	843	840 LB	207	-0.4	1.7	1.76*	DATE & TIME 02/08/06 10:17
CEMENT	4136	4095 LB	1034	-1.0	0.0		PLANT No: 1
FLY ASH	4136	4116 LB	1034	-0.5	0.0		BATCH No: 51783 DROPS: J
WATER	398	399 GL	100.0	0.2	399.0		TRUCK 15 DRIVER: RUSS
							QUAN 4.00YD MIX: 22SK/10%S

SLUMP 4.0 in
% HOT WATER 0
WAT ADJUST 0.0 GL
AGG ST 0
AGG ET 0
CEM ST* 25
CEM ET 20
HI ST ADX NONE

MANUAL 10:11

WAT IN TRK = 0.0 GL
WAT TO ADD = 0.0 GL
TOTAL WAT = 400.7 GL
WAT/CEM = 0.407A

REQUIRED FOR CERTIFIED CONCRETE

Moist. Corr. FA _____ %; CA _____ %

Corrected Mass per Volume: kg/m³(lb/yd³)

FA _____ ; CA _____ ; Water _____

Certified Batcher

No. _____

RECEIVED

FEB 17

KCC WICHITA