


STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

15-181-00008-00-00
WELL PLUGGING RECORD

NORTH



Locate well correctly on above
Section Plat

Sherman County. Sec. 24 Twp. 7S Rge. 37 (E) (W) W
Location as "NE/CNW/SW" or footage from lines C NW/4 NW/4 NW/4
Lease Owner MIAMI PETROLEUM COMPANY, INC.
Lease Name F. B. DAWES "A" # 1 Well No. 1
Office Address P.O. Drawer 2040, Abilene, Texas
Character of Well (completed as Oil, Gas or Dry Hole) DRY
Date well completed August 25th 19 58
Application for plugging filed August 29th 19 58
Application for plugging approved August 29th 19 58
Plugging commenced August 29th 19 58
Plugging completed August 29th 19 58
Reason for abandonment of well or producing formation DRY

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Fabricius, Hill City, Kansas
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 5340 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				9 5/8	346'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

First plug set at 600 feet with 25 sacks cement.

Second Plug set at 310 feet with 15 sacks cement.

Last plug set at 40 feet with 10 sacks cement.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor MIAMI PETROLEUM COMPANY, INC.
Address P.O. DRAWER 2040, Abilene, Texas

STATE OF TEXAS, COUNTY OF TAYLOR, ss.
Jack Stivers (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Jack Stivers
P.O. Drawer 2040, Abilene, Texas
(Address)

SUBSCRIBED AND SWORN TO before me this 29th day of August, 19 58

My commission expires June 1, 1959

RECEIVED
STATE CORPORATION COMMISSION

SEP 4 1958

CONSERVATION DIVISION
WICHITA, KANSAS

PLUGGING
FILE SEC 24 T. 7 R. 37W
BOOK PAGE 127 LINE 14

15-181-00008-00-00

MIAMI PETROLEUM COMPANY, INC.

F. B. DAWES "A" #1
 Sherman County, Kansas

Section 24, T-7-S, R-37-W
 Field Wildcat
 Sherman County, Kansas

DRILLERS LOG

Date	DEPTHS		Description of Formation
	From	To	
8-9-58	0	265	Gray shale and sand streaks
	Spudded 8-9-58 Evening Tour Rig # 3 Location C of NW NW NW Section 24, T7-S R-37-W, Sherman County, Kansas		
8-10-58	265	392	Gray shale and sand streaks
	Ran and cemented 346' (11 Joints) 9 5/8" surface casing with 225 sxs. cement. Plug down at 7:30AM 8-10-58		
8-11-58	392	1345	Gray shale and calcareous shale
		1458	Sand and calcareous gray shale
		1657	Calcareous gray shale with sand streaks
8-12-58	2135	2135	Gray shale with sand and lime streaks
		2412	Gray shale with sand and lime streaks
		2765	Red shale with anhydrite, sand, and salt streaks
8-13-58	2765	2960	Red shale with anhydrite and sand streaks
		3026	Salt and anhydrite
		3058	Anyd.
		3375	Red shale with anhydrite dolomite and sand streaks
8-14-58	3375	3581	Red shale with anhydrite and sand streaks
		3588	Lime
		3721	Red shale with sand and lime streaks
8-15-58	3740	3740	Lime with gray shale streaks
		4009	Lime with gray shale streaks
8-16-58	4049	4049	Lime with gray and black shale streaks
		4217	Lime with gray and black shale streaks
		4223	Black shale
		4255	Lime with gray shale streaks
8-17-58	4255	4304	Lime with gray shale streaks
		4482	Lime with gray and black shale streaks
8-18-58	4482	4581	Lime with gray and black shale streaks
8-19-58	4581	4719	Lime with gray and black shale streaks
		4723	Black shale
		4742	Lime with gray shale streaks
8-20-58	4742	4826	Lime with gray shale streaks
		4916	Varicolored shale with sand and lime streaks
8-21-58	4916	4950	Varicolored shale with sand and lime streaks
		4961	Quartz conglomerate
		4969	Chert
		5000	Dolomite with chert and varicolored shale streaks
		5061	Dolomite with lime and chert streaks
8-22-58	5061	5121	Dolomite with lime and chert streaks
		5170	Lime with chert streaks
		5202	Chalky lime
8-23-58	5202	5264	Chalky lime
		5340	Dolomite

Ran Schlumberger from 5340' - 359'

RECEIVED
 CONSERVATION DIVISION

SEP 4 1958

9/4/58

PLUGGING
 FILE SEC 24 T 7 R 37W
 BOOK PAGE 127 LINE 14

CONSERVATION DIVISION
 Wichita, Kansas

PAGE -2- - F. B. Dawes "A" # 1:

Following is a list of the formations encountered in the F. B. Dawes "A" # 1:

T/anhydrite	3026'	(364)
T/Heebner	4217'	(-872)
T/Lansing-Kansas City	4304'	(-914)
T/Marmaton	4584'	(-1194)
T/Cherokee	4719'	(-1329)
T/Mississippian	4961'	(-1571)
T/Arbuckle	5264'	(-1874)

MIAMI PETROLEUM COMPANY, INC.

Jack Stivers
 Vice President

This 29th day of August 1958

RECEIVED
STATE CORP. REG. & COMM. DIV.

SEP 4 1958

9/4/58

PLUGGING
 FILE SEC 24 T 1 R 37w
 BOOK PAGE 126 LINE 14

CONSERVATION DIVISION
Wichita, Kansas