

This form shall be filed in duplicate with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ten days after the completion of the well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on side one will be of public record and side two will then be held confidential.

Circle one: Oil, Gas, Dry, (SWD) OWWO, Injection. Type and complete ALL sections. Applications must be filed for dual completion, commingling, SWD and injection, T.A.

Attach wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). KCC # (316) 263-3238. (Rules 82-2-105 & 82-2-125)

OPERATOR Graham-Michaelis Corporation

API NO. 15-163-20,606-A

ADDRESS P. O. Box 247

COUNTY Rooks

Wichita, Kansas 67201

FIELD UnNamed Field STAMPER

**CONTACT PERSON Jack L. Yinger, Vice President

PROD. FORMATION _____

PHONE 316-264-8394

LEASE BEMIS

PURCHASER _____

WELL NO. 2 - 27 SWDW (OWWO)

ADDRESS _____

WELL LOCATION C SW SW SW

DRILLING Graham-Michaelis Corporation

CONTRACTOR ADDRESS P. O. Box 247


330 Ft. from South Line and

330 Ft. from West Line of

the SW/4 SEC. 27 TWP. 8S RGE. 17W

Wichita, Kansas 67201

WELL PLAT



KCC
KGS
(Office Use)

PLUGGING _____

CONTRACTOR _____

ADDRESS _____

TOTAL DEPTH 1350' PBSD _____

SPUD DATE 5/3/82 DATE COMPLETED 5/11/82

ELEV: GR 2012' DF _____ KB 2017'

DRILLED WITH (CABLE) (~~ROPE~~) (~~DRY~~) TOOLS

Amount of surface pipe set and cemented 8-5/8" @ 220' DV Tool Used? _____

A F F I D A V I T

STATE OF Kansas, COUNTY OF Sedgwick SS, I, _____

Jack L. Yinger OF LAWFUL AGE, BEING FIRST DULY SWORN UPON HIS OATH,

DEPOSES THAT HE IS Vice President (FOR)(OF) Graham-Michaelis Corp.

OPERATOR OF THE Bemis LEASE, AND IS DULY AUTHORIZED TO MAKE

THIS AFFIDAVIT FOR AND ON THE BEHALF OF SAID OPERATOR, THAT WELL NO. 2-27 SWDW ON

SAID LEASE HAS BEEN COMPLETED AS OF THE 11th DAY OF May, 19 82, AND THAT

ALL INFORMATION ENTERED HEREIN WITH RESPECT TO SAID WELL IS TRUE AND CORRECT.

FURTHER AFFIANT SAITH _____

RECEIVED
KANSAS CORPORATION COMMISSION
JUN 24 1982
6-24-1982
CONSERVATION DIVISION
Wichita, Kansas

SUBSCRIBED AND SWORN BEFORE ME THIS 11th DAY OF June, 19 82.

ALDINE M. JOHNSON
NOTARY PUBLIC
STATE OF KANSAS
My Appointment Expires:

(S) Jack L. Yinger

Aldine M. Johnson
NOTARY PUBLIC

MY COMMISSION EXPIRES: 3-19-85

**The person who can be reached by phone regarding any questions concerning this information. Within 45 days of completion, a witnessed initial test by the Commission is required if the well produces more than 25 BOPD or is located in a Basic Order Pool.

SIDE TWO

WELL LOG

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
<p>The Bemis #2-27 SWDW is a re-entry of Graves Drilling, Inc. Stamper #1 which was drilled and plugged in March, 1976.</p>				

Report of all strings set— surface, intermediate, production, etc. **CASING RECORD** (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface		8-5/8"		220'		150	
		5-1/2"		1340'		375	60/40 w/6% gel

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
TUBING RECORD			1 per foot		865' - 1010'
Size 2-7/8"	Setting depth 825.46'	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
15,000 gallons of 28% acid.	Above perforations.

Date of first production	Producing method (flowing, pumping, gas lift, etc.)	Gravity

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	%	bbls. CFPB
Disposition of gas (vented, used on lease or sold)			Perforations	865' - 1010'

SALT WATER DISPOSAL WELL