

15-163-02982-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM  
File One Copy

Lease Owner Columbia Supply Co. Address Box 293 Great Bend, Kansas  
(Applicant)

Lease (Farm Name) Stamper "C" Well No. 1

Well Location ~~SE 17~~ SE 17 NW Sec. 5 Twp. 8 Rge. 17 (E) - (W)

County Rooks Field Name (if any) \_\_\_\_\_

Total Depth 3314 Oil  Gas  Dry Hole

Was well log filed with application? yes If not, explain: \_\_\_\_\_

Date and hour plugging is desired to begin as soon as permit is received  
Plugging of the well will be done in accordance with the Rules and Regulations  
of the State Corporation Commission.

Name of the person on the lease in charge of well for owner Sam Manes  
Box 293 Address Great Bend, Kansas

Plugging Contractor Forbes Casing Pulling Company

Plugging Contractor's License No. 49

Address Great Bend, Kansas

Invoice covering assessment for plugging this well should be sent to \_\_\_\_\_

Check enclosed Address \_\_\_\_\_

and payment will be guaranteed by applicant.

Sam Manes  
Applicant or Acting Agent

Date November 17, 1955

RECEIVED  
NOV 18 1955  
CONSERVATION DIVISION  
Wichita, Kansas  
11-18-55

PLUGGING  
FILE SEC 5 T 8 R 17 W  
BOOK PAGE 17 LINE 25



STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
211 NORTH BROADWAY  
WICHITA, KANSAS

November 18, 1955

15-163-02982-00-00

Well No.	1
Lease	Stamper "C"
Description	SE NE NW 5-8-17W
County	Rooks
File No.	17-25

Columbia Supply Company  
Box 293  
Great Bend, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

By

S. S. Greider  
WELL PLUGGING SUPERVISOR

cc:  
District Plugging Supervisor

15-163-02982-00- -

Stamper "C" #1 - 5-8-17 - Rook County  
Well drilled by Murfey Drilling Co, Wichita.

8 5/8 surface 1316 feet

<del>Wichita</del>	Topeka	2748
	Heeh	2959
	Toronto	2984
	KC	3002-
	Arbuckle	3291

OO to bottom no fluid  
 DD to 3302 pinpoint pro dead oil  
 DD to 3304 som stain  
 DD to 3305 good sat  
 Acid with 1000 gal  
 Max pressure 8258

Filled up 15 bbls in 12 hrs

TD 3314  
 5 $\frac{1}{2}$  new 14lb set at 3294 with 60 sax cement

SE NE NW

**PLUGGING**  
 FILE NO. 5-18-116  
 ROOK PAGE 17 LINE 25

RECEIVED  
 NOV 18 1955  
 CONSERVATION DIVISION  
 Wichita, Kansas

11-18-55