RECEIVED

For KCC Use: Effective Date: District #_ SGA? X Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAR 0 3 2006

Form C-1 December 2002 Form must be Typed Form must be Signed

NOTICE OF INTENT TO DRILL KCC MICHITA

Must be approved by KCC five		
Expected Spud Date March 15, 2006	Spot 150' E & 240' N of	East
month , day year	SE - NW - NE Sec. 36 Twp. 21 S.	
OPERATOR: License# 31725	750	S Line of Section
Name: Shelby Resources, LLC	1500	W Line of Section
Address: 5893 Saddle Creek Trail	Is SECTION Regular Irregular?	
City/State/Zip: Parker, Colorado 80134		ann aidel
Contact Person: Brian Karlin	(Note: Locate well on the Section Plat on reve County: Stafford	erse side)
Phone: 785-623-3290	Lease Name: Sittner	Well #: 1-36
	Field Name: Sand Hills	- VVOII π
CONTRACTOR: License# 33350	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Southwind Drilling, Inc.	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 750' FNL	
	Ground Surface Elevation: 1789	feet MSL
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile:	✓ Yes No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No ′
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'	
Seismic; ——# of Holes Other	Depth to bottom of usable water: 220'	
Other	Surface Pipe by Alternate: √ 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: +/- 580'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 3600'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Water well	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
AFFI	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plants	ugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:		
 Notify the appropriate district office prior to spudding of well; 		
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be 	It by circulating cement to the top; in all cases surface pine underlying formation. istrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 displays to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to	prior to plugging; ys of spud date. Ilternate II cementing
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	It by circulating cement to the top; in all cases surface pine underlying formation. istrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 displays to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to	prior to plugging; ys of spud date. Ilternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of the intent of the approved notice of intent to drill shall be posted on each of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be 	It by circulating cement to the top; in all cases surface pine underlying formation. istrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 displays to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to	prior to plugging; eys of spud date. liternate II cementing o any cementing.
A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plant of the plant of Operator or Agent: Date: 2-28-2006 Signature of Operator or Agent:	It by circulating cement to the top; in all cases surface pine underlying formation. istrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 de #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to fine knowledge and belief.	prior to plugging; eys of spud date. liternate II cementing o any cementing.
2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 2-28-2006 Signature of Operator or Agent: The CCC Use ONLY API # 15 - 185 - 23346 - 00 - 00	the by circulating cement to the top; in all cases surface pine underlying formation. istrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 dis #133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior to find the many surface within 120 district office prior to find the many surface within 120 district office prior to find the product of the many surface prior to find the product of the many surface prior to find the product of the many surface prior to find the product of the	prior to plugging; eys of spud date. Ilternate II cementing or any cementing. anager III; I date; on orders;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 2-28-2006 Signature of Operator or Agent: Description of the plant of the description of the plant of the description of the plant of the pla	It by circulating cement to the top; in all cases surface pine underlying formation. istrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 dis #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to finy knowledge and belief. Titte: Operations M Remember to: - File Drill Pit Application (form CDP-1) with Intent to Dri File Completion Form ACO-1 within 120 days of spud	prior to plugging; sys of spud date. Ilternate II cementing of any cementing. anager III; I date; on orders; cover or re-entry; leted;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 2-28-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 185 - 23346 - 00 - 00 Conductor pipe required NONE feet Minimum surface pipe required feet per Alt. 1 K Approved by: 240 3-7-06	the by circulating cement to the top; in all cases surface pine underlying formation. iistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 die #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to fine with the production of the fine prior to fine prior to fine prior to fine prior to the fine prior to prior to prior prior to prior prior to prior p	prior to plugging; sys of spud date. Ilternate II cementing of any cementing. anager III; I date; on orders; cover or re-entry; leted; salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. Signature of Operator or Agent: Date: 2-28-2006 Signature of Operator or Agent: Warrant feet per Alt. 1 1 Approved by: Drw 3-7-05 This suthorization expires: 9-7-05	the by circulating cement to the top; in all cases surface pine underlying formation. istrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 displays area, as the plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Operations M Remember to: File Drill Pit Application (form CDP-1) with Intent to Dri File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comp	prior to plugging; sys of spud date. Ilternate II cementing or any cementing. anager III; I date; on orders; cover or re-entry; leted; salt water. date) please
2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 2-28-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 185 - 23346 - 00 - 00 Conductor pipe required NONE feet Minimum surface pipe required feet per Alt. 1 K Approved by: Drw 3-7-06	the by circulating cement to the top; in all cases surface pine underlying formation. istrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 die #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to fine with the management of the production of the production of the prior to fine prior to the prior to prio	prior to plugging; sys of spud date. Ilternate II cementing or any cementing. anager III; I date; on orders; cover or re-entry; leted; salt water. date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug of the sufficient of the description of the description of the shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the statements of the description of the descrip	the by circulating cement to the top; in all cases surface pine underlying formation. iistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 die #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to fine with the production of the file Drill Pit Application (form CDP-1) with Intent to Driefle Completion Form ACO-1 within 120 days of sputh File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completed in written approval before disposing or injecting of the file box below and return to the address below.	prior to plugging; sys of spud date. Ilternate II cementing or any cementing. anager III; I date; on orders; cover or re-entry; leted; salt water. date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

RECEIVED MAR 0 3 2006

Plat of acreage attributable to a well in a prorated or spaced field

KCC WICHITA

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 Operator: Shelby Resources, LLC	Location of Well: County: Stafford
	750' feet from N / S Line of Section 1500' feet from E / W Line of Section
Lease: Sittner	
Well Number: 1-36	Sec. 36 Twp. 21 S. R. 12 East ✓ West
Field: Sand Hills	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SE - NW - NE 150' E & 240' N of	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

Stafford	County		
•		750'	· · · · · ·
			1500 '
		Sittner	#1-36
-	: :	: : :	· · · ·
:			
	36	· · · · · ·	
		:	: :
	·	· · · · · · · · · · · · · · · · · · ·	
	:		
•	· · · · · ·	:	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

March 3, 2006

Mr. Brian Karlin Shelby Resources, LLC 5893 Saddle Creek Trail Parker, CO 80134

RE: Drilling Pit Application Sittner Lease Well No. 1-36 NE/4 Sec. 36-21S-12W Stafford County, Kansas

Dear Mr. Karlin:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **no deeper then 3**' and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: S Durrant