# 

### Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 December 2002 Form must be Typed Form must be Signed

#### NOTICE OF INTENT TO DRILL

OPERATOR: Ucenses   5056   508	5a/1. 2 100 110	(5) days prior to commencing well
1900   Test from	Expected Spud Date	Spot
Address: 9431 E. Central. St. #100 Contact Person. Franklin R. Greenhaum F. G. Mid Company, L.L. C. Address: 9431 E. Central. St. #100 Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Address: 9431 E. Central. St. #100 Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. Mid Name. F. C. Mid Company, L.L. C. Contact Person. Franklin R. Greenhaum F. C. Mid Name. F.		
SECTION   Sequilar   Irregular   Irregul	OPERATOR: License#	Total
Compactified the Contract of t		
ContractOR: License# 5929  Contractor: License#	Address: 9431 E. Central, St. #100	is Sectionnegularmegular?
Case Name	City/State/Zip: Wichita, NS. 67200	
CONTRACTOR: License#   5929   Signature of Operators   1928   Name   Duke Drilling Company, Inc., Rig 7   Simble Speed Field?   Target Formation(s): Sim	Contact Person: Franklin R. Greenbaum	County: Barber
CONTRACTOR. Licenses 5929  Name: Dukke Drilling Company, Inc., Rig 7  Well Class:  Operator:  Well Class:  Operator:  Original Completion Date:  Original Total Depth:  Original Total Depth:  Well Name:  Original Completion Date:  Original Total Depth:  Well Name:  Original Completion Date:  Original Total Depth:  Well Name:  Original Completion Date:  Original Total Depth:  Well Name:  Original Completion Date:  Original Total Depth:  Well Name:  Original Completion Date:  Original Total Depth:  Well Name:  Original Total Depth:  Well Well Well Class:  Well Well Well Class:  Well Well Well Class:  Well Well Well Class:  Well Well Well Well Class:  Well Same Page by Alternatic:  Well Alter Well Class:  Well Same Well Well Class:  Well Well Well Well Class Well Well Class Well Well Well Class Well Well Well Well Well Well Well We	Phone: (310) 664-6461	
Name: Duke Drilling Company, Inc., Rig 7  Well Drilled For: Well Class Type Equipment:   Type Equipment:   Type Equipment:   Enh Rec   Infield   Mod Rotary   Mod	5929 V	
Ground Surface Elevation:		Target Formation(s): SimpsonLKC, Viola, Arbuckle
Ground Surface Elevation:   1907	Well Drilled For: Well Class: Type Equipment: /	
Water well within one-quarter mile:   Yes   Now   No		Ground Surface Elevation: 1901' feet MSL
Seismic   d of Holes   Other   Other   Other   Seismic   Depth to bottom of refs water   100"   Depth to bottom of refs water   100"   Depth to bottom of refs water   100"   Depth to bottom of resh water   100"   Depth to bottom of usable vater   100"   Depth to bottom of usable water   100"   Depth to bottom of usable   100		Water well within one-quarter mile:
Seismic;		
Depth to bottom of usable water:		Deptir to bottom of fresh water.
Surface Pipe by Alternate:		Depth to bottom of usable water.
FOWWO: old well information as follows:   Operator: Well Name:		40041
Well Name: Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operation Water Source	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set.
Original Completion Date. Original Total Depth:	Operator:	Length of Conductor Fibe required.
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source For Drilling Operation For Promotion of Promotion For	Well Name:	Administra
Well   Farm Pond Other   Contractor   Well   Farm Pond Other   DWR Permit #: Contractor will apply	Original Completion Date:Original Total Depth:	Formation at total Depth.
RECEIVED	Distributed on Heilmortel wellbase?	
Will Cores be taken?	Directional, Deviated or Horizontal Wellbore?	
CONSERVATION DIVISION  The undersigned hereby affirms that the United States of the undersigned hereby affirms that the United States of the undersigned hereby affirms that the United States of the undersigned hereby affirms that the United States of the undersigned hereby affirms that the United States of the undersigned hereby affirms that the United States of the undersigned hereby affirms that the United States of the undersigned hereby affirms that the United States of Operator or Agent:    View Operator or Agent	If Yes, true vertical depth:	
If Yes, proposed zone:  CONSERVATION DIVISION  AFFIDAVIT  The undersigned hereby affirms that the diffusion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERIANTE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of the certification.  Date: March 8, 2006 Signature of Operator or Agent:  For KCC Use ONLY  API #15		
The undersigned hereby affirms that the Unit Lempletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements of the statements within 120 days of spud date;  For KCC Use ONLY  API #15 - OO7 - 22997 - OO  Conductor pipe required	MAR 0 8 2006	Will Cores be taken?
The undersigned hereby affirms that the thing, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or prusuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of a transparent to:  For KCC Use ONLY  API # 15		If Yes, proposed zone:
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my applies to the KCC District 3 area, alternate II cementing.  I hereby certify that the statements made herein are true and to the best of my applies of the KCC District office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my applies of the KCC District office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my applies of the KCC District office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my applies of the KCC District office prior to any cementing.  For KCC Use ONLY  API # 15 -		IDAVIT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the poerator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: March 8, 2006  Signature of Operator or Agent:  For KCC Use ONLY  Approved by: Shall be certified before well is authorized expiration date; File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:  Date:  Date:	The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 days</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases</i> , <i>NOTIFY district office</i> prior to any cementing.  I hereby certify that the statements made herein are true and to the best of materials plus and belief.  Date: March 8, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15		
For KCC Use ONLY  API # 15 - 007 - 22997 - 00  Conductor pipe required	<ol> <li>A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.</li> <li>If the well is dry hole, an agreement between the operator and the description of the set.</li> <li>The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY  API # 15 - 007 - 22997 - 00  Conductor pipe required	I hereby certify that the statements made herein are true and to the best of	fm/kgowledge and belief.
For KCC Use ONLY  API # 15 - 007-22997-00-00  Conductor pipe required		- // // /- \ /
For KCC Use ONLY  API # 15 - 007-22997-00-00  Conductor pipe required	Date: March 6, 2000 Signature of Operator of Agent:	Title:
File Completion Form ACO-1 within 120 days of spud date;  Conductor pipe required		Remember to:
Minimum surface pipe required feet per Alt.  Approved by: 3-10-06  This authorization expires: 9-10-06  (This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Date: Notiny appropriate district office 4s notins prior to workover or re-entry,  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:  Date:	API # 15 - 007-22997-00-00	- File Completion Form ACO-1 within 120 days of spud date;
This authorization expires: 9-10-06  (This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Signature of Operator or Agent: Date: Date:	Minimum surface pipe required 200' feet per Alt. 1 X	- Submit plugging report (CP-4) after plugging is completed;
(This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Signature of Operator or Agent: Date: Date: Check the box below and return to the address below.		
Spud date: Agent: Signature of Operator or Agent: Date: Date: Date: Signature of Operator or Agent: Date: Date: Date: Date: Date: Date: Date: Date: Date:	•	LE LE
Spud date: Signature of Operator or Agent: Date:	(This authorization void if drilling not started within 6 months of effective date.)	
Date:	Soud date: Agent:	
	The same same same same same same same sam	
	Mail to: KCC - Conservation Division. 130	į daras


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	Location of Well: County: Barber
Operator: F.G. Holl Company, L.L.C.	1800 feet from N / S Line of Section
Lease:LAMBERT "B"	840 feet from E / W Line of Section
Well Number: 2-17	Sec. 17 Twp. 30 S. R. 13 ☐ East ✔ Wes
Field: Lemon	
Number of Acres attributable to well:	Is Section:   Regular or Irregular
QTR / QTR / QTR of acreage: C W2 - SE - NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

## PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

March 10, 2006

Mr. Franklin R. Greenbaum F.G. Holl Company, LLC 9431 E. Central St. #100 Wichita, KS 67206

Re: Drilling Pit Application

Lambert B Lease Well No. 2-17

NE/4 Sec. 17-30S-13W Barber County, Kansas

Dear Mr. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Department of Environmental Protection and Remediation

cc: Steve Durrant

File