For KCC Use:	111101
Effective Date:	4-4-06
District #	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

Form C-1 December 2002 MAR 2 9 2006 -

SGA? Yes No NOTICE OF I	
Must be approved by KCC fin	NTENT TO DRILL Form must be Sign ve (5) days prior to commencing welk CC WICHTA was be Fill
ADDII 4 2006	
Expected Spud Date	Spot V East
	NW - SW - NE Sec. 2 Twp. 23 S. R. 16 We section
OPERATOR: License# 5150 V	CATE
Name: COLT ENERGY, INC.	reet from VE / W Line of Section
Address: P O BOX 388	ls SECTIONRegularIrregular?
City/State/Zip: IOLA, KS 66749	(Note: Locate well on the Section Plat on reverse side)
Contact Person: DENNIS KERSHNER	County: COFFEY
Phone: 620-365-3111	Lease Name: HAZEN "2" Well #: 28-I Field Name: NEOSHO FALLS-LEROY
CONTRACTOR: License# 5989	
Name: KURT FINNEY DRILLING CO	Is this a Prorated / Spaced Field?
	Target Formation(s): SQUIRREL Nearest Lease or unit boundary: 1650
Well Drilled For: Well Class: Type Equipment:	
Oil Finh Rec Infield Mud Rotary	Ground Surface Elevation: 993 feet MS Water well within one-quarter mile: Yes Yes
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 25 100
Seismic;# of Holes Other	Depth to bottom of usable water: 200
Other	Surface Bine by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40
Operator:	Landback Conductor Bion and Local NONE
Well Name:	Period and Total Death, 1000
Original Completion Date:Original Total Depth:	SOUIDDEL
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	- Will Cores be taken? Yes ✓ N
	If Yes, proposed zone:
AF	
The undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> .	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. e district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. Ill be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugglng; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugglng; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. Il be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PRODUCTION CLERK
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 3-27-06 Signature of Agent:	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. Il be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PRODUCTION CLERK
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 3-27-06 Signature of Signature of Signature Signature of Signature of Signature of Signature Sig	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. Ill be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PRODUCTION CLERK Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 3-27-06 Signature of Signature of Agent:	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. Il be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PRODUCTION CLERK Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 3-27-06 Signature of Signature of Agent:	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PRODUCTION CLERK Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 3-27-06 Signature of Signature of Agent:	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. Ill be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PRODUCTION CLERK Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 3-27-06 Signature of For KCC Use ONLY API # 15 - O31 - 22212 - OOO Conductor pipe required NONE feet	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PRODUCTION CLERK Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 3-27-06 Signature of Agent: For KCC Use ONLY API # 15 - O31 - Z2212 - OO Conductor pipe required Feet Minimum surface pipe required feet per Alt. X (2)	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. Ill be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PRODUCTION CLERK Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 3-27-06 Signature of Feet Minimum surface pipe required feet per Alt. X (2) Approved by: Drw 3-30-06	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. Fill be plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prlor to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 3-27-06 Signature of Feet Minimum surface pipe required Feet Minimum surface pipe required feet per Alt. X (2) Approved by: Drw 3-30-06	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the production form CDP-1 with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a strong and the approved notice of intent to drill shall be posted on a strong all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into shall be through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into shall be come of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be retired that the statements made herein are true and to the best Date: 3-27-06 Signature of feet Minimum surface pipe required feet per Alt. X (2) Approved by: 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. Ill be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

MAR 2 9 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


KCC WICHITA

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: COFFEY
Operator: COLT ENERGY, INC.	3630 feet from N / S Line of Section
Lease: HAZEN "2"	2475 feet from 🗸 E / W Line of Section
Well Number: 28-I	Sec. 2 Twp. 23 S. R. 16 ✓ East West
Field: NEOSHO FALLS-LEROY	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW - SW - NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
PL.	

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

3630

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.