For KCC Use: Effective Date: District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date April 7, 2006		ast
month day year	<u>SW</u> - <u>SE</u> _ _{Sec.} <u>27</u> _ _{Twp.} <u>31</u> _ _{S. R.} <u>14</u> v	/e st
OPERATOR: License# 33365	feet from N / S Line of Section	
Name· Layne Energy Operating, LLC	1996 feet from F E / W Line of Section	
Address: 1900 Shawnee Mission Parkway	Is SECTION _✓RegularIrregular?	
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: M. B. Nattrass KANSAS CORPORATION COM	uເຊຊາຄາ _{ການ} . Montgomery	
Phone: 913-748-3987	Lease Name: Oliver Well #: 15-27	
/ APR U.3.7UIIb	Field Name: Cherokee Basin Coal	
CONTRACTOR: License# 33606		No
Name: Thorton Air CONSERVATION DIVISIO	rargot romination(o).	
WCHITA, KS Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 644'	
	Ground Surface Elevation: 906' feet I	
Oil Enh Rec ✓ Infield Mud Rotary ✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:]Nc
	Public water supply well within one mile:	No
	Depth to bottom of fresh water: 150	
	Depth to bottom of usable water: 200	
Other	Surface Pipe by Alternate: 1 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 1500 Feet	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
Directional Decisional on Haricantal Wellbarra	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	_
KCC DKT #:	Will Cores be taken? Yes ✓	No
	If Yes, proposed zone:	
AFF	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the light of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to 	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identical issuance of plugging listrict office on plug length and placement is necessary prior to pluggin igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements to plugged. In all cases, NOTIFY district office prior to any cementing.	nting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the less of the spud to the best of the less of the spud to the best of the less of the spud to the spud to the less of the spud to the spud to the less of the spud to the spu	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this is included in the surface on plug length and placement is necessary prior to plugging upon production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.	nting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the drift of the surface of the drift of the d	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identical issuance of plugging listrict office on plug length and placement is necessary prior to pluggin igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements to plugged. In all cases, NOTIFY district office prior to any cementing.	nting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift that the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the complete of the complete of the complete of the shall the complete of the complete of the shall the complete of the	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification on plug length and placement is necessary prior to plugging led or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent	nting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the specific office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plants. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 12.5-21036-00-00 Conductor pipe required None feet	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this is included in the surface on plug length and placement is necessary prior to plugging upon production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.	nting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the decomposition of the sequence of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the production of the well shall the statements of the production of the well shall the statements of the production	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification of the surface of plug length and placement is necessary prior to plugging iged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements of plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	nting (
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the decomposition of the set of the specific of	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification on plug length and placement is necessary prior to plugging iged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	nting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the trouble set of the specific properties and the description of the specific plus of the specific plus and the description of the specific plus through through through through through through through through through thr	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification of the surface of the underlying formation. Identification of the surface of the	nting (
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the spund all through the set of the spund of the spun	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification of the surface of the underlying formation. Identification of the surface of the	nting (

APR 0 3 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Montgomery			
Operator: Layne Energy Operating, LLC	430 feet from N / V S Line of Section			
Lease: Oliver	1996 feet from 🗸 E / W Line of Section			
Well Number: 15-27	Sec. 27 Twp. 31 S. R. 14 ✓ East West			
Field: Cherokee Basin Coal				
Number of Acros ottributable to wall	Is Section: 🗸 Regular or 🗌 Irregular			
Number of Acres attributable to well:				
QIR/QIR/QIR of acreage.	If Section is Irregular, locate well from nearest corner boundary.			
	Section corner used: NE NW SE SW			
	PLAT attributable acreage for prorated or spaced wells.) earest lease or unit boundary line.)			
	•			
	EXAMPLE			
· · ·	1980			
	1980			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

1996

SEWARD CO.

15125 31036000

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS

Form CDP-1 April 2004 Form must be Typed

RECEIVED

Operator Name: Layne Energy Operating, LLC		License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway, Mis			Mission Woods, KS 66205	
Contact Person: M. B. Nattrass		Phone Number: (913) 748 - 3987		
Lease Name & Well No.: Oliver 15-27		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW _ SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 27 Twp. 31 R. 14	
Settling Pit	If Existing, date constructed:		430 Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1996 Feet from 🗸 East / 🗌 West Line of Section	
(If WP Supply API No. or Year Drilled)	(bbls)		Montgomery - County	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes V-No		Chloride concentration:mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
✓ Yes No	Artificial Liner? ☐ Yes ✓ No		Self-sealing pit	
Pit dimensions (all but working pits):3	0' Length (fe	eet) 20'	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: 3' (feet)				
		edures for periodic maintenance and determining including any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.		
1 41.			sured well owner electric logKDWR	
		1	, Workover and Haul-Off Pits ONLY:	
Producing Formation: Type of mate		ì	ial utilized in drilling/workover: Fresh Water Mud	
		king pits to be utilized: Two		
		procedure: Let Evaporate until dry and then backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
3/3i/06 Date MS Adduction Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: $4/3/\sigma G$ Permit Num	ber:	Permi	it Date: 4/3/o & Lease Inspection: Yes & No	