# For KCC Use: Effective Date: \_

### KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR 0 3 2006

RECEIVED

Form C-1 December 2002

Form must be Typed Form must be Signed

Expected Spud Date April 8, 2006	Spot East
month day year	NENW SW Sec. 33 Twp. 14 S. R. 22 West
OPERATOR: License# 32461	1275 feet from N / ✓ S Line of Section
Name: Tailwater, Inc.	lest from [A]E / [] W Line of Section
6421 Avondale Drive, Suite 212	Is SECTION Regular Irregular?
City/State/Zip: Oklaoma City, OK 73116	(Note: Locate well on the Section Plat on reverse side)
Contact Person Chris Martin	County: Johnson
Phone: (405) 810-0900	Lease Name: Sala Well #: 17-T
5885	Field Name: Gardner
CONTRACTOR: License# 5885 V Name: Susie Glaze dba R.S. Glaze Drilling	Is this a Prorated / Spaced Field?
Name: Oddie Cid25 dbd Yt.S. Cid25 21111119	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 565'
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: n/a feet MSL
Gas Storage Pool Ext. ✓ Air Rotary ✓	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 350'
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'  Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 950'
Well Name:	Formation at Total Depth: Bartlesville
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:  Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	ab define the
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	et by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	et by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the se	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the control of the state of the	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the strict office will be notified before well is either plug that the construction of the strict of the	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglng; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the se	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglng; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the strict office will be notified before well is either plug to 1 from the construction of the constr	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggling; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the continuous forms of the plus of the specific properties of the specific properties of the second of t	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglng; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Agent
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plug and the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified between the statements of the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the spud date or the well shall be certified before the spud date or the spud date o	the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the spropriate district office will be notified before well is either pluging the set of the spropriate district office will be notified before well is either pluging the set of the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropriate district office will be notified before well is either pluging the spropri	the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggling; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud shall are true and to the best of the construction of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the best of the spud shall are true and to the spud shall be spud shall be spud shall be spu	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be sethology</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the specified district office will be notified before well is either pluging the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spuding specified within 30 days of the spuding of the s	the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggling; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the specified before well is either pluging the surface casing order must be completed within 30 days of the spudidate or the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the spudidat	the underlying formation.  district office on plug length and placement is necessary prior to plugglng; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the specified before well is either pluging the surface casing order must be completed within 30 days of the spudidate or the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the spudidate of the well shall hereby certify that the statements made herein are true and to the best of the spudidate of the spudidat	the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the construction of the surface pipe is either plus to the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus to the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of	the underlying formation.  district office on plug length and placement is necessary prior to plugglng; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the construction of the surface pipe is either plugible.  5. The appropriate district office will be notified before well is either plugible.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the spudiant of the spudiant of the post of the spudiant of the spudia	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggling; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: April 3, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O91 - 23078-0000  Conductor pipe required More feet  Minimum surface pipe required feet per Alt. X 2  Approved by: Put 4-3-06  This authorization expires: 10-3-06	the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of Date: April 3, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O91 - 23078-0000  Conductor pipe required Monumer feet Minimum surface pipe required feet per Alt. X 2  Approved by: PHH 4-3-06  This authorization expires: 10-3-06	the underlying formation.  district office on plug length and placement is necessary prior to plugglng; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Johnson
Operator: Taitwater, Inc.	
Lease: Sala	1275 feet from N / ✓ S Line of Section 4715 feet from ✓ E / W Line of Section
Well Number: 17-T	Sec. 33 Twp. 14 S. R. 22 ✓ East West
Field: Gardner	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NENW - SW - SW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•	: :		:	
	•			٠ .	
	•				•
1		<sup>.</sup>		·	
				٠ .	•
		. :			•
}					
	_				
			· I		
i					
					•
	•				•
	•				
			1		
				: :	
		•			
	•				•
	•				•
1					
l .			1		
				: :	
		· · ·			· •

EXAMPLE	: :
	1980
:	. 3390' .
SEWARD CO.	

NOTE: in all cases locate the spot of the proposed drilling locaton.

### in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# 1501123078 0000

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR 0 3 2006

RECEIVED

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

CONSERVATION DIVISION

	Su	e WICHITA, KS			
Operator Name: Tailwater, Inc.		License Number: 32461			
Operator Address: 6421 Avondale Dr., Suite 212, Oklahoma City, OK 73116					
Contact Person: Chris Martin			Phone Number: ( 405 ) 810 - 0900		
Lease Name & Well No.: Sala 17-T			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE . NW . SW . SW		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 33 Twp. 14 R. 22		
Settling Pit	If Existing, date constructed:		1275 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		4715 Feet from 🗸 East / 🗌 West Line of Section		
(IIVI Outply 14 TWO. OF TOLE DIRECT)	80	(bbls)	Johnson County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗜	No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Ves No	Artificial Liner?	<b>.</b>	How is the pit lined if a plastic liner is not used?		
✓ Yes  No	Yes ✓	NO	native clay		
Pit dimensions (all but working pits): 20 Length (feet) 8 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 6 (feet)					
	· · · ·		·····		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
material, character and materials.	•	, <b></b> ,, .			
Distance to nearest water well within one-mile of pit Depth t		Depth to shallo	west fresh water 40 feet.		
	•	Source of info			
1439 feet Depth of water well	149 feet	measu			
Emergency, Settling and Burn Pits ONLY:	<del>- '</del>	Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: drilling mud		
Number of producing wells on lease:			Number of working pits to be utilized: 1		
Barrels of fluid produced daily: Abando		Abandonment	procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge and belief.		
			1		
April 3, 2006 Wonna Thanda					
Date Signature of Applicant or Agent					
- T.F.					
KCC OFFICE USE ONLY					

4/3/06 Date Received:

Permit Date:

4/3/06 Lease Inspection: Yes 🔻 No