For KCC Use: 4-8-06 Effective Date: 7-8-06 District # SGA? Yes No

KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APR 0 3 2006

Form C-1 December 2002

NOTICE OF INTENT TO DRILL COMPERATOR

Form must be Typed Form must be Signed

Expected Spud Date April 8, 2006 month day year	Spot NESW NW SW Sec. 33 Two. 14 S. R. 22 W.	ast est
32461	1925 Feet from N / S Line of Section	031
OPERATOR: License# 32461 /	4865feet from ✓ E / W Line of Section	
Name: 1 aliwater, inc. Address: 6421 Avondale Drive, Suite 212	Is SECTION Regular Irregular?	
City/State/Zip: Oklaoma City, OK 73116		
Chris Martin	(Note: Locate well on the Section Plat on reverse side) County: Johnson	
Contact Person: Chris Martin Phone: (405) 810-0900	Lease Name: Sala Well #: 6-IW	
Shone: (430) 010 0300	Lease Name: Sala	_
CONTRACTOR: License# 5885		1
Name: Susie Glaze dba R.S. Glaze Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Bartlesville Yes ✓	, NC
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 415'	
	Ground Surface Elevation: n/a feet M	ASL
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile:	No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 200'	,
Seismic; # of Holes Other	Depth to bottom of usable water: 350'	
Other	Surface Pine by Alternate: 1 1 / 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 950'	
Well Name:Original Total Depth:	Formation at Total Depth: Bartlesville	
Original Completion Date:Original lotal Depth;	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes ✓	No
	Will Coles be taken:	1140
	If Yes, proposed zone:	
AEE		
	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig;	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the proved in the proved of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the contents.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging.	g ;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the control of the surface propriate district office will be notified before well is either plug	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;	9 ;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging.	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constitution of the set of the specific strict office will be notified before well is either pluging the analyse of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the construction of the static office will be notified before well is either plug that the statements of the spuddate or the well shall is hereby certify that the statements made herein are true and to the best of the spuddate of the spuddate or the well shall is hereby certify that the statements made herein are true and to the best of the spuddate.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the specified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the construction of the static office will be notified before well is either plug that the statements of the spuddate or the well shall is hereby certify that the statements made herein are true and to the best of the spuddate of the spuddate or the well shall is hereby certify that the statements made herein are true and to the best of the spuddate.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plate: April 3, 2006 Signature of Operator or Agent: For KCC Use ONLY	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this production casing is cemented in; In the defined and usualle water to surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. In the surface within 120 days of spud date. It is the surface within 120 da	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plate: April 3, 2006 Signature of Operator or Agent: For KCC Use ONLY	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this content is necessary prior to plugging ged or production casing is cemented in; In the defined wany usable water to surface within 120 days of spud date. In the spling specific prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent	ting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: April 3, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 230 74 - 00 - 00	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this production casing is cemented in; In the defined and placement is necessary prior to plugging aged or production casing is cemented in; In the defined and placement is necessary prior to plugging aged or production casing is cemented in; In the defined and usable water to surface within 120 days of spud date. In the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. In the Drill Pit Application (form CDP-1) with Intent to Drill;	tinç
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the construction of the specific office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the plu	ch drilling rig; Into by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the construction of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of t	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; In the defended with the first strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; In the defended with the first strict of the first strict strict of the first strict strict of the first strict strict strict strict strict strict of the first strict s	ting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the destance of the well is dry hole, an agreement between the operator and the completed is district office will be notified before well is either plug for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: April 3, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 091 - 23074 - 00 - 00 Conductor pipe required	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the underlying formation is necessary prior to plugging age or production casing is cemented in; In the underlying form to plugging age or prior to any usable water to surface within 120 days of spud date. In the underlying formation is necessary prior to any cementing. In the underlying formation is necessary prior to any cementing. In the underlying formation is necessary prior to any cementing. In the underlying formation is necessary prior to underlying formation orders; In the underlying formation is necessary prior to underlying formation orders; In the underlying formation is necessary prior to underlying formation orders; In the underlying formation is necessary prior to underlying formation orders; In the underlying formation is necessary prior to underlying formation is necessary prior underlying formation is necessary prior to underlying formation is necessary prior underlying formation is necessary prior underlying formation is necessary prior to underlying formation is necessary prior underlying formation is necessary prior underlying formation is necessary prior to und	ting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all the well is district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: April 3, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 23074 - 00 - 00 feet per Alt. X (2) Approved by: Putt 4-3-06	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; In the defended with the first strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; In the defended with the first strict of the first strict strict of the first strict strict of the first strict strict strict strict strict strict of the first strict s	ting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through all unconsolidated materials plus a minimum of 20 feet into the through all the well is district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: April 3, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 230 74 - 00 - 00 Conductor pipe required	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the underlying formation underlying formation casing is completed; In the underlying formation underly	ting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all the well is district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: April 3, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 23074 - 00 - 00 feet per Alt. X (2) Approved by: Putt 4-3-06	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the underlying formation as surface pipe shall be set the underlying form to plugging is completed; In the underlying formation	ting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through all unconsolidated materials plus a minimum of 20 feet into the through all the well is district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: April 3, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 230 74 - 00 - 00 Conductor pipe required	ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ting

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15	Location of Well: County: Johnson						
Operator: Tailwater, Inc.	1925feet from N / ✓ S Line of Section						
Lease: Sala	1925 feet from N / ✓ S Line of Section 4865 feet from ✓ E / W Line of Section						
Well Number: 6-IW	Sec. 33 Twp. 14 S. R. 22 VEast Wes						
Field: Gardner							
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular						
QTR / QTR / QTR of acreage: NESW - NW - SW	if Section is irregular, locate well from nearest corner boundary.						
	Section corner used: NE NW SE SW						

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

-																		_	
1						•					•								
1				· 				1											
								1											
١	•				•	•			•	•		•	٠.			•	•	•	
1								1											
	•				•			.	٠	•		•			•	•		•	
								1											
1								1											
								1											
١								١.											
	•				•		• • •	1.	•	•		•		. '	•	•		٠	
1								ĺ											
1																			
									_										
											•						•		
		•		•		•					•			•			•		
1		•				•		1			•			•			-		
								١.											
	•													-		-	-		
				•	•	•		1			•			•			•		
		•		•		•											•		
											•						•		
	•	•	• •		•	٠.		١.	•	•		•				•	•	•	
ĺ		•		•							•						•		
ļ		•				•		i									•		
1		•		•		•		ı									•		
				•										•					
		•		•							•								
											•			•					
														•					



NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT


Submit In Duplicate

CONSERVATION DIVISION WICHITA, KS

RECEIVED

APR 0 3 2006

Operator Name: Tailwater, Inc.		License Number: 32461							
Operator Address: 6421 Avondale Dr., Suite 212, Oklahoma City, OK 73116									
Contact Person: Chris Martin		Phone Number: (405) 810 - 0900							
Lease Name & Well No.: Sala 6-IW		Pit Location (QQQQ):							
Type of Pit:	Pit is:		NE SW NW SW						
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 33 Twp. 14 R. 22						
Settling Pit	If Existing, date or	onstructed:	1925 Feet from North / South Line of Section						
Workover Pit Haul-Off Pit	Pit capacity:		4865 Feet from 🗸 East / 🗌 West Line of Section						
(If WP Supply API No. or Year Drilled)	80	(bbls)	Johnson County						
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗜	∕Ño	Chloride concentration:mg/l						
In the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?						
Is the bottom below ground level? Yes No	Yes 🗸	No	native clay						
Pit dimensions (all but working pits):2	20 Length (fe	not) 8	Width (feet) N/A: Steel Pits						
The difference (all but working pile).	om ground level to de		(feet)						
If the pit is lined give a brief description of the	· · · · · · · · · · · · · · · · · · ·		edures for periodic maintenance and determining						
material, thickness and installation procedure	.	iner integrity, i	ncluding any special monitoring.						
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh waterfeet. Source of information:							
ao\7feet Depth of water well	ાપુર્વ feet	measu	asuredwell owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY: Drilling, Wo			tover and Haul-Off Pits ONLY:						
Producing Formation: Type of			Type of material utilized in drilling/workover: drilling mud						
Number of producing wells on lease:			orking pits to be utilized: 1						
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill						
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must l	ill pits must be closed within 365 days of spud date.						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.									
April 3, 2006	No	Thanda							
Date Signature of Applicant or Agent									
KCC OFFICE USE ONLY									
24/3/6/ 2-34-4-5 DV- DV-									



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.