For KCC Use: Effective Date: 4- 9- 06 District #_____ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed blanks must be Filled

expected Spud Date April 10, 2006 month day year	Spot East
	NWNE - SE - NE Sec. 21 Twp. 9 S. R. 21 West
PERATOR: License# 30717	1540 feet from N / S Line of Section 420 feet from V E / W Line of Section
ame: Downing - Nelson Oil Company, Inc.	Is SECTION ✓ RegularIrregular?
ddress: P.O. Box 372	is Sectionnegularmregular?
ity/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Ron Nelson	County: Graham
hone: (785) 621-2610	Lease Name: Genevieve Well #: 1-21
ONTRACTOR: License# 31548 V	Field Name: Morel
lame: Discovery Drilling	Is this a Prorated / Spaced Field? Yes ✓ No
	Target Formation(s): Arbuckle Nearest Lease or unit boundary: 420'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a EST Z24/ feet MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply wall within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180 V
Seismic;# of Holes Other	Depth to bottom of usable water: 1250'
Other	Surface Pine by Atternate: 1 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 223'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 3,775'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
(CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	DAVIT ugging of this well will comply with K.S.A. 55 et. seg.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the second of the second of the second of the second of 20 feet into the second of the seco	ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the set of the surface of the well shall the set of the set of the spud date or the well shall the set of th	ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of price as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; if by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Is istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the appropriate district office pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plug for the shall statement of the plug for the shall statement of the plug for the shall statement of the statement of the plug for the shall statement of the plug for the plug for the shall statement of the plug for the plug for the shall statement of the plug for the p	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expective of the approved notice of intent to drill <i>shall be</i> posted on each an expective of the appropriate of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement in the statement between the operator and the statement of the statement of the statement of the specified before well is either plug of the specified before well is either plug of the spud date of the well shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the specified before the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OGS - 23/WS - OO-OO	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Its istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the prior of the approved notice of intent to drill shall be posted on each of the prior of the appropriate district office prior and prior of 20 feet into the statement of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the plug of the spud date or the well shall the propriete district of the spud date or the well shall the prior of the prior of the plug of the spud date or the well shall the prior of	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is is is is is in cases surface pipe shall be set the underlying formation. It is is is in cases surface pipe shall be set the underlying formation. It is is is in cases and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill are the drill and the drill and the drill and the drill and the drill are the drill and the drill are the drill and the drill are the drill and the drill and the drill and the drill are the drill and the drill are the drill and the drill and the drill are the drill and the drill and the drill and the drill are the drill and the drill are the drill and the drill and the drill are the drill and the drill and the drill are the drill are the drill and the drill are	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen of the well is either plug to figure and the driving seen through the seen through	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: Fite Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the well is dry hole, an agreement between the operator and the defence of the well is dry hole, an agreement between the operator and the defence of the well is either plug in the spund to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plus of the spund date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OGS - 23165 - OO-OO Conductor pipe required	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to by circulating cement to the top; in all cases surface pipe shall be set to by circulating cement to the top; in all cases surface pipe shall be set to by circulating cement to the top; in all cases surface pipe shall be set to by circulating cement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20 feet into the set of the set	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

APR U 4 2006

ONSERWATION DIVISION WICHITA, KS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 0 65-23/65-00-00	Location of Well: County:_Graham		
Operator: Downing - Nelson Oil Company, Inc.			
Lease: Genevieve	1540 feet from VN/ S Line of Section 420 feet from VE/ W Line of Section		
Well Number: 1-21	Sec. 21 Twp. 9 S. R. 21 East ✓ Wes		
Field: Morel			
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular		
QTR / QTR of agreage: SE NE	If Section is irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		
12 18 1 mg			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•	
: .	: :	:	
		•	
	: :	:	: :
	· · · ·	:	: :
•	•	•	
	: :	:	: :
	: :	:	: :
 ·			·
		•	
		:	: :
	: :	:	: :
 		•	

SEWARD CO.

EXAMPLE

3390

NOTE: in all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section, 2 sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Downing - Nelson Oil Company, Inc.			License Number: 30717		
Operator Address: P.O. Box 372					
Contact Person: Ron Nelson		Phone Number: (785) 621 - 2610			
Lease Name & Well No.: Genevieve #1-21		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW NE SE NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 21 _{Twp.} 9 _{R.} 21 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		1540 Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Ditit is		420 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 3,000 (bbls)		Graham		
Is the pit located in a Sensitive Ground Water Area? Yes V No		No /	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	A.	How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓		native clay		
	Control Length (fe	_	Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to de	eepest point: 5	(feet)		
material, thickness and installation procedure	e.	liner integrity, i	ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water			
1075 feet Depth of water well	38 _{feet}	meası	uredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
Producing Formation:		1	al utilized in drilling/workover: drilling mud		
Number of producing wells on lease:			working pits to be utilized: 3		
Barrels of fluid produced daily: Abandonment		procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. April 4, 2006 Date Signature of Applicant or Agent KCC OFFICE USE ONLY					
KCC OFFICE USE ONLY					
Date Received: 4/4/06 Permit Number: Permit Date: 4/4/06 Lease Inspection: Yes					
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202					

ANSAS CORPORATION COMMISSION

APR 0 4 2006

ONSERVATION DIVISION WICHITA, KS