For KCC Use: Effective Date: _

RECEIVED

Form C-1 2002 ped ined

OIL & GAS CONTO	ONSERVATION	DIVISION	APR (_	 Form must	
 2006	Spot					Ea

Expected Spud Date April 20 2006	Spot East
month day year	SW NE SE Sec. 31 Twp.12 S.R.19 West
OPERATOR: License# 32016	1500 feet from N / X S Line of Section
Name: Pioneer Resources	1070 feet from XE / W Line of Section
Address: 177 W. Limestone Rd.	Is SECTION XRegularIrregular?
City/State/Zip: Phillipsburg, Kansas 67661	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Rodger D. Wells	County: Ellis
Phone: 785-543-5556	Lease Name: Schoenthaler A well #: 2
22575 V	Field Name: Schoenthaler
CONTRACTOR: License# 33575 V Name: W W Drilling LLC	Is this a Prorated / Spaced Field?
Name: W W DITTITING LIC	Target Formation(s): _Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1070
X Oil Enh Rec Infield X Mud Rotary	Ground Surface Elevation: E3T 2/ V3 feet MSL
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 180'
Seismic; # of Holes Other	Depth to bottom of fresh water: 180' Depth to bottom of usable water: 1200'
Other	
	Surface Pipe by Alternate: 1 1 2 1 2 1 1 Length of Surface Pipe Planned to be set: 2201
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 3900'
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #;
Detter Hele Legation.	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes X No
	Will Cores be taken?
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. WAR 27 2006
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. WAR 27 2006
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> s	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. KCC WICLES ach drilling rig; set by circulating cement to the top; in all cases surface pipe share black.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. KCC WICKED ach drilling rig; et by circulating cement to the top; in all cases surface pipe snan black the underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2006 Ach drilling rig; Let by circulating cement to the top; in all cases surface pipe share bushed the underlying formation. district office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. KCC WCLUSTA ach drilling rig; et by circulating cement to the top; in all cases surface pipe share the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. MAR 27 2006 ach drilling rig; ach drilling rig; ach drilling rig; the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: **RECEIVED** Plugging of this well will comply with K.S.A. 55 et. seq. **MAR** 2 7 2006 **Acc drilling rig; **ach drilling rig;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2006 Ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe sname busing the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The Hall cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be sufficiently the sufficient of the well is dry hole, an agreement between the operator and the sufficient of the propriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. MAR 27 2006 ach drilling rig;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. MAR 27 2006 Ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe share busing the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The Hall Cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be sufficiently that the well is dry hole, an agreement between the operator and the foundation of the sufficient of the plus of the propriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: **RECEIVED** Plugging of this well will comply with K.S.A. 55 et. seq. **MAR** 2 7 2006 **Acc drilling rig; **ach drilling rig;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: **RECEIVED** Plugging of this well will comply with K.S.A. 55 et. seq. **MAR 2 7 2006* Ach drilling rig; ach drillin
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: For KCC Use ONLY.	Will Cores be taken? If Yes, proposed zone: **RECEIVED** Plugging of this well will comply with K.S.A. 55 et. seq.* **MAR 27 2006* **CC WCLLATA ach drilling rig; ach drilling ri
AFF The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the tenth of the well is either plus in a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specific content of the section of the	Will Cores be taken? If Yes, proposed zone: **RECEIVED** Plugging of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of the propose
AFF The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the tenth of the well is either plus in a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specific conductor pipe required the statement of the specific conductor pipe required feet	Will Cores be taken? If Yes, proposed zone: **RECEIVED** Plugging of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of this well will comply with K.S.A. 55 et. seq. **MAR** And the proposed zone of the propose
AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the sest of the section of the secti	Will Cores be taken? If Yes, proposed zone: **RECEIVED** Plugging of this well will comply with K.S.A. 55 et. seq.* **MAR 2 7 2006* **CC WCLLED** The underlying formation. In all cases surface pipe share builds the underlying formation. In all cases surface pipe share builds the underlying formation. In all cases surface pipe share builds the underlying formation. In all cases, prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. The surface prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the best of the shall be conductor pipe required	Will Cores be taken? If Yes, proposed zone: **RECEIVED** Plugging of this well will comply with K.S.A. 55 et. seq.* **MAR 27 2006* **CC WILLIAM ach drilling rig; ach drilling ri
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the best of the specific pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 25508-00-00 Conductor pipe required feet Minimum surface pipe required feet per Alt. Approved by: Drus 4-4-66 This authorization expires: 10-4-66	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED ARR 2 7 2006 ACC White proposed in the well will comply with K.S.A. 55 et. seq. ACC White proposed in the well will comply with K.S.A. 55 et. seq. ACC White proposed in the well will comply with K.S.A. 55 et. seq. ACC White proposed in the well will comply with K.S.A. 55 et. seq. ACC White proposed in the well will cases surface pipe share blooms the well will cases surface pipe share blooms the underlying formation. Additionally the underlying formation. Additionally the underlying formation. Additionally the underlying formation. According to fish area, alternate ill comenting be plugged. In all cases, NOTIFY district office prior to any cementing. According to fish area, alternate ill comenting. According to fish in the well will cases, NOTIFY district office prior to any cementing. Title: According to fish area, alternate ill comenting. Title: According to fish proposed date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 3. 3. 3. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED ARR 2 7 2006 ACC WILLIAM ACC
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the best of the specific pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 25508-00-00 Conductor pipe required feet Minimum surface pipe required feet per Alt. Approved by: Drus 4-4-66 This authorization expires: 10-4-66	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED ARR 2 7 2006 ACC White proposed in the well will comply with K.S.A. 55 et. seq. ACC White proposed in the well will comply with K.S.A. 55 et. seq. ACC White proposed in the well will comply with K.S.A. 55 et. seq. ACC White proposed in the well will comply with K.S.A. 55 et. seq. ACC White proposed in the well will cases surface pipe share blooms the well will cases surface pipe share blooms the underlying formation. Additionally the underlying formation. Additionally the underlying formation. Additionally the underlying formation. According to fish area, alternate ill comenting be plugged. In all cases, NOTIFY district office prior to any cementing. According to fish area, alternate ill comenting. According to fish in the well will cases, NOTIFY district office prior to any cementing. Title: According to fish area, alternate ill comenting. Title: According to fish proposed date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

RECEIVED

APR 0 3 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW Plat of acreage attributable to a well in a prorated or spaced field


KCC WICHITA

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25508-00-00	Location of Well: County: E 1113				
Operator: Pipner Resounces					
Lease: Schoenthalen A	feet from N/XS Line of Section 1070 feet from XE/W Line of Section				
Well Number: 2 Field: Schoenthaler	Sec. 31 Twp. 12 S. R. 19 East Wes				
Field: Schoenthaler	· <i>,</i>				
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular				
	Section corner used: NE NW SE SW				

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED APR 0 3 2005

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT KCC WICHITA

Submit In Duplicate

•	00.	Diffit III Dupiicau					
Operator Name: Pioneer Resour	ces		License Number: 32Q16				
Operator Address: 177 W. Limes		Phillipsb	urg, Kansas 6766l				
Contact Person: Rodger D. Wel	.ls	Phone Number: (785) 543 ~ 5556					
Lease Name & Well No.: Schoenthal	er A. No.	2	Pit Location (QQQQ):				
Type of Pit:	Pit is:		SW - SW - NE - SE				
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 31 Twp. 12 R. 19 East (West				
Settling Pit X Drilling Pit	If Existing, date or	onstructed:	1500 Feet from North / X South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1070 Feet from X East / West Line of Section				
(II WY SUPPLY ACTIVO. OF TOOL DELICO)		(bbls)	EllisCounty				
Is the pit located in a Sensitive Ground Water	Area? Yes X] No	Chloride concentration:mg/l				
	I		(For Emergency Pits and Settling Pits only)				
is the bottom below ground level? X Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):8	O Length (fe	et)40	Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point:	(feet)				
material, thickness and installation procedure. Plastic liner covering all exposed area Monitored daily							
Distance to nearest water well within one-mike	e of pit	Depth to shallo Source of infor	west fresh water 52 feet. /				
3053 feet Depth of water well	90 feet		mation: JR - KGS iredwell owner electric logKDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: Plastic Liner					
Number of producing wells on lease:	8/1-1178-1-1-3 Res-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Number of working pits to be utilized:3					
Barrels of fluid produced daily:		Abandonment	procedure: Allowed to air dry				
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 3 - 9 - 0							
Date Received: 4/3/06 Permit Number: Permit Date: 4/3/06 Lease Inspection: Yes No							